DECEMBER 2015 GROUNDWATER SAMPLING DATA SUMMARY REPORT

NAVAL WEAPONS INDUSTRIAL RESERVE PLAN (NWIRP)
SITE 1 OU2
BETHPAGE, NY

Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Atlantic
9324 Virginia Avenue
Building Z-144
Norfolk, Virginia 23511

March 2016

DECEMBER 2015 GROUNDWATER SAMPLING DATA SUMMARY REPORT

NWIRP
SITE 1 OU2
BETHPAGE, NY

Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Atlantic
9324 Virginia Avenue
Building Z-144
Norfolk, Virginia 23511

Prepared by:

Resolution Consultants
A Joint Venture of AECOM & EnSafe
1500 Wells Fargo Building
440 Monticello Avenue
Norfolk, Virginia 23510

Contract Number: N62470-11-D-8013
CTO WE15

March 2016

Brian Caldwell
Contract Task Order Manager

Table of Contents

Tables

Figures

Appendices

List of Acronyms and Abbreviations

DOT	Department of Transportation
IDW	Investigation Derived Waste
Katahdin	Katahdin Analytical Services
NG	Northrop Grumman
NWIRP	Naval Weapons Industrial Reserve Plant
NYSDEC	New York State Department of Environmental Conservation
ONCT	Onsite Containment System
OU	Operable Unit
POTW	Publicly Owned Treatment Works
QA	Quality Assurance
QC	Quality Control
SAP	Sampling and Analysis Plan
UFP	Uniform Federal Policy
VOC	Volatile Organic Compounds

1.0 PROJECT BACKGROUND

Resolution Consultants has prepared this Groundwater Sampling Data Summary Report for the Naval Facilities Engineering Command, Mid-Atlantic under contract task order WE15 Contract N62470-11-D-8013. The report describes quarterly sampling activities in December 2015, which is part of the Navy's ongoing Environmental Restoration Program for the Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage Operable Unit (OU) 2 Site 1 offsite plume. NWIRP Bethpage is located in east-central Nassau County, Long Island, New York, approximately 30 miles east of New York City (Figure 1).

This data summary report provides information on quarterly sampling of 47 Navy-owned monitoring wells by Resolution Consultants on behalf of the Navy, and by ARCADIS on behalf of the Navy at the direction of Northrop Grumman (NG) as part of an agreement between the Navy and NG. The purpose of this sampling is to provide information on the extent and magnitude of volatile organic compounds (VOCs) located in a narrow area immediately south of the Onsite Containment System (ONCT) in the western offsite plume, which could represent contamination that has bypassed the ONCT, to evaluate the southernmost extend of the OU2 plume, and to evaluate outpost wells intended to provide early warning of plume migration to public water supply wells. The locations of monitoring wells sampled as part of this effort are shown in Figure 2. Well construction information and sampling responsibility are listed in Table 1.

2.0 FIELD PROGRAM

Field tasks were conducted in December of 2015 in accordance with the Uniform Federal Policy (UFP) Sampling and Analysis Plan (SAP) Addendum: *Groundwater Sampling Using Low Stress (Low Flow) Purging and Sampling Protocol* (Resolution Consultants, 2013). The field investigation included purging and sampling of monitoring wells in the quarterly groundwater sampling network.

The December 2015 quarterly sampling round consisted of a total of 47 wells (Table 1). Of these, 30 groundwater wells were sampled by Resolution Consultants and 17 were sampled by ARCADIS, NG consultant. ARCADIS sampled the following wells after initial sampling by Resolution Consultants in September 2015 (Resolution Consultants, 2016): RE117D1, RE117D2, RE118D1, RE119D1 and BPOW5-7. These wells were transitioned to ARCADIS for the December 2015 sampling event.

2.1 Sampling

Resolution Consultants purged monitoring wells using a bladder pump with the intake placed at the approximate midpoint of the screened interval. The following field water quality parameters were continuously measured during purging: water temperature, pH, conductivity, oxidation-reduction potential, dissolved oxygen and turbidity. Groundwater analytical samples were collected when field water quality parameters stabilized. Samples were analyzed for VOCs via Method 8260C and 1,4-dioxane via Method 8270C by Katahdin Analytical Services (Katahdin). All purge water was managed as investigation derived waste (IDW). Quality assurance (QA) and quality control (QC) samples were collected during the sampling effort.

Analytical results and stabilized field parameters for wells sampled by Resolution Consultants are summarized in Table 2 and Table 3, respectively. Groundwater sample forms and data validation packages for wells sampled by Resolution Consultants are included in Appendix A and B, respectively.

Results for ARCADIS-sampled wells are provided in Table 4, Table 5, Table 6; data validation packages are included in Appendix C.

Additional Navy-owned wells were sampled by ARCADIS in the fourth quarter of 2015 as part of separate and ongoing OU2 monitoring programs, as summarized in the sampling schedule in Appendix D. ARCADIS will document these activities and results in their 2015 Annual Groundwater

Monitoring Report, scheduled for submission to New York State Department of Environmental Conservation in the spring of 2016.

2.2 Investigation Derived Waste

Resolution Consultants utilized dedicated and disposable sampling equipment when possible to avoid the potential for cross-contamination of samples. The sampling equipment included dedicated disposable polyethylene tubing, disposable gloves, and laboratory supplied sample bottles. Hand held equipment was decontaminated using a liquinox and water wash, a potable water rinse followed by a distilled water rinse. Purge water was collected in 5-gallon pails or 55-gallon drums.

Resolution Consultants transported purge water from point of generation to the designated staging area at NWIRP in Department of Transportation (DOT) approved 5-gallon pails. Purge water was then containerized in a frac tank and stored at NWIRP Bethpage for characterization and ultimate disposal to the Nassau County Publicly Owned Treatment Works (POTW) in accordance with the facility's existing discharge permit. A representative water sample was collected from each of the frac tanks and submitted to Katahdin for analysis of VOCs via Method SW 624, pH via Method SW 9040B, PCBs via Method 8082 and Total Metals via Method SW 846. All analytical criteria were met for disposal of water. No solid waste was generated during sampling.

3.0 SUMMARY

Well construction information for all wells sampled by Resolution Consultants and ARCADIS is summarized in Table 1.

Analytical results and stabilized field water quality parameters for wells sampled by Resolution Consultants are summarized in Tables 2 and 3, respectively. Groundwater sample forms and data validation packages for wells sampled by Resolution Consultants are included in Appendix A and B, respectively.

Analytical results for wells sampled by ARCADIS are summarized in Tables 4, 5 and 6. Data validation packages for wells sampled by ARCADIS are included in Appendix C.

Additional Navy-owned wells sampled by ARCADIS in the fourth quarter of 2015 as part of separate and ongoing OU2 monitoring programs are summarized in Appendix D.

4.0 REFERENCES

Resolution Consultants, 2013. UFP SAP Addendum, *Groundwater Sampling Using Low Stress (Low Flow) Purging and Sampling Protocol.* November.

Resolution Consultants, 2016. September *2015 Groundwater Sampling Data Summary Report, Bethpage, NY*. February.

Tables

TABLE 1
MONITORING WELL CONSTRUCTION SUMMARY
2015 OU2 GROUNDWATER INVESTIGATION
NWIRP BETHPAGE, NY

Well	Total Depth (ft bgs)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Mid-screen (ft bgs)	Sump Length (ft)	VPB Affiliation	Sampled By
RE103D1	645	625	640	630	5	VPB137	Resolution
RE103D2	673	653	673	663	0	VPB137	Resolution
RE103D3	735	715	730	720	5	VPB137	Resolution
RE104D1	375	350	370	360	5	VPB138	Resolution
RE104D2	735	710	730	720	5	VPB138	Resolution
RE104D3	785	760	780	770	5	VPB138	Resolution
RE105D1	555	530	550	540	5	VPB139	Resolution
RE105D2	755	730	750	740	5	VPB139	Resolution
RE107D1	530	505	525	515	5	VPB141	Resolution
RE107D2	585	560	580	570	5	VPB141	Resolution
RE107D3	670	645	665	655	5	VPB141	Resolution
RE108D1	555	530	550	540	5	VPB142	Resolution
RE108D2	655	630	650	640	5	VPB142	Resolution
RE114D1	560	535	555	545	5	VPB148	Resolution
RE114D2	635	610	630	620	5	VPB148	Resolution
RE114D3	725	700	720	710	5	VPB148	Resolution
RE117D1	760	730	755	742.5	5	VPB151	ARCADIS
RE117D2	810	780	805	792.5	5	VPB151	ARCADIS
RE118D1	795	765	790	777.5	5	VPB152	ARCADIS
RE119D1	745	715	740	727.5	5	VPB153	ARCADIS
RE120D1	655	630	650	640	5	VPB154	Resolution
RE120D2	713	690	710	700	3	VPB154	Resolution
RE120D3	765	740	760	750	5	VPB154	Resolution
RE121D1	575	550	570	560	5	VPB155	Resolution
RE121D2	755	730	750	740	5	VPB155	Resolution
RE122D1	545	520	540	530	5	VPB156	Resolution
RE122D2	615	590	610	600	5	VPB156	Resolution
RE122D3	740	715	735	725	5	VPB156	Resolution
RE123D1	505	480	500	490	5	VPB157	Resolution
RE123D2	660	635	655	645	5	VPB157	Resolution
RE123D3	840	815	835	825	5	VPB157	Resolution
TT101D	350	325	345	335	5	VPB129	Resolution
TT101D1	595	570	590	580	5	VPB129	Resolution
TT101D2	765	740	760	750	5	VPB129	Resolution
BPOW5-1	515	480	510	495	5	VPB132	ARCADIS
BPOW5-2	585	540	580	560	5	VPB132	ARCADIS
BPOW5-3	665	620	660	640	5	VPB132	ARCADIS

TABLE 1
MONITORING WELL CONSTRUCTION SUMMARY
2015 OU2 GROUNDWATER INVESTIGATION
NWIRP BETHPAGE, NY

Well	Total Depth (ft bgs)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Mid-screen (ft bgs)	Sump Length (ft)	VPB Affiliation	Sampled By
BPOW5-4	575	545	570	557.5	5	VPB151	ARCADIS
BPOW5-5	545	515	540	527.5	5	VPB152	ARCADIS
BPOW5-6	615	585	610	597.5	5	VPB152	ARCADIS
BPOW5-7	555	525	550	537.5	5	VPB153	ARCADIS
BPOW6-1	580	550	575	562.5	5	VPB145	ARCADIS
BPOW6-2	785	755	780	767.5	5	VPB145	ARCADIS
BPOW6-3	780	750	775	762.5	5	VPB146	ARCADIS
BPOW6-4	575	545	570	557.5	5	VPB146	ARCADIS
BPOW6-5	555	525	550	537.5	5	VPB147	ARCADIS
BPOW6-6	800	770	795	782.5	5	VPB147	ARCADIS

ft bgs - feet below ground surface

TABLE 2. ANALYTICAL DATA SUMMARY FOR WELLS SAMPLED BY RESOLUTION CONSULTANTS 2015 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE103D1	RE103D2	RE103D3	RE122D1
Sample Date		12/14/2015	12/14/2015	12/14/2015	12/15/2015
Sample ID		RE103D1-GW-121415	RE103D2-GW-121415	RE103D3-GW-121415	RE122D1-GW-121515
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	**12**	**3.2**	**2.5**	**4.7**
1,1,2-TRICHLOROETHANE	1	**0.62 J**	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHANE	5	**1.1**	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHENE	5	**7.6**	**0.77 J**	**0.62 J**	**0.63 J**
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	**3.2**	**1.1 J**	**1.0 J**	**1.9 J**
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	**12**	**1.2**	**0.81**	**8.7**
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	< 0.50 U	**0.24 J**	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CHLOROFORM	7	< 0.50 U	< 0.50 U	**0.79 J**	< 0.50 U
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	**3.2**	**1.1**	**1.0**	**1.9**
CIS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	**3.0 J**	**0.72 J**	< 0.50 UJ	**1.5 J**
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
TRICHLOROETHENE	5	**930**	**620**	**510**	**600**
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

TABLE 2. ANALYTICAL DATA SUMMARY FOR WELLS SAMPLED BY RESOLUTION CONSULTANTS 2015 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE122D2	RE122D3	RE104D1	RE104D2
Sample Date		12/15/2015	12/15/2015	12/15/2015	12/15/2015
Sample ID		RE122D2-GW-121515	RE122D3-GW-121515	RE104D1-GW-121515	RE104D2-GW-121515
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	**21**	< 0.50 U	**4.6**	< 0.50 U
1,1,2-TRICHLOROETHANE	1	**3.1**	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHANE	5	**1.5**	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHENE	5	**8.9**	< 0.50 U	**0.80 J**	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	**5.7**	< 1.0 U	**1.1 J**	**2.7**
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	**11**	< 0.17 U	**6.9**	**0.22 J**
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 UJ	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	**1.9**	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CHLOROFORM	7	**2.6**	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	**5.7**	< 0.50 U	**1.1**	**2.7**
CIS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 1.0 U	**0.68 J**	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	**2.3 J**	< 0.50 UJ	**1.9 J**	< 0.50 UJ
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
TRICHLOROETHENE	5	**4700**	**2.5**	**110**	**6.8**
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

TABLE 2. ANALYTICAL DATA SUMMARY FOR WELLS SAMPLED BY RESOLUTION CONSULTANTS 2015 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE104D2	RE104D3	RE114D1	RE114D2
Sample Date		12/15/2015	12/15/2015	12/21/2015	12/16/2015
Sample ID		DUPLICATE1-GW-121515	RE104D3-GW-121515	RE114D1-GW-122115	RE114D2-GW-121615
Sample type code		FD	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	**0.64 J**	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 U	< 0.50 U	**20 J**	**14**
1,1,2-TRICHLOROETHANE	1	< 0.50 U	< 0.50 U	**1.6 J**	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	**1.5 J**	< 0.50 U
1,1-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	**4.0 J**	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	**2.7**	< 1.0 U	**5.1 J**	**0.82 J**
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	**0.28**	< 0.17 U	**5.5**	**2.5**
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 UJ	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 UJ	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 UJ
ACETONE	50	< 2.5 U	< 2.5 U	< 2.5 UJ	< 2.5 U
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 U	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	< 0.50 U	**2.5 J**	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 U	< 1.0 U	< 1.0 UJ	< 1.0 U
CHLOROFORM	7	< 0.50 U	< 0.50 U	**2.9 J**	**0.40 J**
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	**2.7**	< 0.50 U	**5.1 J**	**0.82 J**
CIS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 1.0 U	**1.0 J**	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 0.50 U	< 0.50 UJ
TOLUENE	5	< 0.50 U	< 0.50 U	**0.30 J**	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 UJ***	***< 0.50 U***
TRICHLOROETHENE	5	**6.8**	< 0.50 U	**370**	**70**
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

TABLE 2. ANALYTICAL DATA SUMMARY FOR WELLS SAMPLED BY RESOLUTION CONSULTANTS 2015 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE114D3	RE105D1	RE105D2	TT101D
Sample Date		12/16/2015	12/17/2015	12/17/2015	12/17/2015
Sample ID		RE114D3-GW-121615	RE105D1-GW-121715	RE105D2-GW-121715	TT101D-GW-121715
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	**13**	**8.7**	**26**	**16**
1,1,2-TRICHLOROETHANE	1	< 0.50 U	< 0.50 U	**1.3**	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	**1.9**	**0.84 J**
1,1-DICHLOROETHENE	5	**1.1**	**1.3**	**7.0**	**3.4**
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	**0.67 J**	**1.7 J**	**4.0**	**3.1**
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	**2.1**	**10**	**5.8**	**8.4**
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
ACETONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	< 0.50 U	**3.0**	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CHLOROFORM	7	< 0.50 U	**0.38 J**	**2.0**	**0.55 J**
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	**0.67 J**	**1.7**	**4.0**	**3.1**
CIS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	**0.58 J**	**0.45 J**	**2.2**
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	**1.9 J**	< 0.50 UJ
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
TRICHLOROETHENE	5	**43**	**120**	**1800**	**74**
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

TABLE 2. ANALYTICAL DATA SUMMARY FOR WELLS SAMPLED BY RESOLUTION CONSULTANTS 2015 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	TT101D1	TT101D2	TT101D2	RE107D1
Sample Date		12/17/2015	12/21/2015	12/21/2015	12/18/2015
Sample ID		TT101D1-GW-121715	TT101D2-GW-122115	DUPLICATE-GW-122115	RE107D1-GW-121815
Sample type code		N	N	FD	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	**0.34 J**	< 0.50 U	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	**16**	**19**	**24**	**0.95 J**
1,1,2-TRICHLOROETHANE	1	**0.48 J**	**0.50 J**	**0.65 J**	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 U	< 0.50 UJ	**0.81 J**	< 0.50 U
1,1-DICHLOROETHENE	5	**4.6**	**3.6 J**	**5.0 J**	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	***< 0.75 U***	***< 0.75 UJ***	***< 0.75 U***	***< 0.75 U***
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	**1.9 J**	**1.7 J**	**2.0**	**0.21 J**
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	**11**	**1.7**	**2.2**	**6.9**
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 UJ	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 UJ	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 UJ	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 U	< 2.5 U	< 2.5 UJ	< 2.5 UJ
BENZENE	1	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	**1.9**	**1.3 J**	**1.4**	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	**1.0**	**0.90 J**	**0.92 J**	< 0.50 U
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 UJ
CIS-1,2-DICHLOROETHENE	5	**1.9**	**1.7 J**	**2.0**	**0.21 J**
CIS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 UJ***	***< 0.50 U***	***< 0.50 U***
CYCLOHEXANE	NL	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	**1.8 J**	< 1.0 U	< 1.0 U	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 UJ	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 0.75 UJ
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 UJ	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	**0.94 J**	**1.6 J**
TOLUENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 UJ***	***< 0.50 UJ***
TRICHLOROETHENE	5	**200**	**510**	**590**	**17**
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 UJ	< 1.5 U	< 1.5 U

TABLE 2. ANALYTICAL DATA SUMMARY FOR WELLS SAMPLED BY RESOLUTION CONSULTANTS 2015 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE107D2	RE107D3	RE123D1	RE123D2
Sample Date		12/18/2015	12/29/2015	12/21/2015	12/21/2015
Sample ID		RE107D2-GW-121815	RE107D3-GW-122915	RE123D1-GW-122115	RE123D2-GW-122115
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	**15**	**4.9**	< 0.50 U	< 0.50 U
1,1,2-TRICHLOROETHANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	**2.7**	< 1.0 U	< 1.0 U	< 1.0 U
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	**9.3**	< 0.17 U	**5.0**	**0.70**
2-BUTANONE	50	< 2.5 UJ	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 UJ	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 UJ	< 1.0 UJ
CIS-1,2-DICHLOROETHENE	5	**2.7**	< 0.50 U	< 0.50 U	< 0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 UJ	< 0.75 UJ
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	**6.4**	< 0.50 UJ	< 0.50 UJ	**0.59 J**
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	***< 0.50 UJ***	***< 0.50 U***	***< 0.50 UJ***	***< 0.50 UJ***
TRICHLOROETHENE	5	**140**	**0.36 J**	**6.1**	**1.5**
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

TABLE 2. ANALYTICAL DATA SUMMARY FOR WELLS SAMPLED BY RESOLUTION CONSULTANTS 2015 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE123D3	RE120D1	RE120D2	RE120D3
Sample Date		12/21/2015	12/18/2015	12/29/2015	12/29/2015
Sample ID		RE123D3-GW-122115	RE120D1-GW-121815	RE120D2-GW-122915	RE120D3-GW-122915
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 U	**42**	**25**	**3.1**
1,1,2-TRICHLOROETHANE	1	< 0.50 U	**1.4**	**0.64 J**	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 U	**3.2**	**1.1**	< 0.50 U
1,1-DICHLOROETHENE	5	< 0.50 U	**23**	**5.7**	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***	***< 0.75 U***
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 U	**4.0**	**3.4**	< 1.0 U
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	< 0.17 U	**12**	**8.8**	**0.28**
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	**0.56 J**	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	**0.79 J**	**0.69 J**	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 U	< 1.0 U
CHLOROFORM	7	< 0.50 U	**0.99 J**	**0.77 J**	< 0.50 U
CHLOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	< 0.50 U	**4.0**	**3.4**	< 0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***	***< 0.50 U***
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	**0.38 J**	< 1.0 U	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 UJ	< 0.75 UJ	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 UJ	**2.1 J**	**3.7 J**	< 0.50 UJ
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	***< 0.50 UJ***	***< 0.50 UJ***	***< 0.50 U***	***< 0.50 U***
TRICHLOROETHENE	5	< 0.50 U	**1300**	**680**	**29**
TRICHLOROFLUOROMETHANE	5	< 1.0 U	**0.39 J**	**0.26 J**	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

TABLE 2. ANALYTICAL DATA SUMMARY FOR WELLS SAMPLED BY RESOLUTION CONSULTANTS 2015 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE108D1	RE108D2	RE121D1	RE121D2
Sample Date		12/22/2015	12/22/2015	12/21/2015	12/21/2015
Sample ID		RE108D1-GW-122215	RE108D2-GW-122215	RE121D1-GW-122115	RE121D2-GW-122115
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	**1.4 J**	**0.38 J**	**0.48 J**
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	**1.4**	**6.2**	**8.3**	**17 J**
1,1,2-TRICHLOROETHANE	1	< 0.50 U	***< 2.5 U***	< 0.50 U	**0.64 J**
1,1-DICHLOROETHANE	5	< 0.50 U	**5.1**	< 0.50 U	**0.51 J**
1,1-DICHLOROETHENE	5	**0.44 J**	**9.0**	**2.1**	**3.1 J**
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	***< 0.75 U***	***< 3.8 U***	***< 0.75 U***	***< 0.75 U***
1,2-DIBROMOETHANE	NL	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 2.5 U	**0.38 J**	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	**0.61 J**	**9.0 J**	**0.96 J**	**2.1 J**
1,2-DICHLOROPROPANE	1	< 0.50 U	***< 2.5 U***	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	**6.7**	**8.8**	**6.8**	**4.9**
2-BUTANONE	50	< 2.5 UJ	< 12 UJ	< 2.5 UJ	< 2.5 UJ
2-HEXANONE	50	< 2.5 UJ	< 12 UJ	< 2.5 UJ	< 2.5 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 12 U	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 UJ	< 12 UJ	< 2.5 UJ	< 2.5 UJ
BENZENE	1	< 0.50 U	***< 2.5 U***	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 U	< 5.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	**1.8 J**	**0.34 J**	**3.1 J**
CHLOROBENZENE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 5.0 UJ	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	< 0.50 U	**4.4 J**	**0.47 J**	**1.7 J**
CHLOROMETHANE	5	< 1.0 U	< 5.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	**0.61 J**	**9.0**	**0.96 J**	**2.1 J**
CIS-1,3-DICHLOROPROPENE	0.4	***< 0.50 U***	***< 2.5 U***	***< 0.50 U***	***< 0.50 U***
CYCLOHEXANE	NL	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 5.0 U	**2.2**	**0.85 J**
ETHYLBENZENE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 5.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 3.8 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	***< 12 U***	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	**1.2**	< 2.5 U	< 0.50 U	< 0.50 U
TOLUENE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 2.5 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	***< 0.50 UJ***	***< 2.5 UJ***	***< 0.50 UJ***	***< 0.50 UJ***
TRICHLOROETHENE	5	**110**	**2900 J**	**29**	**480**
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 5.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	***< 5.0 U***	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	***< 7.5 U***	< 1.5 U	< 1.5 U

TABLE 2. ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2015 OU2 GROUNDWATER INVESTIGATION

Notes:

1 New York State Department of Environmental Conservation Division of Water Technical and Operation Guidance series (6 NYCRR 700-706, Part 703.5 summarized in TOGS 1.1.1)
Ambient water quality standards and groundwater effluent limitations, class GA; NL = Not Listed

Bold = Detected; ***Bold and Italics*** =Not detected exceeds NYS Groundwater Standards or guidance value

Yellow highlighted values exceed Groundwater Standards or guidance value

Sample type codes: N - normal environmental sample, FD - field duplicate

U = Nondetected result. The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

UJ = The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte.

J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

M = the matrix spike or matrix spike duplicate did not meet recovery or precision requirements.

TABLE 3
STABILIZED FIELD PARAMETERS FOR WELLS SAMPLED
BY RESOLUTION CONSULTANTS
2015 OU2 GROUNDWATER INVESTIGATION

Well	Date	Temperature (°C)	pH	Specific Conductance (µS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Depth to water (ft bgs)	Flow rate (ml/min)
TT101D	12/17/2015	15.26	4.63	0.078	0.47	225.0	0.10	34.01	850
TT101D1	12/17/2015	15.23	5.03	0.082	0.87	231.8	0.10	35.01	850
TT101D2	12/21/2015	15.30	5.09	0.034	7.41	157.4	0	35.38	700
RE103D1	12/14/2015	15.19	5.25	0.137	4.24	102.6	0.14	40.87	500
RE103D2	12/14/2015	14.87	5.38	0.039	7.30	194.9	0.21	40.15	490
RE103D3	12/14/2015	15.03	5.58	0.041	5.31	161.4	0.66	41.22	500
RE104D1	12/15/2015	14.23	5.09	0.053	4.67	254	0.39	37.02	500
RE104D2	12/15/2015	14.38	4.81	0.019	7.20	188.1	2.80	39.38	500
RE104D3	12/15/2015	14.28	4.49	0.016	5.78	120.1	2.7	39.9	600
RE105D1	12/17/2015	14.43	4.65	0.085	2.72	129.3	0.17	38.50	675
RE105D2	12/17/2015	14.60	4.58	0.056	5.28	205.7	0.10	36.78	500
RE107D1	12/18/2015	13.91	5.52	0.083	4.02	152.9	414.00	41.80	525
RE107D2	12/18/2015	14.56	5.69	0.077	3.49	238.1	49.5	42.68	700
RE107D3	12/29/2015	14.03	5.65	0.033	7.42	20.7	48.4	42.21	250
RE108D1	12/22/2015	14.56	5.10	0.096	7.63	282.1	0.55	40.24	600
RE108D2	12/22/2015	14.32	4.70	0.082	5.42	38.1	0.20	40.72	550
RE114D1	12/21/2015	13.85	5.82	0.073	2.62	148.7	21.00	31.64	500
RE114D2	12/16/2015	14.28	5.99	0.070	0.66	100.9	34.1	31.84	500
RE114D3	12/16/2015	14.35	5.45	0.033	5.78	245.2	1.42	32.26	500
RE120D1	12/18/2015	14.43	4.79	0.094	1.81	104.9	0.42	36.61	525
RE120D2	12/29/2015	14.87	5.22	0.080	5.91	42.6	1.45	36.70	500
RE120D3	12/29/2015	14.75	4.88	0.026	4.72	98.1	1.2	37.14	500
RE121D1	12/21/2015	15.97	5.50	0.071	0.57	154.1	4.21	34.40	863
RE121D2	12/21/2015	15.15	5.16	0.071	2.77	-54.5	8.85	34.41	450
RE122D1	12/15/2015	14.54	5.73	0.079	2.92	89.8	1.02	42.48	600
RE122D2	12/15/2015	14.80	5.21	0.071	5.13	213.7	0.68	43.00	600
RE122D3	12/15/2015	14.60	4.67	0.020	3.32	180.4	14.3	42.82	500
RE123D1	12/21/2015	15.59	5.25	0.087	9.32	172.8	3.08	47.63	700
RE123D2	12/21/2015	14.38	5.54	0.022	8.37	202.9	4.52	48.99	550
RE123D3	12/21/2015	14.77	5.72	0.066	0.66	-82.8	9.25	48.95	600

°C - degrees Celsius
µS/cm - Microsiemens per Centimeter
mg/L - milligrams per liter
mV - Millivolts
NTU - Nephelometric Turbidity Unit
ft bgs - feet below ground surface
ml/min - mililiters per minute

Table 4.
Concentrations of Volatile Organic Compounds
and 1,4-Dioxane in Monitoring Wells BPOW5-1 through BPOW5-7, Fourth Quarter 2015
Operable Unit 2 (Groundwater),
Bethpage, New York

Well: / Sample ID: / CONSTITUENT / Date: / Units (ug/L)	BPOW5-1 / BPOW5-1 / 11/12/2015	BPOW5-2 / BPOW5-2 / 11/12/2015	BPOW5-3 / BPOW5-3 / 12/3/2015	BPOW5-4 / BPOW5-4 / 11/16/2015	BPOW5-5 / BPOW5-5 / 11/13/2015	BPOW5-6 / BPOW5-6 / 11/13/2015	BPOW5-7 / BPOW5-7 / 11/20/2015
Volatile Organic Compounds (VOCs) [1]							
1,1,1-Trichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluroethane	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloropropane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
2-Butanone (MEK)	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
2-Hexanone	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
4-methyl-2-pentanone (MIK)	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Acetone	< 5.0 B	< 5.0	< 5.0	< 5.0 B	< 5.0 B	< 5.0	< 5.0 B
Benzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromoform	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromomethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon Disulfide	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	**0.15 J**	< 0.50
Carbon tetrachloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroform	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,2-dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-dichloropropene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Dibromochloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Ethylbenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Methylene Chloride	< 0.50	< 0.50	< 0.50	< 0.50 B	< 0.50	< 0.50	< 0.50
Styrene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Tetrachloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Toluene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	**0.49 J**
trans-1,2-dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,3-dichloropropene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Trichloroethylene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Vinyl Chloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylene-o	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylenes - m,p	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Total VOCs [2]	0	0	0	0	0	**0.15**	**0.49**
1,4-Dioxane [3]	<0.22	< 0.23	**0.39**	**0.28**	**0.42**	< 0.21	< 0.21

See last page for Notes and Abbreviations

Table 4.
Concentrations of Volatile Organic Compounds
and 1,4-Dioxane in Monitoring Wells BPOW 5-1 through BPOW 5-7, Fourth Quarter 2015
Operable Unit 2 (Groundwater),
Bethpage, New York

Notes and Abbreviations:

(1) Samples were analyzed for the TCL VOCs using USEPA Method 524.2.

(2) Total VOCs are rounded to two significant figures.

(3) Samples were analyzed for 1,4-Dioxane using USEPA Method 8270D SIM.

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2014).

Bold	Constituent detected
TCL	Target Compound List
VOC	Volatile Organic Compound
USEPA	United States Environmental Protection Agency
SIM	Selected Ion Monitoring
µg/L	Micrograms per liter
J	Constituent value is estimated
B	Constituent detected in associated blank sample
<0.50	Constituent not detected above its laboratory detection limit

Table 5.
Concentrations of Volatile Organic Compounds and 1,4-Dioxane in Monitoring Wells BPOW6-1 through BPOW6-6, Fourth Quarter 2015 Operable Unit 2 (Groundwater), Bethpage, New York

Well: / Sample ID: / CONSTITUENT / Date: / Units (ug/L)	BPOW6-1 BPOW6-1 11/30/2015	BPOW6-2 BPOW6-2 11/30/2015	BPOW6-3 BPOW6-3 12/1/2015	BPOW6-4 BPOW6-4 121/2015	BPOW6-4 REP120115PP1 12/1/2015	BPOW6-5 BPOW6-5 12/2/2015	BPOW6-6 BPOW6-6 12/2/2015
Volatile Organic Compounds (VOCs) [1]							
1,1,1-Trichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluroethane	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloropropane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
2-Butanone (MEK)	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
2-Hexanone	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
4-methyl-2-pentanone (MIK)	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Acetone	< 5.0	< 5.0	< 5.0 B	< 5.0	< 5.0	< 5.0	< 5.0
Benzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromoform	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromomethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon Disulfide	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	**0.89**	**0.40 J**
Carbon tetrachloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroform	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,2-dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-dichloropropene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Dibromochloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Ethylbenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Methylene Chloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Styrene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Tetrachloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Toluene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,2-dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,3-dichloropropene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Trichloroethylene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Vinyl Chloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylene-o	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylenes - m,p	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Total VOCs [2]	0	0	0	0	0	**0.89**	**0.4**
1,4-Dioxane [3]	< 0.22	< 0.22	< 0.23	< 0.22	< 0.21	< 0.21	< 0.22

See last page for Notes and Abbreviations.

Table 5.
Concentrations of Volatile Organic Compounds and 1,4-Dioxane in Monitoring Wells BPOW 6-1 through BPOW 6-6, Fourth Quarter 2015 Operable Unit 2 (Groundwater), Bethpage, New York

Notes and Abbreviations:

(1) Samples were analyzed for the TCL VOCs using USEPA Method 524.2.

(2) Total VOCs are rounded to two significant figures.

(3) Samples were analyzed for 1,4-Dioxane using USEPA Method 8270D SIM.

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2014).

Bold	Constituent detected
TCL	Target Compound List
VOC	Volatile Organic Compound
USEPA	United States Environmental Protection Agency
REP	Blind duplicate sample
SIM	Selected Ion Monitoring
µg/L	Micrograms per liter
J	Constituent value is estimated
<0.50	Constituent not detected above its laboratory detection limit

Table 6.
Concentrations of Volatile Organic Compounds and 1,4-Dioxane in Monitoring Wells RE117D1, RE117D2, RE118D1 and RE119D1, Fourth Quarter 2015
Operable Unit 2 (Groundwater),
Bethpage, New York

Well: / Sample ID: / CONSTITUENT / Date: / Units (ug/L)	RE117D1 RE117D1 11/18/2015	RE117D2 RE117D2 11/18/2015	RE118D1 RE118D1 11/23/2015	RE119D1 RE119D1 11/20/2015
Volatile Organic Compounds (VOCs) [1]				
1,1,1-Trichloroethane	< 1.0	< 1.0 J	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane	< 1.0	< 1.0 J	< 1.0	< 1.0
1,1,2-trichloro-1,2,2-trifluroethane	< 5.0	< 5.0	< 5.0	< 5.0
1,1,2-Trichloroethane	< 1.0	< 1.0 J	< 1.0	< 1.0
1,1-Dichloroethane	< 1.0	< 1.0 J	< 1.0	< 1.0
1,1-Dichloroethene	< 1.0	< 1.0 J	< 1.0	< 1.0
1,2-Dichloroethane	< 1.0	< 1.0 J	< 1.0	< 1.0
1,2-Dichloropropane	< 1.0	< 1.0 J	< 1.0	< 1.0
2-Butanone (MEK)	< 10	< 10 J	< 10	< 10
2-Hexanone	< 5.0	< 5.0 J	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)	< 5.0	< 5.0 J	< 5.0	< 5.0
Acetone	< 10	< 10 J	< 10	< 10
Benzene	< 0.50	< 0.50 J	< 0.50	< 0.50
Bromodichloromethane	< 1.0	< 1.0 J	< 1.0	< 1.0
Bromoform	< 1.0	< 1.0 J	< 1.0	< 1.0
Bromomethane	< 2.0	< 2.0 J	< 2.0	< 2.0
Carbon Disulfide	< 2.0	< 2.0 J	< 2.0	< 2.0
Carbon tetrachloride	< 1.0	< 1.0 J	< 1.0	< 1.0
Chlorobenzene	< 1.0	< 1.0 J	< 1.0	< 1.0
Chloroethane	< 1.0	< 1.0 J	< 1.0	< 1.0
Chloroform	< 1.0	< 1.0 J	< 1.0	< 1.0
Chloromethane	< 1.0	< 1.0 J	< 1.0	< 1.0
cis-1,2-dichloroethene	< 1.0	< 1.0 J	< 1.0	< 1.0
cis-1,3-dichloropropene	< 1.0	< 1.0 J	< 1.0	< 1.0
Dibromochloromethane	< 1.0	< 1.0 J	< 1.0	< 1.0
Ethylbenzene	< 1.0	< 1.0 J	< 1.0	< 1.0
Methylene Chloride	< 2.0	< 2.0 J	< 2.0	< 2.0
Styrene	< 1.0	< 1.0 J	< 1.0	< 1.0
Tetrachloroethene	< 1.0	< 1.0 J	< 1.0	< 1.0
Toluene	**0.75 J**	**0.98 J**	**0.57 J**	**0.72**
trans-1,2-dichloroethene	< 1.0	< 1.0 J	< 1.0	< 1.0
trans-1,3-dichloropropene	< 1.0	< 1.0 J	< 1.0	< 1.0
Trichloroethylene	**9.4**	< 1.0 J	< 1.0	< 1.0
Vinyl Chloride	< 1.0	< 1.0 J	< 1.0	< 1.0
Xylene-o	< 1.0	< 1.0 J	< 1.0	< 1.0
Xylenes - m,p	< 1.0	< 1.0 J	< 1.0	< 1.0
Total VOCs [2]	**10.15**	**0.98**	**0.57**	**0.72**
1,4-Dioxane [3]	< 0.21	< 0.20	< 0.22	< 0.22

See last page for Notes and Abbreviations.

Table 6.
Concentrations of Volatile Organic Compounds and 1,4-Dioxane in Monitoring Wells RE-117D1, RE-117D2, RE-118D1 and RE-119D1, Fourth Quarter 2015 Operable Unit 2 (Groundwater), Bethpage, New York

Notes and Abbreviations:

(1) Samples were analyzed for the TCL VOCs using Method 8260C.

(2) Total VOCs are rounded to two significant figures.

(3) Samples were analyzed for 1,4-Dioxane using USEPA Method 8270D SIM.

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2014).

Bold	Constituent detected
TCL	Target Compound List
VOC	Volatile Organic Compound
USEPA	United States Environmental Protection Agency
SIM	Selected Ion Monitoring
µg/L	Micrograms per liter
J	Constituent value is estimated
<0.50	Constituent not detected above its laboratory detection limit

Figures

112G00622\0510\112G00622CM01.DWG 08/02/10 MKB



0 15 30

SCALE IN MILES

NAVFAC

GENERAL LOCATION MAP
NWIRP BETHPAGE
BETHPAGE, NEW YORK

CONTRACT NUMBER	CTO NUMBER
N62470-11-D-8013	WE15
APPROVED BY --	DATE --
APPROVED BY --	DATE --
FIGURE NO. 1	REV 0

F:\Projects\Navy\Bethpage WXE0817.0 Deliverables\7.2 CADD\GIS_files\Bethpage\MAP DOCS\MXD\MISC\2014 03 Wells Sampled\F2 GW Samples 2016 02 09.mxd



NAVFAC

LOCATION MAP
DECEMBER 2015 GROUNDWATER SAMPLING
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
BETHPAGE, NEW YORK

CONTRACT NUMBER	CTO NUMBER
N62470-11-D8013	WE15
APPROVED BY: EV	DATE: 2/9/2016
APPROVED BY: __	DATE: __
FIGURE NO. 2	REV 0

Appendices

Appendix A

Groundwater Sampling Forms – Resolution Consultants

RESOLUTION CONSULTANTS

Well ID: RE103D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage | Date: 12 / 14 / 15 | Time: Start 1135 am/pm
Project No: 60266526 | Finish 1330 am/pm
Site Location: Bethpage
Weather Conds: Cloudy 60° | Collector(s): Celeste Fasker

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 640 | c. Length of Water Column _____ (a-b) | Casing Diameter/Material 4-inch PVC

b. Water Table Depth 41.48 | d. Calculated System Volume (see back) 9.8

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% | - Turbidity ± 10% | - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit | - ORP ± 10mV
- Sp. Cond. ± 3% | - Drawdown < 0.3' | Remove a minimum 1 screen volume (~10 Gal)

c. Field Testing Equipment used: Make | Model | Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1140	–	15.31	7.39	0.106	4.35	120.3	–	500	41.63	
11:50	–	15.27	6.02	0.105	1.62	101.8	1.41	500	41.65	Clear
12:00	–	15.26	5.76	0.106	1.47	96.5	1.00	500	41.66	
12:05	–	15.27	5.56	0.108	3.17	97.0	–	500	41.60	Clear
12:15	5 Gal	15.30	5.47	0.108	3.44	97.9	0.14	500	41.40	
12:25	–	15.28	5.37	0.109	3.63	98.0	–	500	41.09	Clear

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE103D1-GW-121415	40-mL vials	3	HCl	VOCs	1300
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
12:35	—	15.17	5.53	0.155	3.83	98.8	0.15	500	41.05	Clear
12:45		15.18	5.26	0.136	4.15	101.4	0.16	500	40.88	
12:50		15.19	5.25	0.137	4.24	102.6	0.14	500	40.87	10 gallons
13:00										

RESOLUTION CONSULTANTS

Well ID: RE10302

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/14/15 Time: Start 1045 am/pm
Project No: 60266526 Finish 1330 am/pm
Site Location: Avoca
Weather Conds: Cloudy 55° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 67.3 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 41.41 d. Calculated System Volume (see back) 13.1

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume 13.1

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1115										OK
1130		14.91	5.52	0.042	5.96	147.2		300		
1135		14.95	5.49	0.040	5.36	151.9		475		
1140		14.95	5.45	0.047	5.46	156.8		475	41.10	
1145		14.94	5.40	0.040	6.87	167.2	1.43	490	41.07	
1150		14.93	5.39	0.039	7.24	170.9	0.97	490	41.05	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE10302-GW-121415	40-mL vials	3	HCl	VOCs	1315
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Date

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1155		14.92	5.38	0.039	7.49	175.5	0.58	490	41.07	
1205		14.93	5.38	0.038	7.49	179.5	0.59	490	41.04	
1215		15.00	5.38	0.038	7.50	184.2	0.28	490	40.60	
1225		14.91	5.38	0.038	7.53	186.9	0.22	490	40.55	
12:30		14.90	5.38	0.038	7.53	187.5	-	~150		
12:35		14.84	5.38	0.038	7.51	189.3	0.19	490	40.38	
1245		14:87	5.38	0.038	7.41	191.3	0.18	490	40.32	
1255		14.86	5.38	0.039	7.30	194.6	0.20	490	40.28	
1300		14.87	5.38	0.039	7.30	1949	0.21	490	40.15	135 gallons -
1315										

RESOLUTION CONSULTANTS

Well ID: RE1303D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage | Date: 12/14/15 | Time: Start 1130 am/pm
Project No: 60266526 | Finish 1330 am/pm
Site Location: Bethpage, NY
Weather Conds: Foggy | Collector(s): F.Bell/P.K/R.P

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 735 | c. Length of Water Column _____ (a-b) | Casing Diameter/Material 4-inch PVC

b. Water Table Depth 40.95 | d. Calculated System Volume (see back) 98

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% | - Turbidity ± 10% | - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit | - ORP ± 10mV
- Sp. Cond. ± 3% | - Drawdown < 0.3' | Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make | Model | Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
11:30	-	15.08	6.82	0.043	7.02	112.4	-	-	-	Clear.
11:50	-	15.08	6.52	0.042	5.87	119.8	2.02	475	41.30	Clear
12:00	-	15.07	6.08	0.041	5.46	136.5	-	500	41.34	Clear
12:05	-	15.07	6.07	0.041	5.49	142.6	0.86	-	41.35	Clear
12:15		15.11	5.60	0.041	5.25	149.9	0.98		41.35	
12:25		15.06	5.63	0.041	5.62	158.8	0.57		41.28	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE1303-GW-121415	40-mL vials	3	HCl	VOCs	1245
	1-L amber	2	none	1,4-Dioxane	

Comments: MS/MSD collected here

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
12:35	10gal	15.03	5.58	0.041	5.31	161.4	.66	500	41.20	Clear
1245										

RESOLUTION CONSULTANTS

Well ID: RE10401

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/15/15 Time: Start 745 am/pm
Project No: 60266526 Finish 1100 am/pm
Site Location: Hilltop
Weather Conds: Sunny 60° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 375 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 36.49 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI	556 MPS	05G1942AC

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
9:00	-	14.62	6.22	0.065	11.84	170.1	-	450	36.60	Clear
9:10	-	13.95	5.10	0.054	6.01	230.2	-	450	-	Clear
9:15	-	13.95	5.06	0.056	6.07	247.7	0.59	500	36.71	Clear
9:20	-	14.01	5.07	0.055	5.76	263.9	-	500	36.71	Clear
9:25	-	14.03	5.07	0.054	5.58	269.7	1.09	500	36.75	Clear
9:40	-	14.08	5.08	0.053	5.19	281.6		500	36.81	Clear

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☐	☐	☐
Has required turbidity been reached	☐	☐	☐
Have parameters stabilized	☐	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE10401-GW-121515	40-mL vials	3	HCl	VOCs	1100
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Date

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
9:45	5 Gal	14.12	5.09	0.054	5.11	285.3	65	500	36.84	Clear
9:55	-	14.20	5.10	0.053	4.94	290.1	-	500	36.90	Clear
10:00	-	14.43	5.11	0.053	4.77	293.2	.72	500	-	Clear
10:05	-	14.48	5.11	0.053	4.70	293.5	-	500	36.91	
10:10	-	14.40	5.11	0.053	4.74	294.0	.54	500	-	Clear
10:15	10 Gal	14.30	5.14	0.053	4.73	295.4	.53	500	36.94	Clear
10:20	-	14.30	5.11	0.053	4.81	-	-	500	-	Clear
10:25	-	14.31	5.08	0.053	4.80	298.3	.61	500	37.00	Clear
10:30	-	14.30	5.08	0.053	4.73	240.0	.43	500	37.00	Clear
10:35	-	14.28	5.08	0.053	4.76	241.6	.53	500	-	Clear
10:40	-	14.23	5.08	0.053	4.76	243.0	-	500	36.98	Clear
10:45	-	14.22	5.08	0.053	4.70	251.5	.39	500	37.01	Clear
10:50	-	14.33	5.08	.053	4.69	253.1	.33	500	37.00	Clear
10:50	15 Gal	14.23	5.09	0.053	4.67	254.0	.39	500	37.02	Clear
Collected Sample @ 11:00										

RESOLUTION CONSULTANTS

Well ID: RE10402

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/15/15 Time: Start 745 am/pm
Project No: 60266526 Finish 1100 am/pm
Site Location: Hilltop
Weather Conds: sunny 60° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 73.5' c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 39.97 d. Calculated System Volume (see back) 13.1 gal

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI	556	15023/X
	Hanna	98703	480211X

Time (24hr)	Volume Removed (~~Liters~~) gal	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
845		14.75	6.97	0.045	12.03	112.0	2.56	500	40.01	ON
900	2.5	14.38	4.55	0.021	12.71	131.9	1.56	500 ml	40.0	clear
905							2.22			Hold
915		14.27	5.18	0.020	7.90	150.0		475		OK
920	5 gal	14.22	5.14	0.019	7.84	146.4		475	3.9.98	
925		14.28	5.01	0.019	7.49	148.5				

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE10402-GW-121515	40-mL vials	3	HCl	VOCs	1030
	1-L amber	2	none	1,4-Dioxane	
DUPLICATE1-GW-121515					1045

Comments: 905, blowing air, pull pump & reset bladder

Signature: Paul Kreuth Date: 12/15/15

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE104D2 @ 845

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
930		14.29	4.79	0.019	7.50	153.6	3.18	475	39.96	
935		14.30	5.00	0.019	7.61	152.6				
940		14.31	4.95	0.019	7.56	160.4			39.75	
945		14.32	4.92	0.019	7.40	166.3	10.5			
950		14.34	4.91	0.019	7.42	170.5		500		
955	10gal	14.35	4.92	0.019	7.31	172.4	11.9			
1000		14.36	4.90	0.019	7.28	175.2				
1005		14.37	4.87	0.019	7.25	177.8		500	39.40	
1010		14.38	4.83	0.019	7.33	182.8	10.4			
1015	12.5gal	14.38	4.80	0.019	7.34	184.7	4.38			
1020	13gal	14.38	4.82	0.019	7.27	186.4		500	39.38	
1025	13.35gal	14.38	4.81	0.019	7.20	188.1	2.80			
1030										Sample
1045										Duplicate @

Well ID: RE104D3

RESOLUTION CONSULTANTS

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage | Date: 12/15/15 | Time: Start 745 am/pm | Finish 1100 am/pm
Project No: 60266526
Site Location: Hilltop
Weather Conds: sunny 60° | Collector(s): RR

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 785 | c. Length of Water Column _____ (a-b) | Casing Diameter/Material 4-inch PVC

b. Water Table Depth 39.67 | d. Calculated System Volume (see back) _____ 13.1 gal to remove

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% | - Turbidity ± 10% | - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit | - ORP ± 10mV
- Sp. Cond. ± 3% | - Drawdown < 0.3' | Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI		07H100384
	Hanna Turbidity meter		

Time (24hr)	Volume Removed (Liters) gal	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
~~2355~~ 0840		13.86	4.73	0.022	6.11	150.3	7.29	350	39.71	clear
0905	1.25	14.15	4.53	0.019	5.25	114.7	9.81	550	39.70	clear
0915	3.5	14.15	4.39	0.017	5.76	110.2	9.81	550	39.70	~~clear~~ clear
0925	4.5	14.17	4.39	0.017	5.90	~111.9	9.80	550	39.7	clear
935	5.5	14.20	4.38	0.016	5.55	113.3	7.23	550	39.7	clear
0945	6.5	14.20	4.44	0.017	5.87	114.7	7.20	550	39.7	clear

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE104D3-GW-121515	40-mL vials	3	HCl	VOCs	1040
	1-L amber	2	none	1,4-Dioxane	1040

Comments

Signature Rita Paggi | Date 12-15-14

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
0955	8	14.25	4.46	0.016	5.79	116.4	2.85	600	39.7	clear - hose Pump-discharge has sediment in it
1005	9.5	14.25	4.45	0.016	5.87	118.2	3.05	600	39.7	clear
1015	11.0	14.28	4.44	0.016	5.79	120.4	[redacted]	600	39.7	clear.
1025	12.5	14.28	4.48	0.016	5.79	120.0	2.76	600	39.7	clear
1035	14.0	14.28	4.49	0.016	5.78	120.1	2.70	600	39.7	clear
Sample @ 1040										

RESOLUTION CONSULTANTS

Well ID: RE105D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/17/15 Time: Start 845 am/pm
Project No: 60266526 Finish 1130 am/pm
Site Location: Lincoln
Weather Conds: overcast, drizzle 50° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 555 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 38.14 d. Calculated System Volume (see back) 13.1gal

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI	550 DDS	78291
	Solinst	WLM	1/6941 3X
	HANNA	HI98703	U80211X
	MPIO	GED	U51644X

Pump on → 915

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
930		14.39	4.78	0.084	5.50	118.7	0.18	700	38.37	clear/no odor
0940	5gallons	14.41	4.65	0.086	3.00	119.7	0.46	650	38.41	
0950		14.42	4.66	0.084	2.90	119.4	0.39	650	38.44	
1000		14.42	4.65	0.085	2.86	121.4	0.36	675	38.46	
1005	10gallons	14.43	4.66	0.084	2.82	123.2	0.23	675	38.47	
1010		14.44	4.65	0.084	2.80	124.8	0.28	675	38.48	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE105D1-GW-121715	40-mL vials	3	HCl	VOCs	1030
RE105D1-GW-121715	1-L amber	2	none	1,4-Dioxane	1030

Comments

Signature Date

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: _____

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1015	11.5gal.	14.43	4.64	0.086	2.78	126.3	0.22	675	38.50	
1020		14.43	4.64	0.086	2.72	127.7	0.19	675	38.50	
1025	13.5gal	14.43	4.65	0.085	2.72	129.3	0.17	675	38.50	

RESOLUTION CONSULTANTS

Well ID: RE105D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/17/15 Time: Start 845 am/pm
Project No: 60266526 Finish 1130 am/pm
Site Location: Lincoln
Weather Conds: overcast, drizzle 50° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 755 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 38.80 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI	556	502231
	Hanna	98703	80211

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
930										
940		14.57	5.43	0.052	5.91	149.4	0.25	475	36.95	
945		14.61	5.25	0.052	4.53	159.7				
950		14.61	5.06	0.052	3.84	164.9				
955		14.61	4.95	0.052	3.56	169.4		500	36.82	
1000		14.60	4.85	0.053	4.64	179.4				

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE105D2-GW-021715	40-mL vials	3	HCl	VOCs	1110
	1-L amber	2	none	1,4-Dioxane	1110

Comments

Signature Paul Kaleth Date 12/17/15

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE10502 @ 930

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1005	5gal	14.62	4.76	0.057	5.47	184.9	0.17	500	36.75	
1010		14.64	4.69	0.057	5.45	191.0			36.75	
1015		14.62	4.70	0.057	5.50	193.8				
1020		14.61	4.65	0.057	5.47	196.2	0.14			
1025		14.60	4.62	0.057	5.45	199.5		500	36.75	
1030		14.59	4.62	0.057	5.39	203.3	0.14			
1035		14.60	4.60	0.057	5.43	202.9				
1040	10gal	14.58	4.64	0.057	5.38	202.0				
1045	"	14.60	4.58	0.057	5.34	202.9		500	36.73	
1050	12gal	14.59	4.58	0.057	5.31	204.1	0.10			
1055	"	14.59	4.59	0.056	5.32	205.0				
1100	13gal	14.60	4.58	0.056	5.28	205.7		500	36.78	
1110										sample

RESOLUTION CONSULTANTS

Well ID: RG107D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage
Project No: 60266526
Site Location: Crescent
Weather Conds: cloudy 50°
Date: 12/ 19 /15
Time: Start 745 am/pm
Finish 1160 am/pm
Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 530
b. Water Table Depth 42.20
c. Length of Water Column _____ (a-b)
d. Calculated System Volume (see back) 13.1
Casing Diameter/Material 4-inch PVC

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	Ysi	556 MPS	U50231X
	HANNA	98703	U802411

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
0834										
0835	.5	13.26	6.14	0.085	7.70	204.	8817	400		cloudy
0845	1	13.80	5.47	0.080	5.70	124.4	61.2		42.28	cloudy
850	1.5	13.84	5.53	0.080	5.55	29.7	55.1	325	42.28	
855	2.5	13.80	5.48	0.079	5.17	-5.5	38.5			
900	3	13.81	5.50	0.079	4.93	37.8	43 8			

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☐	☑	☐
Have parameters stabilized	☐	☑	☐

(continued on back)

If no or N/A - Explain below.

turbidity greater than 10% , purged for 2 hours

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RG107D1-GW-121815	40-mL vials	3	HCl	VOCs	
	1-L amber	2	none	1,4-Dioxane	1040

Comments

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE107D1

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
905		13.76	5.53	0.080	4.73	138.9			42.33	
910		13.69	5.48	0.080	4.57	140.5				
915		13.99	5.44	0.081	4.37	144.5				
920	5gal									
925	7	13.97	5.47	0.082	4.30	147.5	149	450	42.12	cloudy
930	6	13.95	5.46	0.082	4.35	149.5	209			
935	7	14.03	5.47	0.082	4.0	150.8	252		41.85	
940	9	14.03	5.52	0.083	3.92	150.6	295	500		cloudy
945	9.5	14.08	5.53	0.083	3.87	151.7	326		41.75	
950	100	14.01	5.52	0.083	3.83	152.8	351			
955	10.2	13.98	5.53	0.085	3.82	151.4	380	500	41.78	cloudy
1000	11	14.06	5.51	0.083	3.84	149.9	—			
1005	12	13.94	5.58	0.083	3.91	149.5	433		41.84	cloudy
1010	12.5	13.94	5.49	0.083	3.92	151.0	384	525		cloudy
1015	13	13.97	5.51	0.083	3.90	150.2	387			
1020	14	13.92	5.51	0.083	3.94	149.2	449	525	41.85	
1025	14.5	13.86	5.53	0.083	4.07	148.8	414			cloudy
1030	15	13.89	5.52	0.083	4.07	149.0				
1035	16.5	13.91	5.52	0.083	4.02	152.9		525	41.80	
1240										sample

RESOLUTION CONSULTANTS

Well ID: RE10702

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage
Project No: 60266526
Site Location: Crescent
Weather Conds: Cloudy 50°
Date: 12/18/15
Collector(s):
Time: Start 745 am/pm
Finish 1100 am/pm

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 585
b. Water Table Depth 42.59
c. Length of Water Column _____ (a-b)
d. Calculated System Volume (see back) 13.1
Casing Diameter/Material 4-inch PVC

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI	556	14730422
	Hanna	98703	80211

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
815										ON
830	2.5	14.58	5.63	0.072	5.97	241.2	8.85	700		
840	5	14.59	5.65	0.075	4.93	242.6	21.5		42.6	cloudy
845	6	14.59	5.61	0.075	4.72	241.2	21.2	700	42.6	
850	7.5	14.60	5.57	0.075	4.59	240.6	19.5	700		cloudy
855	9	14.55	5.67	0.076	4.35	240	20.3	700		

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE10702-GW-121815	40-mL vials	3	HCl	VOCs	930
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Paul Kaeuth Date 12/18/15

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: MW1

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
0900	10	14.59	5.67	0.076	4.20	239.6	252	700		
0905		14.57	5.67	0.076	4.02	239.7				
910		14.60	5.68	0.076	3.95	239.6				
915	15gal	14.56	5.68	0.077	3.69	239.1	47.2			
920		14.55	5.69	0.077	3.59	238.8	46.9			
925	15gal	14.56	5.69	0.077	3.49	238.1	45.5	700	42.68	
930	16.5									Sample

RESOLUTION CONSULTANTS

Well ID: RE10703

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/29/15 Time: Start 1345 am/pm
Project No: 60266526 Finish 1600 am/pm
Site Location:
Weather Conds: Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 72.5 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 43.6 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
14:10	5gal	13.47	6.15	0.092	5.41	24.9	642	500	43.6	murky
14:15		13.41	6.13	0.092	5.04	25.0		500	43.6	"
1420		13.77	6.07	0.076	4.74	16.1	630	500	43.2	"
14.25		13.92	5.93	0.082	5.48	12.2	266	500	43.21	"
14:30		13.86	5.74	0.038	5.73	15.0	210	500	43.21	"
1435		13.84	5.69	0.031	5.75	15.6	90.1	300	43.20	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE10703-GW-122915	40-mL vials	3	HCl	VOCs	
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Date

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE107D3

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1440		13.84	5.67	0.033	5.99	16.8	–	250	43.21	clearing
1445		13.86	5.66	0.033	6.14	17.4	84.1	"	43.21	"
1450	10gal	13.87	5.66	0.033	6.38	18.2	–	"	43.21	"
1455		13.87	5.66	0.032	6.84	18.1	–	250	43.21	"
1500		13.87	5.66	0.033	7.37	18.1	61.2	250	43.21	"
1505		13.99	5.65	0.033	7.44	20.2	55.6	250	43.21	"
1510		14.02	5.65	0.033	7.41	20.6	45.2	250	"	"
1515	13gal	14.03	5.65	0.033	7.42	20.7	48.4	250	"	"

Well ID: RE10EDI

RESOLUTION CONSULTANTS

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/22/15 Time: Start 845 am/pm
Project No: 60266526 Finish 1030 am/pm
Site Location: Corona + Ciel
Weather Conds: Overcast, sprinkles - 50°F Collector(s): JC

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 555 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 40.18 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	Horiba	U-52 98703	A8021X
	YSI	556 MPS	
			J73042X

Time (24hr)	Volume Removed ~~(Liters)~~ gal	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
0850										Pump on
0900		14.62	5.33	0.078	8.64	239.1	2.29	600	40.24	clear
905		14.64	5.17	0.096	7.54	259.1	1.59	600	40.24	clear
910		14.63	5.12	0.096	7.73	268.4	0.99	600	40.24	clear.
920		14.60	5.11	0.096	7.82	273.8	0.81	600	40.24	"
930		14.58	5.11	0.096	7.91	274.1	0.79	600	40.24	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE10EDI-GW-12222015	40-mL vials	3	HCl	VOCs	1005
RE10EDI-GW-12222015	1-L amber	2	none	1,4-Dioxane	

Comments

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
940		14.56	5.10	0.096	7.80	278.3	0.79	600	40.24	clear
950		14.56	5.10	0.096	7.63	282.1	0.58	600	40.24	"
1000	- Sample									

RESOLUTION CONSULTANTS

Well ID: RE108D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage
Project No: 60266526
Site Location: Corona & Cil
Weather Conds: Rain
Date: 12/22/15
Time: Start 820 am/pm
Finish 1030 am/pm
Collector(s): RR JC

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length _____ c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 40.71 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	Hanna	HI 98703	U80211x
	YSI	556 MPS	54577

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
850		14.45	4.91	0.083	5.13	79.5	0.81	550	40.40	clear
0900		14.44	4.86	0.083	4.12	58.1		550	40.40	
0905		14.45	4.86	0.083	4.10	68.0	0.37	550	40.72	
0910		14.42	4.79	0.081	4.92	50.6	0.33	550		
0920		14.36	4.75	0.081	5.41	44.5	0.25	550	40.72	clear
0925		14.35	4.74	0.081	6.36	43.1		550	40.72	clear

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE108D2-GW-122215	40-mL vials	3	HCl	VOCs	1020
	1-L amber	2	none	1,4-Dioxane	

Comments _____

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
0930		14.30	4.73	0.082	5.43	410.8	0.23	550	40.72	
0934		1432	4.73	0.0052	5.42	38.1	0.20	550	40.72	
1020	sample									

RESOLUTION CONSULTANTS

Well ID: RE11401

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/21/15 Time: Start 1100 am/pm
Project No: 60266526 Finish 1330 am/pm
Site Location: Elm Dr. N
Weather Conds: partly sunny 56° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 560 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 31.68 d. Calculated System Volume (see back) 13.1

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	05H 1965/450231

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1130		[illegible]								ON
1140		13.95	6.73	0.066	13.36	142.7		350	31.60	cloudy
1145		13.44	6.13	0.068	9.00	142.7			31.60	
1150		13.53	5.94	0.070	6.37	145.5		~~350~~		
1155		13.56	5.92	0.070	6.36	143.4				
1200		13.57	5.90	0.071	4.33	140.7		500	31.62	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE11401-GW-122115	40-mL vials	3	HCl	VOCs	1320
	1-L amber	2	none	1,4-Dioxane	

Comments: Bottom depth is approx. at least 40 ft of tubing hanging at the well. Point is 10 ft off the bottom
★ Tubing is marked "TOP" ★ Need to check tubing length and trim to the correct length!

Signature: Paul Kuntz Date: 12/21/15

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE 114D-1 @ 11:30

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1205		13.64	5.74	0.072	3.00	143.2		500	31.61	
1210		13.64	5.72	0.072	2.92	143.8	160.4			
1215	5gal	13.68	5.75	0.073	2.75	138.8				
1220		13.77	5.80	0.073	3.34	138.7	37.04		31.62	
1225		13.84	5.83	0.073	4.00	137.0				
1230		13.79	5.81	0.073	3.03	140.3	27.33		31.62	
1235		13.76	5.73	0.073	2.99	138.3	28.42			
1240		13.87	5.73	0.073	2.80	143.5				
1245		13.90	5.73	0.073	2.61	146.3			31.64	
1250	10gal	13.81	5.80	0.073	2.46	147.5	21.60			
1255		13.87	5.78	0.073	2.25	149.3				
1300		13.93	5.79	0.073	3.98	149.1	21.07		31.64	
1305		13.95	5.83	0.073	2.98	148.8	21.47	500		
1310		13.86	5.83	0.073	2.77	147.9	22.08			
1315	13gal	13.85	5.82	0.073	2.62	148.7	21.00			
1320										sample

RESOLUTION CONSULTANTS

Well ID: RE11402

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/16/15 Time: Start 1300 am/pm
Project No: 60266526 Finish 1630 am/pm
Site Location: Elm Place
Weather Conds: Sunny 60° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 635 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth _____ d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1345										OK
1355										blowing
1435	resume pumping							400		reset bladder
1445	3 gal	14.30	5.85	0.069	3.29	114.6	44	500	32.03	
1450										
1455		14.13	6.08	0.072	1.94	107.3		475	42.60	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE11402-GW-121615	40-mL vials	3	HCl	VOCs	1615
	1-L amber	2	none	1,4-Dioxane	

Comments 1355 pull pump reset bladder

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
15:00	–	14.34	5.99	0.072	1.59	111.4		475	32.00	
15:05		14.36	5.99	0.071	1.58	110.4	36.8	475	31.97	
15:10		14.36	5.89	0.073	1.11	115.0	35.5	475	31.96	
15:15		14.34	5.89	0.072	0.93	113.8	32.5	500		
15:00		14.33	6.04	0.072	1.00	101.9	35.6	500	31.98	
15:25		14.35	5.97	0.071	0.95	107.0	34.7	500	31.97	
15:30		14.33	6.00	0.072	0.82	105.1		475	31.98	
15:35		14.34	6.01	0.071	0.86	104.9	33.4			
15:40		14.32	6.00	0.071	0.75	104.6	31.0	500	31.97	
15:45	10 Gal	14.30	5.97	0.070	0.66	103.8	30.5	500	31.91	
1550		14.36	5.98	0.070	0.70	102.7				
1555		14.32	5.99	0.071	0.63	101.7	31.3			
1600	12 gal	14.32	5.99	0.071	0.63	101.4	33.4		31.84	
1605	15 gal	14.28	5.99	0.070	0.63	100.9	35.7			
1610		14.28	5.99	0.070	0.66	99	34.1			
1615										Sample

RESOLUTION CONSULTANTS

Well ID: RE11403

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/16/15 Time: Start 1300 am/pm
Project No: 60266526 Finish 1830 am/pm
Site Location:
Weather Conds: Sunny 60° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 725 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 32.35 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)
- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556 MPS	05G1942AC

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
14:20	-	14.41	10.00	0.073	9.65	176.9	-	500	32.27	
14:40	-	14.39	5.93	0.042	5.08	218.0	29.3	500	-	Clear/No odor
14:45	-	14.40	5.63	0.035	5.61	224.3	-	500	32.25	
14:50	-	14.37	5.63	0.035	5.62	224.9	-	500	32.26	
14:55	5 Gal	14.37	5.60	0.035	5.68	228.5	2.75	500	32.24	
15:05	-	14.39	5.52	0.034	5.72	233.4	1.82	500	32.27	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☐	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE11403-GW-121615	40-mL vials	3	HCl	VOCs	1600
RE11403-GW-121615-	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Date

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
15:10	—	14.41	5.53	0.034	5.71	232.9		500	32.27	
15:15		14.40	5.51	0.033	5.74	236.3	1.56	500	32.25	
15:20		14.41	5.50	0.034	5.74	236.1	1.32	500	32.26	
15:25		14.40	5.49	0.034	5.76	238.4	1.47	500		
15:30	10 Gal	14.37	5.48	0.033	5.78	237.2		500	32.27	
15:35		14.38	5.47	0.033	5.78	240.2	1.53	506	32.26	
15:40		14.37	5.46	0.033	5.78	241.6	1.48			
15:45		14.36	5.45	0.033	5.78	244.0		500	32.25	
15:50	13.5 Gal	14.38	5.45	0.033	5.78	245.2	1.42	500	32.26	
15:55										
16:00		Took Sample								
16:05										
16:10										
16:15										
16:20										
16:30										

Well ID: RE120D1

RESOLUTION CONSULTANTS

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage
Date: 12/18/15
Time: Start 1320 am/pm
Finish 1525 am/pm
Project No: 60266526
Site Location: Shelby
Weather Conds: cloudy, 45°
Collector(s): E. Vinaudou

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 65.5
b. Water Table Depth 37.45
c. Length of Water Column _____ (a-b)
d. Calculated System Volume (see back) _____
Casing Diameter/Material 4-inch PVC

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)
- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556 MPS	4577
HANNA		

Time (24hr)	Volume Removed (~~Liters~~) Gal	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1320										
1330	.5	13.74	5.59	0.096	10.12	172	3.13	275	37	clear
1335	1	13.95	5.54	0.095	4.04	153	1.95			
1340	1.5	14.06	5.44	0.095	2.75	145	4.35	300	36.92	Clear
1345	2	14.14	5.3	0.094	2.30	139	5.51			
1350	2.5	14.20	5.23	0.093	2.33	134	2.07	450		

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE-120D1-GW-121815	40-mL vials	3	HCl	VOCs	1525
	1-L amber	2	none	1,4-Dioxane	1525

Comments: Bubbles in flow thru cell affect DO, Transducer in well

Signature: Elena C Nam
Date: 12/18/15

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE120 01

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1355	3.5	14.38	4.99	0.093	3.99	131.6	0.68	475	37.87	Clear
1400	5	14.31	4.85	0.094	2.52	130.6	0.52			
1405	5.5	14.41	4.87	0.094	2.68	126.5	0.44			
1410	6.25	14.5	4.97	0.094	2.94	124.5				Clear - bubbles in flow cell
1415	7	14.48	4.84	0.094	2.67	123.4	0.70			Clear
1420	7.5	14.43	4.86	0.094	2.41	120.8	0.53	525	36.65	Clear
1425	8.5	14.47	4.86	0.094	2.07	118.3	0.61			
1430	10	14.42	4.85	0.094	2.44	118.2	0.53	525	36.62	Clear
1435	11	14.48	4.84	0.094	2.34	117.2	0.71			
1440	12	14.54	4.84	0.094	2.28	117.4	0.71			
1445	12.5	14.54	4.83	0.095	2.06	116		525	36.65	Clear
1450	13.5	14.60	4.84	0.094	1.91	115.1	0.79			
1455	14.5	14.62	4.81	0.095	1.76	115.3	0.85			
1500	~~14.60~~ 15.5	14.60	~~4.78~~ 4.78	0.095	2.18	105.3				
1505	15.5	14.52	4.78	0.094	2.07	105.3	0.91	525	36.61	Clear.
1515	16	14.43	4.80	0.094	1.96	104.3				
1520	17.5	14.43	4.79	0.094	1.81	104.9	0.42		36.61	
1525										Sample

RESOLUTION CONSULTANTS

Well ID: RE 120 D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/29/15 Time: Start _____ am/pm

Project No: 60266526 Finish _____ am/pm

Site Location: _____

Weather Conds: Sun Rainy Collector(s): JC/JP

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length _____ c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 36.6 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make Model Serial Number

_____

_____

_____

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
~~10:25~~		~~17.41~~			~~15.43~~	~~-33.4~~			36.6	Brown
11:50	10gal	14.81	5.22	0.080	5.93	43.6		500	36.71	Clear
1135	"	14.87	5.22	0.080	5.91	42.5		500	36.71	"
1140	"	14.92	5.22	0.080	5.93	42.2	1.48	500	36.71	"
1145		14.88	5.22	0.080	5.88	42.3	1.47	500	36.71	"
11:50	"	14.87	5.22	0.080	5.91	42.6	1.45	500	36.76	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☐	☐	☐
Has required turbidity been reached	☐	☐	☐
Have parameters stabilized	☐	☐	☐

(continued on back)

If no or N/A - Explain below.

_____

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE120D2-GW-122915	40-mL vials	3	HCl	VOCs	
	1-L amber	2	none	1,4-Dioxane	

Comments _____

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor

Well ID: RE120D3

RESOLUTION CONSULTANTS

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/ 29 /15 Time: Start _____ am/pm
Project No: 60266526 Finish _____ am/pm
Site Location: _____
Weather Conds: Sun Rainy Collector(s): JC / JP

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length _____ c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 36.9 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make Model Serial Number

_____
_____
_____

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
	10-gal								36.9	
1200	10gal	14.77	4.86	0.021	11.77	56.1	1.21	500	37.14	clear
1205	-	14.75	4.88	0.026	4.72	98.1	1.20	500	37.14	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☐	☐	☐
Has required turbidity been reached	☐	☐	☐
Have parameters stabilized	☐	☐	☐

If no or N/A - Explain below.

(continued on back)

_____

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE120D3-GW-122915	40-mL vials	3	HCl	VOCs	
	1-L amber	2	none	1,4-Dioxane	

Comments _____

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor

RESOLUTION CONSULTANTS

Well ID: RE 121 01

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: ~~12~~ 12/21/15 Time: Start 830 am/pm

Project No: 60266526 Finish 13 am/pm

Site Location:

Weather Conds: Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length _____ c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth _____ d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
855		14.92	10.02	0.136	2.40	165.1			34.40	
900		14.90	6.31	0.080	1.48	146.3	82.4			
905		14.88	6.25	0.085	1.38	146.6			34.72	
910		14.91	6.08	0.075	1.30	146.0	45.5			
915		14.97	5.58	0.072	1.10	149.3			35.40	
920		14.95	5.55	0.071	0.95	150.9	10.9			

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☐	☐	☐
Has required turbidity been reached	☐	☐	☐
Have parameters stabilized	☐	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
	40-mL vials	3	HCl	VOCs	
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Date

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE121 01

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
925		14.93	5.55	0.071	0.93	156.8				
930		14.95	5.52	0.071	0.84	153.6				
935		14.95	5.53	0.071	0.84	153.6				
940		14.99	5.51	0.071	0.75	154.2	8.00		35.42	
945	13gal	14.99	5.50	0.071	0.58	154.2				
950	13gal	15.97	5.50	0.071	0.57	154.1	4.21		34.40	

Well ID: RE 121 D2

RESOLUTION CONSULTANTS

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/21/15 Time: Start 1115 am/pm
Project No: 60266526 Finish 1340 am/pm
Site Location: Verly @ Union
Weather Conds: Cloudy 47°F Collector(s): JC

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 575 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 34.84 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	Hanna	HI98703	U80211X
	YSI	556 MPS	545???

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1120									34.39	
1150		15.03	5.29	0.049	7.85	6.7	369	425	34.39	Cloudy
1155		15.05	5.27	0.049	6.63	-1.8	357	425	34.39	"
1200		15.11	5.24	0.063	5.29	-11.0	366	425	34.39	"
1205		15.12	5.25	0.063	5.13	-13.2	362	450	34.40	"
1210		15.12	5.27	0.068	4.40	-22.4	106	450	34.40	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE121D2-GW-12212015	40-mL vials	3	HCl	VOCs	1335
RE121D2-GW-12212015	1-L amber	2	none	1,4-Dioxane	1335

Comments

Signature _____ Date 12/21/2015

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1215		15.12	5.23	0.069	4.08	-26.2	47.7	450	34.40	cloudy
1220	5gal	15.18	5.21	0.070	3.76	-29.4	21.0	450	34.40	"
1225		15.16	5.17	0.070	3.20	-37.2	13.6	450	34.41	clearing
1230		15.16	5.17	0.070	3.16	-38.4	12.9	450	34.41	"
1235		15.22	5.15	0.071	3.03	-41.6	12.6	450	34.41	"
1240		15.18	5.15	0.070	2.98	-43.7	11.4	450	34.41	"
1245		15.15	5.15	0.070	2.97	-45.9	10.9	450	34.41	"
1250		15.15	5.16	0.071	2.91	-48.1	10.5	450	34.41	"
1255	10gal	15.15	5.15	0.071	2.87	-50.1	9.32	450	34.41	"
1300		15.15	5.15	0.070	2.84	-51.5	8.41	450	34.41	"
1315		15.17	5.15	0.070	2.77	-53.9	9.24	450	34.41	"
1320		15.15	5.16	0.071	2.77	-54.5	8.85	450	34.41	"

RESOLUTION CONSULTANTS

Well ID: RE122-01

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/15/15 Time: Start 1220 am/pm
Project No: 60266526 Finish 1600 am/pm
Site Location: Hayden & Curtis
Weather Conds: sunny 60° Collector(s): QL

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 54.5 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 42.79 d. Calculated System Volume (see back) _____ 13.1 gal

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make _____ Model _____ Serial Number _____

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1335										Pump On
1340		15.61	6.06	0.080	9.57	112.4	0.89	600	43.70	Clear
1345		15.20	5.63	0.077	4.91	103.1		600	43.71	Clear.
1350		15.12	5.63	0.078	4.51	100.7				
1355		15.08	5.64	0.078	4.27	~~0.078~~				
1400		15.09	5.69	0.080	3.87	95.6			42.61	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE12201-GW-121516	40-mL vials	3	HCl	VOCs	1455
	1-L amber	2	none	1,4-Dioxane	1455

Comments _____

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1405	5gal	15.02	5.71	0.079	3.73	93.3			42.48	
1410		14.93	5.69	0.079	3.64	92.4	3.66		~~42.43~~	~~clear~~
1415		14.82	5.67	0.078	3.61	92.1			42.43	clear
1420		14.79	5.69	0.079	3.54	91.6			42.49	
1425		14.83	5.68	0.079	3.43	89.4				
1430		14.78	5.67	0.078	3.34	89.1	2.61		42.48	
1435	10gal	14.63	5.69	0.079	3.25	88.9	1.98		42.48	clear
1440		14.61	5.71	0.079	3.04	89.5			42.43	clear
1445		14.56	5.73	0.079	2.91	89.8			42.48	clear
1450	13.25 gal	14.54	5.73	0.079	2.92	89.8	1.02	600	42.48	clear
1455	sample									

RESOLUTION CONSULTANTS

Well ID: REI22D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage
Project No: 60266526
Site Location: Hayden & Curtis
Weather Conds: sunny 60°
Date: 12/15/15
Time: Start 1220 am/pm
Finish 1600 am/pm
Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 615
c. Length of Water Column _____ (a-b)
Casing Diameter/Material 4-inch PVC
b. Water Table Depth 43.63
d. Calculated System Volume (see back) 13.1 gal

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI	556	17304ZX
	Hanna	HI 98703	118021 X

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1325										ON
1330								600		
1335		15.46	5.37	0.090	5.82	165.2			43.02	
1340		15.39	5.31	0.072	4.47	164.9	4.15			
1345		15.22	5.28	0.071	4.46	166.9				
1350		15.32	5.22	0.071	4.93	170.7				

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
REI22D2-GW-121515	40-mL vials	3	HCl	VOCs	1510
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Paul Kauth
Date 12/15/15

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE122 02 @ 1320

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1355	5gal	15.32	5.21	0.071	4.93	172.9				
1400		15.17	5.21	0.071	4.96	174.7		600	43.03	
1405		15.21	5.21	0.070	4.93	178.0				
1410		15.21	5.21	0.071	4.90	179.5	7.06			
1415		15.02	5.22	0.070	4.91	181.9		600	43.00	
1420		14.98	5.22	0.070	4.91	184.8				
1425		14.88	5.22	0.071	4.95	189.7				
1430	10gal	14.75	5.22	0.070	4.99	190.6	0.85		43.00	
1435		14.79	5.20	0.071	5.02	193.7	0.80	600		
1440	12gal	14.71	5.21	0.070	4.77	196.2				
1445										MP-10 stopped for repair minutes
1450		15.01	5.21	0.070	5.15	200.7	0.68	600	43.00	
1455		14.77	5.21	0.071	4.88	202.1				
1500	13gal	14.85	5.21	0.071	4.72	203.3				
1505		14.80	5.21	0.071	5.13	213.7				
1510										sample

RESOLUTION CONSULTANTS

Well ID: RE122D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage | Date: 12/15/15 | Time: Start 1225 am/pm | Finish 1600 am/pm
Project No: 60266526
Site Location: Hayden & Curtis
Weather Conds: sunny 60° | Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 740 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 43.36 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI	556 MPS	05H1965AR
	Hanna	HI9870	E00126053

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
13:40	0 —	15.15	4.95	0.024	3.74	174.2	86.1	500	42.90	Cloudy
13:45	—	14.90	4.87	0.023	3.60	178.7	—	—	—	Cloudy
1350		14.91	4.68	0.021	3.59	176.5				
1355		14.90	4.63	0.020	3.60	177.8				
1400	5 gal	14.91	4.66	0.020	3.52	176.4				
1405		14.96	4.80	0.020	3.32	171.7			42.85	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE122D3-GW-121515	40-mL vials	3	HCl	VOCs	1500
RE122D3-GW-121515	1-L amber	2	none	1,4-Dioxane	

Comments

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1410		14.91	4.88	0.020	3.29	168.5	7.31			
1415		14.82	4.88	0.020	3.24	168.4		525	42.79	
14:20		14.82	4.82	0.020	3.24	166.6	9.23	500	42.85	Slightly Cloudy
14:25	–	14.80	4.81	0.020	3.18	168.4	8.46	500	–	Slightly Cloudy
14:30	–	14.78	4.70	0.020	3.28	168.7	–	500	42.89	
14:35	10 Gal	14.69	4.60	0.020	3.33	173.6	11.0	–	–	
14:45	–	14.70	4.61	0.020	3.30	177.6		525	42.81	
14:50	–	14.66	4.63	0.020	3.39	179.6	6.81	500	42.85	
14:55	–	14.63	4.63	0.020	3.34	180.3	12.4	500	42.84	
15:00	13.5	14.60	4.67	0.020	3.32	180.4	14.3	500	42.82	Take Reading

RESOLUTION CONSULTANTS

Well ID: RE123 01

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/ 2/ 15 Time: Start 730 am/pm
Project No: 60266526 Finish 1030 am/pm
Site Location: LIRR Col
Weather Conds: Sunny 40° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 54.5 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 47.65 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
930										GN
940		15.08	6.64	0.087	21.35	89.2		550	47.58	
945		15.20	5.91	0.087	11.32	102.1	15.4	550	47.54	clear
850		15.29	5.67	0.087	10.27	110.4				
900	5gal	15.38	5.58	0.087	10.24	113.3				
905		15.45	5.41	0.087	9.94	121.7		700		

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE123 01-GW-122115	40-mL vials	3	HCl	VOCs	
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Date

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID: RE12301 @ 8:30

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
910		15.43	5.35	0.087	9.67	128.1	4.45		47.63	
915	10 gal	15:51	5.31	0.087	9.53	135.0	4.43	700		
920		15.54	5.29	0.087	9.51	150.1			47.64	
925		15.56	5.30	0.087	9.50	153.3				
930	~~11.5~~ 12 gal	15:56	5.27	0.087	9.47	162.7	3.08	700	47.63	
935	~~13 gal~~	15:60	5.27	0.087	9.38	169.6				
940	13.5 gal	15:59	5.25	0.087	9.32	172.8				

Well ID: RE123D2

RESOLUTION CONSULTANTS

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage | Date: 12/21/15 | Time: Start 730 am/pm
Project No: 60266526 | Finish 1030 am/pm
Site Location: LIRR (60)
Weather Conds: sunny 40° | Collector(s): E. ACS

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 660 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 48.90 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

	Make	Model	Serial Number
	YSI	556	05619 42
	Horiba	U-22	NA

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
820								550		OK
830		13.81	5.93	0.030	6.00	162.1		550	48.98	clear/no odor
835		13.87	5.77	0.025	6.52	167.8				
840		13.82	5.64	0.024	7.32	170.7				clear/no odor
845		13.97	5.54	0.022	8.26	179.2	4.22	550	48.98	" "
850	5 gal	13.82	5.54	0.022	8.31	183.8				

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE123D2-GW-122115	40-mL vials	3	HCl	VOCs	9:55
	1-L amber	2	none	1,4-Dioxane	9:55

Comments _____

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
9:55		14.07	5.55	0.022	8.29	186.0		550	48.99	
9:00		14.13	5.55	0.022	8.34	188.7				
9:05		14.12	5.54	0.022	8.36	191.2	7.52			clear/no odor
9:10		14.00	5.54	0.022	8.41	193.8				
9:15		14.21	5.54	0.022	8.39	195.4			48.98	clear/no odor
9:20	10 GAL	14.23	5.54	0.022	8.35	197.9	5.31			
9:25		14.25	5.54	0.022	8.33	198.6		550		
9:30		14.30	5.54	0.022	8.38	200.3	4.76		48.99	clear/no odor
9:35		14.32	5.54	0.022	8.38	201.7	4.68			
9:40	13.5	14.35	5.54	0.022	8.37	202.9	4.52			

RESOLUTION CONSULTANTS

Well ID: RE12303

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/22/15 Time: Start 730 am/pm
Project No: 60266526 Finish _____ am/pm
Site Location: LIRR Lot
Weather Conds: sunny 40° Collector(s): _____

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 340 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 48.74 d. Calculated System Volume (see back) _____

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
8:20		10.58	7.33	0.067	11.47	97.1	~~1577~~	550	48.74	clear
8:25		14.30	5.82	0.029	~~8.64~~	39.1	~~1575~~	550	48.95	murky.
8:30		14.33	4.98	0.028	1.44	6.4	—	—		
8:35		14.37	4.90	0.029	1.23	-4.2	—	—		
8:40		14.38	5.01	0.035	1.26	-9.1	—	—	48.95	
8:45	5 gal	14.43	5.68	0.069	1.19	-24.3	—	600		

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☐	☐	☐
Has required turbidity been reached	☐	☐	☐
Have parameters stabilized	☐	☐	☐

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE12303-GW-122115	40-mL vials	3	HCl	VOCs	945
	1-L amber	2	none	1,4-Dioxane	

Comments Sample time - 9:45

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
8:50	—	14.59	5.85	0.071	0.97	-41.3	—			Clear
8:55	—	14.63	5.87	0.073	0.92	-47.1			48.95	Clear
9:00		14.65	5.86	0.070	0.83	-56.5	—		—	Clear
9:05	—	14.55	5.84	0.068	0.81	-62.9	7.71			
9:10	10 gal	14.76	5.82	0.066	0.77	-70.6			—	"
9:15		14.69	5.92	0.065	0.73	-74.9		600		Clear
9:20		14.83	5.77	0.064	0.71	-77.5	7.49			
9:25		14.74	5.76	0.062	0.68	-80.0				
9:30		14.77	5.72	0.066	0.66	-82.8	9.25			
~~9:35~~										
9:45	→	→	→	Sample time						

RESOLUTION CONSULTANTS

Well ID: TT1010

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage | Date: 12/17/15 | Time: Start 1045 am/pm | Finish 1145 am/pm
Project No: 60266526
Site Location: Emerson
Weather Conds: Overcast, drizzle 50° | Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 765 | c. Length of Water Column _____ (a-b) | Casing Diameter/Material 4-inch PVC

b. Water Table Depth 33.85 | d. Calculated System Volume (see back) 131

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% | - Turbidity ± 10% | - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit | - ORP ± 10mV
- Sp. Cond. ± 3% | - Drawdown < 0.3' | Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make | Model | Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
10:50		15.39	4.50	0.081	.73	266.4		850		
10:55		15.36	4.67	0.078	.66	239.6		850	34.05	
11:00		15.33	4.66	0.078	0.61	236.9		850		
11:05		15.30	4.66	0.078	0.58	231.9		850	34.00	
11:10		15.32	4.66	0.078	0.57	231.5		850	33.98	
11:15		15.31	4.66	0.078	0.56	230.7		875	34.00	Started Leaking

(continued on back)

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
TT1010-GW-121715	40-mL vials	3	HCl	VOCs	1145
	1-L amber	2	none	1,4-Dioxane	
DUPLICATE2-GW-121715		5		VOCs, 1,4-Dioxane	1155

Comments: Duplicate

Signature _____ Date _____

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume (4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
11:20		15.29	4.65	0.078	0.51	225.4	.28	~~850~~		Clear
11:25		15.28	4.65	0.078	0.50	225.2				
11:30	10 Gal	15.29	4.65	0.078	0.50	224.9		850	34.00	Clear
11:35		15.28	4.64	~~0.078~~	0.49	224.8	.12			
11:40		15.27	4.63	0.078	0.47	224.2	.08	850		
11:45	13.5 Gal	15.26	4.63	~~0.078~~	0.47	225.0	.10	850	34.01	Clear
	Sample	11:15								
	Duplicate	11:55								
	Note: Grouting around casing subsided) about 2.5 ft									
	recommend more sand								~~WB~~ sand	

RESOLUTION CONSULTANTS

Well ID: TT10101

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/17/15 Time: Start 1145 am/pm
Project No: 60266526 Finish 1330 am/pm
Site Location: Emerson
Weather Conds: Overcast drizzle, 50° Collector(s):

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 595 c. Length of Water Column _____ (a-b) Casing Diameter/Material 4-inch PVC

b. Water Table Depth 35.00 d. Calculated System Volume (see back) 13.1

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly dedicated

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV
- Sp. Cond. ± 3% - Drawdown < 0.3' Remove a minimum 1 screen volume

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
12:00	-	15.37	5.10	0.081	0.6[a]	239.4		850		Cloudy
12:05		15.36	5.09	0.081	0.61	239.3		850		
12:10		15.36	5.08	0.081	0.59	239.3				
12:15		15.32	5.02	0.082	0.92	238.1		850		
12:20	5 Gal	15.29	5.00	0.082	0.93	238.0				
12:25		15.30	5.03	0.080	0.91	237.4	.21	850	35.21	Clear

(continued on back)

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
TT10101-GW-121715	40-mL vials	3	HCl	VOCs	1300
	1-L amber	2	none	1,4-Dioxane	

Comments

Signature Date

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
12:30		15.28	5.02	0.082	0.92	236.9	0.41	850		Clear
12:35		15.26	5.03	0.081	0.90	234.2		850		
12:40	10Gal	15.26	5.03	0.082	0.90	234.0	0.12	850	35.00	Clear
12:45		15.23	5.02	0.082	0.88	232.1			34.98	Clear
12:50		15.23	5.03	0.082	.87	231.8	0.10	850	35.01	Clear
12:55										
13:00		Sampled @ 12:50								
13:05										
13:10										

RESOLUTION CONSULTANTS

Well ID: TT 101DZ

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage
Project No: 60266526
Site Location: Emerson
Weather Conds:
Date: 12/21/15
Time: Start 1345 am/pm
Finish 1630 am/pm
Collector(s): Paul Kanth

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 765
b. Water Table Depth 35.38
c. Length of Water Column _____ (a-b)
d. Calculated System Volume (see back) 13.1
Casing Diameter/Material 4-inch PVC

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)
- Temperature ± 3%
- pH ± 0.1 unit
- Sp. Cond. ± 3%
- Turbidity ± 10%
- ORP ± 10mV
- Drawdown < 0.3'
- D.O. ± 10% (values >0.5 mg/L)

Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	05H1965 05023IX

Time (24hr)	Volume Removed (Liters)	Temp. (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1355										OIL
1400		15.42	5.61	0.033	4.10	152.6	0.62	700	35.38	
1405		15.36	5.54	0.033	3.38	145.7	0.00			
1410		15.34	5.41	0.033	4.04	142.9			35.38	
1415		15.34	5.31	0.034	4.44	142.4	0.00	700		
1420	5 GAL	15.32	5.25	0.034	5.14	141.0	0.00	700	35.38	

(continued on back)

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	☑	☐	☐
Has required turbidity been reached	☑	☐	☐
Have parameters stabilized	☑	☐	☐

If no or N/A - Explain below.

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
TT 101DZ-GW-122115	40-mL vials	3	HCl	VOCs	1510
	1-L amber	2	none	1,4-Dioxane	
DUPLICATE-GW-122115					1600

Comments: Duplicate sample

Signature: Paul Kanth
Date: 12/21/15

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

One screen volume
(4-inch well)

15 ft = 37.1 L / 9.8 G
20 ft = 49.4 L / 13.1 G
25 ft = 61.8 L / 16.3 G

Well ID:

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Specific Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
14.25		15.32	5.21	0.034	6.06	150.5		700		
14.30		15.31	5.17	0.034	6.55	153.3	~~3~~	~~700~~	35.38	
14.35		15.30	5.19	0.034	6.88	154.4	0.00		35.38	
1440		15.29	5.16	0.034	7.12	150.0				
1445	10 gal	1528	5.16	0.034	7.21	148.3	000	700	35.38	
14.50		15.29	5.13	0.034	7.30	154.5			35.38	
1455	13 gal	1529								
1500		1530	5.09	0.034	7.41	157.4				
1510										Sample
1600										Duplicate

Appendix B

Analytical Data Validation – Resolution Consultants

DATA VALIDATION REPORT

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	BETHPAGE-3	
Analyses/Method:	Volatile Organic Compounds by U.S. EPA SW-846 Method 8260C 1,4-Dioxane by U.S. EPA SW-846 Method 8270D via Selective Ion Monitoring (SIM)	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 02/5/2016
Reviewed by:	Tina Clemmey/Resolution Consultants	File Name: BETHPAGE 3_8260C_8270D

SUMMARY

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage Site on 14 to 29 December 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York.* (Resolution Consultants, April 2013).
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York.* (Resolution Consultants, November 2013).
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York*. (Resolution Consultants, August 2014).

Sample ID	Matrix/Sample Type	Analysis
FIELD1-FB-121615	Field Blank	8260C/8270D_SIM
RE103D1-GW-121415	Groundwater	8260C/8270D_SIM
RE103D2-GW-121415	Groundwater	8260C/8270D_SIM
RE103D3-GW-121415	Groundwater	8260C/8270D_SIM
RE104D1-GW-121515	Groundwater	8260C/8270D_SIM
RE104D2-GW-121515	Groundwater	8260C/8270D_SIM
DUPLICATE1-GW-121515	Field Duplicate of RE104D2-GW-121515	8260C/8270D_SIM
RE104D3-GW-121515	Groundwater	8260C/8270D_SIM
RE105D1-GW-121715	Groundwater	8260C/8270D_SIM
RE105D2-GW-121715	Groundwater	8260C/8270D_SIM
RE107D1-GW-121815	Groundwater	8260C/8270D_SIM

Sample ID	Matrix/Sample Type	Analysis
RE107D2-GW-121815	Groundwater	8260C/8270D_SIM
RE107D3-GW-122915	Groundwater	8260C/8270D_SIM
RE108D1-GW-122215	Groundwater	8260C/8270D_SIM
RE108D2-GW-122215	Groundwater	8260C/8270D_SIM
RE114D1-GW-122115	Groundwater	8260C/8270D_SIM
RE114D2-GW-121615	Groundwater	8260C/8270D_SIM
RE114D3-GW-121615	Groundwater	8260C/8270D_SIM
RE120D1-GW-121815	Groundwater	8260C/8270D_SIM
RE120D2-GW-122915	Groundwater	8260C/8270D_SIM
RE120D3-GW-122915	Groundwater	8260C/8270D_SIM
RE121D1-GW-122115	Groundwater	8260C/8270D_SIM
RE121D2-GW-122115	Groundwater	8260C/8270D_SIM
RE122D1-GW-121515	Groundwater	8260C/8270D_SIM
RE122D2-GW-121515	Groundwater	8260C/8270D_SIM
RE122D3-GW-121515	Groundwater	8260C/8270D_SIM
RE123D1-GW-122115	Groundwater	8260C/8270D_SIM
RE123D2-GW-122115	Groundwater	8260C/8270D_SIM
RE123D3-GW-122115	Groundwater	8260C/8270D_SIM
TRIP BLANK 121415	Trip Blank	8260C
TRIP BLANK 121615	Trip Blank	8260C
TRIP BLANK-121815	Trip Blank	8260C
TRIP BLANK-122915	Trip Blank	8260C
TT101D1-GW-121715	Groundwater	8260C/8270D_SIM
TT101D2-GW-122115	Groundwater	8260C/8270D_SIM
DUPLICATE-GW-122115	Field Duplicate of TT101D2-GW-122115	8260C/8270D_SIM
TT101D-GW-121715	Groundwater	8260C/8270D_SIM

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (United States Environmental Protection Agency [U.S. EPA] 2006), *SW-846 Method 8270D, Semivolatile Organic Compounds by Gas Chromatograph/Mass Spectrometry* (U.S. EPA 2007), *U.S. Environmental Protection Agency Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (U.S. EPA, June 2008), and *Department of Defense Quality Systems Manual for Environmental Laboratories*, Version 4.2 (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements, and/or professional judgment were used as appropriate.

REVIEW ELEMENTS

The data were evaluated based on the following parameters (where applicable to the method):

✓	Data completeness (chain-of-custody)/sample integrity
✓	Holding times and sample preservation
✓	Gas chromatography/Mass spectrometer performance checks
✗	Initial calibration verification (ICV)/continuing calibration verification (CCV)
✓	Laboratory blanks/trip blanks/field blanks
✗	Surrogate spike recoveries
✗	Matrix spike and/or matrix spike duplicate results
✓	Laboratory control sample/laboratory control sample duplicate results
✗	Field duplicates
✓	Internal standards
✓	Sample results/reporting issues

The symbol (✓) indicates that no validation qualifiers were applied based on this parameter. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol (✗) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

RESULTS

Initial Calibration/Continuing Calibration Verification

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- The initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met
- The ICV standard percent recovery acceptance criteria were met
- The CCV method percent difference or percent drift and response factor acceptance criteria were met
- The retention time method acceptance criteria were met

Data qualification to the analytes associated with the specific initial calibration (ICAL) was as follows:

ICAL Linearity Non-conformance:

Criteria	Actions	
	Detected Results	Non-detected Results
%RSD >15% and quantitation based on mean response factor	J	UJ

Notes:
%RSD = Relative standard deviation
J = Estimated
UJ = Undetected and estimated

Data qualification to the analytes associated with the specific ICV was as follows:

ICV Recovery Non-conformance:

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery >120%	J	UJ
Recovery < 80%	J	UJ

Notes:
J = Estimated
UJ = Undetected and estimated

Data qualification to the analytes associated with the specific CCV was as follows:

CCV Linearity Non-conformance:

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

Notes:
J = Estimated
UJ = Undetected and estimated

ICAL, ICV and CCV non-conformances are summarized in Attachment A in Tables A-1, A-2, and A-3.

Surrogate Spike Recoveries

Surrogates provide information needed to assess the accuracy of analyses. Known amounts of surrogate compounds, or compounds which are not likely to be found in the actual samples, are added to each organic sample to check for accuracy. If surrogate percent recoveries (%Rs) are close

to the known concentrations, the reported target compound concentrations are assumed to be accurate. Data qualification on the basis of surrogate recovery was as follows:

Surrogate Recovery Non-conformance Chart:

Criteria	Action	
	Detected	Non-detected
% R > Upper Limit	J	No qualification
20% ≤ %R < Lower Limit	J	UJ
% R < 20%	J	Rejected

Notes:

%R	=	Percent recovery
J	=	Estimated
UJ	=	Undetected and estimated

Surrogate recovery non-conformance is summarized in Attachment A in Table A-4.

Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results

MS/MSDs are generated to provide information about the effect of each sample matrix on the sample preparation and the measurement methodology. MS/MSD percent recoveries (%Rs) assess the effect of the sample matrix on the accuracy of the analytical results and %Rs above the laboratory control limit could indicate a potential high result bias while %Rs below QC limits could indicate a potential low result bias. The relative percent differences (RPDs) between the MS and MSD results are evaluated to assess sample precision. The MS/MSD %Rs and RPDs were reviewed for conformance with the QC acceptance criteria. Data qualification to the analytes associated with the specific MS/MSD non-conformances were as follows:

MS/MSD Non-conformances Chart:

Criteria	Action	
	Detected Compounds	Non-detected Compounds
%R>Upper Limit	J	No qualification
20% ≤ %R < Lower Limit	J	UJ
%R <20%	J	Rejected

Notes:

%R	=	Percent recovery
RPD	=	Relative percent difference
J	=	Estimated
UJ	=	Undetected and estimated

MS/MSD non-conformances are summarized in Attachment A in Table A-5.

Field Duplicate

Two field duplicate pairs were collected to assess precision: RE104D2-GW-121515/ DUPLICATE1-GW-121515 and TT101D2-GW-122115/DUPLICATE-GW-122115. Field duplicate RPDs were reviewed for conformance with the Resolution Consultants QC criteria of ≤30% for aqueous matrices and ≤50% for solid matrices. These criteria apply if both results were greater than two times the limit of quantitation (LOQ). Data qualification to the analytes associated with the specific field duplicate RPDs was as follows:

Field Duplicate Non-conformances Chart:

Criteria	RPD	Action	
		Detected	Non-detected
Sample and duplicate are nondetect	Not calculable (NC)	No qualification	No qualification
Sample and duplicate results ≥2x LOQ	>30 (aqueous)	J	Not Applicable
	>50 (solids)		
If sample or duplicate result is >2x LOQ and the other is not detected	NC	J	UJ
If sample or duplicate result is <2x LOQ and the other is not detected	NC	No qualification	No qualification

Notes:

LOQ	=	Limit of quantitation
J	=	Estimated
UJ	=	Undetected and estimated

Field duplicate non-conformances are summarized in Attachment A in Table A-6.

Qualifications Actions

The data were reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-target analytes was checked to confirm that the results and/or sample-specific limit of quantitation and limit of detections were adjusted accordingly by the laboratory. Trichloroethene in sample RE108D2-GW-121215 result value reported above the calibration range and was qualified estimated “J” because the value was off-scale.

No results were rejected; therefore, analytical completeness was calculated to be 100 percent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose,

according to U.S. EPA and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

ATTACHMENTS

Attachment A: Non-Conformance Summary Tables
Attachment B: Qualifier Codes and Explanations
Attachment C: Reason Codes and Explanations
Attachment D: Final Results after Data Review

Attachment A
Non-Conformance Summary Table

Table A-1 Initial Calibration Non-Conformance					
Method	**Analyte**	**%RSD**	**Limit**	**Associated Samples**	**Qualifier**
8260C	CHLOROETHANE	17.80841	<15%	TI0330-1, -2, -5, -6, -11, -4, -7, -3DL, -10RA, -12, -13, -14, -17, -4DL, -6DL, and 7DL	Detects: J Non-detects: UJ
8260C	TETRACHLOROETHENE	15.13611	<15%	TI0428-4, -1, -3RA, -1DL, -2RA, and TI0330-17DL	Detects: J Non-detects: UJ

Notes:

%RSD = Relative standard deviation
UJ = Non-detect estimated value
J = Estimated value

Table A-2
Initial Calibration Verification Non-Conformance

Method	Analyte	ICV ID	%R	Limit	Associated Samples	Qualifier
8260C	TETRACHLOROETHENE	P3840.D	150.8	80-120	TI0116-1, -2, -3, -4, -5, -6, -7, -8, -9, -11, -10RA, -2DL, -4DL, -9DL, -3DL, -11DL, TI0214-1, -4, -5, -6, -7, -9, -8, -10, 12, -8DL, and - 7DL	Detects: J Non-detects: UJ
8260C	TRANS-1,3-DICHLOROPROPENE	C6396A.D	123.47	80-120	TI0330-1, -2, -5, -6, -11, -4, -7, -3DL,-10RA, -12, -13, -14, -17, -4DL, -6DL, and 7DL	Detects: J Non-detects: UJ
8260C	ACETONE	P4114A.D	72.62	80-120	TI0428-3RA, -1DL, -2RA, -4, -1, and TI0330-17DL	Detects: J Non-detects: UJ

Notes:

ICV ID = Initial calibration verification identification
ID = Identification
%R = Percent recovery
UJ = Non-detect estimated value
J = Estimated value

Table A-3
Continuing Calibration Verification Non-Conformance

Lab ID /Calibration ID	Analyte	%D	%D Limit	Associated Samples	Qualifier
WG176285-4 / P3940.D	BROMOMETHANE	23.79988	+/- 20	TI0116-1, -2, -3, -4, -5, -6, -7, -8, -9, and -11	Detects: J Non-detects: UJ
WG176319-4 / P3964.D	BROMOMETHANE	24.57249	+/- 20	TI0116-10RA, TI0214-1, -4, -5, -6, -7, and -9	Detects: J Non-detects: UJ
WG176319-4 / P3964.D	4-METHYL-2-PENTANONE	20.68251	+/- 20	TI0116-10RA, TI0214-1, -4, -5, -6, -7, and -9	Detects: J Non-detects: UJ
WG176436-4 / P3989.D	BROMOMETHANE	28.03265	+/- 20	TI0214-8, -10, and -12	Detects: J Non-detects: UJ
WG176436-4 / P3989.D	CHLOROETHANE	27.72207	+/- 20	TI0214-8, -10, and -12	Detects: J Non-detects: UJ
WG176436-4 / P3989.D	4-METHYL-2-PENTANONE	21.50811	+/- 20	TI0214-8, -10, and -12	Detects: J Non-detects: UJ
WG176832-4 / P4138.D	ACETONE	-34.27373	+/- 20	TI0428-4, and -1	Detects: J Non-detects: UJ
WG176788-4 / C6418.D	CHLOROMETHANE	-20.54679	+/- 20	TI0330-10RA, -12, -13, -14, -17, -4DL, -6DL, -and -7DL	Detects: J Non-detects: UJ
WG176788-4 / C6418.D	ACETONE	-27.76004	+/- 20	TI0330-10RA, -12, -13, -14, -17, -4DL, -6DL, -and -7DL	Detects: J Non-detects: UJ
WG176788-4 / C6418.D	TETRACHLOROETHENE	-21.38037	+/- 20	TI0330-10RA, -12, -13, -14, -17, -4DL, -6DL, -and -7DL	Detects: J Non-detects: UJ
WG176788-4 / C6418.D	METHYL ACETATE	-25.56044	+/- 20	TI0330-10RA, -12, -13, -14, -17, -4DL, -6DL, -and -7DL	Detects: J Non-detects: UJ
WG176732-4 / C6394.D	ACETONE	57.49765	+/- 20	TI0330-1, -2, -5, -6, -11, -4, -7, and -3DL	Detects: J Non-detects: UJ
WG176732-4 / C6394.D	2-BUTANONE	25.58556	+/- 20	TI0330-1, -2, -5, -6, -11, -4, -7, and -3DL	Detects: J Non-detects: UJ
WG176732-4 / C6394.D	2-HEXANONE	22.15201	+/- 20	TI0330-1, -2, -5, -6, -11, -4, -7, and -3DL	Detects: J Non-detects: UJ

Notes:

ID = Identification
%D = Percent difference
UJ = Non-detect estimated value
J = Detected estimated value

Table A-4
Surrogate Non-Conformance

Method	Surrogate	%R	Limits	Associated Sample	Qualifier
8260C	1,2-DICHLOROETHANE-D4	121	70-120	RE114D1-GW-122115	Detects: J
8260C	DIBROMOFLUOROMETHANE	117	85-115	RE114D1-GW-122115	Detects: J
8260C	DIBROMOFLUOROMETHANE	116	85-115	RE121D2-GW-122115	Detects: J

Notes:

%R = Percent recovery
UJ = Non-detect estimated value
J = Detected estimated value

Table A-5
Matrix Spike / Matrix Spike Duplicate Non-Conformance
(Micrograms per liter)

Spiked Sample	Analyte	Sample Result	Spike Added	MS %R	MSD %R	%R Limits	Qualifier
TT101D2-GW-122115	METHYLENE CHLORIDE	<2.5	50.0	**53.4**	60.2	55-140	UJ
TT101D2-GW-122115	CIS-1,2-DICHLOROETHENE	1.7	50.0	**54.6**	**59.8**	70-125	J
TT101D2-GW-122115	1,2,4-TRICHLOROBENZENE	<0.50	50.0	**50.8**	**56.2**	65-135	UJ
TT101D2-GW-122115	CHLOROBENZENE	<0.50	50.0	**55.8**	**60.2**	80-120	UJ
TT101D2-GW-122115	1,1-DICHLOROETHANE	<0.50	50.0	**64.4**	70.8	70-135	UJ
TT101D2-GW-122115	CIS-1,3-DICHLOROPROPENE	<0.50	50.0	**60.8**	**64.4**	70-130	UJ
TT101D2-GW-122115	1,2-DIBROMO-3-CHLOROPROPANE	<0.75	50.0	**46.4**	57	50-130	UJ
TT101D2-GW-122115	ISOPROPYLBENZENE	<0.50	50.0	**56.2**	**61**	75-125	UJ
TT101D2-GW-122115	TRANS-1,2-DICHLOROETHENE	<0.50	50.0	**58.4**	65.2	60-140	UJ
TT101D2-GW-122115	BENZENE	<0.50	50.0	**62.4**	**67.6**	80-120	UJ
TT101D2-GW-122115	1,2-DICHLOROPROPANE	<0.50	50.0	**63.8**	**68.8**	75-125	UJ
TT101D2-GW-122115	O-XYLENE	<0.50	50.0	**58.8**	**62.2**	80-120	UJ
TT101D2-GW-122115	1,3-DICHLOROBENZENE	<0.50	50.0	**51.4**	**56.8**	75-125	UJ
TT101D2-GW-122115	1,1-DICHLOROETHENE	3.6	50.0	**56.8**	**63.4**	70-130	J
TT101D2-GW-122115	1,1,2-TRICHLOROETHANE	0.50	50.0	**63.4**	**65.4**	75-125	J
TT101D2-GW-122115	CYCLOHEXANE	<0.50	50.0	**63.8**	**69**	71-133	UJ
TT101D2-GW-122115	TOLUENE	<0.50	50.0	**65**	**69.6**	75-120	UJ
TT101D2-GW-122115	CARBON TETRACHLORIDE	1.3	50.0	**63.6**	66.6	65-140	J
TT101D2-GW-122115	1,2-DICHLOROETHANE	<0.50	50.0	**61.6**	**66**	70-130	UJ
TT101D2-GW-122115	1,2-DICHLOROETHENE, TOTAL	1.7	100	**56.5**	**62.5**	84-121	J
TT101D2-GW-122115	XYLENES, TOTAL	<1.5	150	**59.8**	**63.2**	89-116	UJ
TT101D2-GW-122115	STYRENE	<0.50	50.0	**60.4**	**63.4**	65-135	UJ
TT101D2-GW-122115	DIBROMOCHLOROMETHANE	<0.50	50.0	**59.4**	63.6	60-135	UJ
TT101D2-GW-122115	1,4-DICHLOROBENZENE	<0.50	50.0	**50.8**	**54.6**	75-125	UJ
TT101D2-GW-122115	ETHYLBENZENE	<0.50	50.0	**56.2**	**60.8**	75-125	UJ
TT101D2-GW-122115	M- AND P-XYLENE	<1.0	100	**60.2**	**63.8**	75-130	UJ
TT101D2-GW-122115	BROMOFORM	<0.50	50.0	**55.6**	**57**	70-130	UJ
TT101D2-GW-122115	BROMODICHLOROMETHANE	<0.50	50.0	**67.6**	**70**	75-120	UJ
TT101D2-GW-122115	CHLOROFORM	0.90	50.0	**57**	**62.4**	65-135	J
TT101D2-GW-122115	1,1,1-TRICHLOROETHANE	0.34	50.0	**58.9**	**64.3**	65-130	J
TT101D2-GW-122115	1,2-DIBROMOETHANE	<0.50	50.0	**61.2**	**66.6**	80-120	UJ
TT101D2-GW-122115	1,1,2,2-TETRACHLOROETHANE	<0.50	50.0	**51.6**	**59.2**	65-130	UJ
TT101D2-GW-122115	1,2-DICHLOROBENZENE	<0.50	50.0	**52**	**57.6**	70-120	UJ

Notes:

MS = Matrix spike
MSD = Matrix spike duplicate
%R = Percent recovery
Bold = Percent recovery not within control limit
UJ = Nondetect analyte in associated sample qualified estimated "UJ" because the %R is lower than the control limit.
J = Detected analyte in associated sample qualified estimated "J" because %R is lower than the control limit.

Table A-6
Field Duplicate
(Micrograms per liter)

Sample ID	Duplicate ID	Analyte	Sample Result	Duplicate Result	RPD	Qualifiers
TT101D2-GW-122115	DUPLICATE-GW-122115	1,1-DICHLOROETHENE	3.6	5	32.6	J - both results

Notes:

RPD = Relative percent difference
J = Estimated value

Attachment B
Qualifier Codes and Explanations

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

Attachment C
Reason Codes and Explanations

Reason Code	Explanation
be	Equipment blank contamination
bf	Field blank contamination
bl	Laboratory blank contamination
bm	Missing blank information
bt	Trip blank contamination
c	Calibration issue
cr	Chromatographic resolution
d	Reporting limit raised due to chromatographic interference
dt	Dissolved result > total over limit
e	Ether interference
ej	Above calibration range; result estimated.
f	Presumed contamination from FB or ER.
fd	Field duplicate RPDs
h	Holding times
hs	Headspace greater than 6mm in all sample vials
i	Internal standard areas
ii	Injection internal standard area or retention time exceedance
it	Instrument tune
k	Estimated maximum possible concentrations (EMPC)
l	LCS recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m	Matrix spike recovery
mc	Deviation from the method
md	MS/MSD RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
p-h	Uncertainty near detection limit (< Reporting Limit), historical reason code applied.
pe	Post Extraction Spike
q	Quantitation issue
r	Dual column RPD
rt	SIM ions not within + 2 seconds
s	Surrogate recovery
sp	Sample preparation issue
su	Evidence of ion suppression
t	Temperature Preservation Issue
x	Low % solids
y	Serial dilution results
z	ICS results

Attachment D
Final Results after Data Review

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0116-1		
		Sample ID		TRIP BLANK 121415		
		Sample Date		12/14/2015		
		Sample Type		Trip Blank		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.33	J	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	NA		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0116-10RA RE122D3-GW-121515 12/15/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	2.5		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U	

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0116-11 RE122D2-GW-121515 12/15/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	21		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	3.1		
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	1.5		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	8.9		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	5.7		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	1.9		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	2.6		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	5.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2.3	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	4700		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	11		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0116-2		
		Sample ID		RE103D3-GW-121415		
		Sample Date		12/14/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	2.5		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.62	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.24	J	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.79	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	510		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.81		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0116-3		
		Sample ID		RE103D1-GW-121415		
		Sample Date		12/14/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	12		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.62	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	1.1		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	7.6		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	3.2		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	3.2		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	3	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	930		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	12		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0116-4		
		Sample ID		RE103D2-GW-121415		
		Sample Date		12/14/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	3.2		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.77	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.1	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.1		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.72	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	620		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	1.2		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0116-5		
		Sample ID		RE104D1-GW-121515		
		Sample Date		12/15/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	4.6		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.8	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.1	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.1		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.68	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	1.9	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	110		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	6.9		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0116-6 RE104D2-GW-121515 12/15/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2.7		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	6.8		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.22	J	

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0116-7		
		Sample ID		RE104D3-GW-121515		
		Sample Date		12/15/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U	

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0116-8		
		Sample ID		DUPLICATE1-GW-121515		
		Sample Date		12/15/2015		
		Sample Type		Field Duplicate		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2.7		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	6.8		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.28		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0116-9 RE122D1-GW-121515 12/15/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	4.7		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.63	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.9	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.9		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	1.5	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	600		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	8.7		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0214-1		
		Sample ID		TRIP BLANK 121615		
		Sample Date		12/16/2015		
		Sample Type		Trip Blank		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.37	J	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	NA		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0214-10		
		Sample ID		TT101D1-GW-121715		
		Sample Date		12/17/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	16		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.48	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	4.6		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.9	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	1.9		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	1		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.9		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1.8	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	200		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	11		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0214-12		
		Sample ID		FIELD1-FB-121615		
		Sample Date		12/16/2015		
		Sample Type		Field Blank		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.2	J	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.36	J	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0214-4		
		Sample ID		RE114D3-GW-121615		
		Sample Date		12/16/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	13		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	1.1		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	0.67	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.67	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	43		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	2.1		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0214-5		
		Sample ID		RE114D2-GW-121615		
		Sample Date		12/16/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	14		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	0.82	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.4	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.82	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	70		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	2.5		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0214-6		
		Sample ID		RE105D1-GW-121715		
		Sample Date		12/17/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	8.7		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	1.3		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.7	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.38	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.58	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	120		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	10		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0214-7		
		Sample ID		RE105D2-GW-121715		
		Sample Date		12/17/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	26		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	1.3		
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	1.9		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	7		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	4		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	3		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	2		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	4		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.45	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	1.9	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	1800		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	5.8		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0214-8		
		Sample ID		TT101D2-GW-122115		
		Sample Date		12/17/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.34	J	m
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	UJ	m
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	19		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	J	m
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	m
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	3.6	J	m,fd
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	m
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	m
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	m
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	m
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	m
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.7	J	m
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	m
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	m
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	m
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	UJ	m
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	m
8260C	BROMOFORM	75-25-2	UG_L	0.5	UJ	m
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	1.3	J	m
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	UJ	m
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.9	J	m
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.7	J	m
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	m
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	UJ	m
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	m
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	UJ	m
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	UJ	m
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	m
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	m
8260C	O-XYLENE	95-47-6	UG_L	0.5	UJ	m
8260C	STYRENE	100-42-5	UG_L	0.5	UJ	m
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	UJ	m
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	m
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	510		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	m
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	1.7		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0214-9 TT101D-GW-121715 12/17/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	16		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.84	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	3.4		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	3.1		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.55	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	3.1		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	2.2		
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	74		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	8.4		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0330-1		
		Sample ID		TRIP BLANK-121815		
		Sample Date		12/18/2015		
		Sample Type		Trip Blank		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	UJ	c
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	0.45	J	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	NA		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0330-10RA RE107D1-GW-121815 12/18/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.95	J	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	0.21	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.21	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	1.6	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	17		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	6.9		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0330-11 RE107D2-GW-121815 12/18/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	15		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2.7		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	UJ	c
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	6.4		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	140		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	9.3		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0330-12 RE123D3-GW-122115 12/21/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.56	J	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U	

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0330-13 RE123D1-GW-122115 12/21/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	6.1		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	5		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0330-14		
		Sample ID		RE123D2-GW-122115		
		Sample Date		12/21/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.59	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	1.5		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.7		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0330-17 RE120D1-GW-121815 12/18/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	42		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	1.4		
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	3.2		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	23		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	4		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.79	J	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.99	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	4		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.38	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2.1	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	1300		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	0.39	J	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	12		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0330-2 RE108D1-GW-122215 12/22/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	1.4		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.44	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	0.61	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	UJ	c
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.61	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	1.2		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	110		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	6.7		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0330-3DL		
		Sample ID		RE108D2-GW-122215		
		Sample Date		12/22/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	1.4	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	2.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	6.2		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	2.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	5.1		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	9		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	2.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	3.8	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	2.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	2.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	2.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	9	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	2.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	2.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	2.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	12	UJ	c
8260C	2-HEXANONE	591-78-6	UG_L	12	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	12	U	
8260C	ACETONE	67-64-1	UG_L	12	UJ	c
8260C	BENZENE	71-43-2	UG_L	2.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	2.5	U	
8260C	BROMOFORM	75-25-2	UG_L	2.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	5	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	2.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	1.8	J	
8260C	CHLOROBENZENE	108-90-7	UG_L	2.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	5	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	4.4	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	5	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	9		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	2.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	2.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	2.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	5	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	2.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	2.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	5	U	
8260C	METHYL ACETATE	79-20-9	UG_L	3.8	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	2.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	2.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	12	U	
8260C	O-XYLENE	95-47-6	UG_L	2.5	U	
8260C	STYRENE	100-42-5	UG_L	2.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2.5	U	
8260C	TOLUENE	108-88-3	UG_L	2.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	2.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	2.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	2900	J	ej
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	5	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	5	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	7.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	8.8		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0330-4		
		Sample ID		RE114D1-GW-122115		
		Sample Date		12/21/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.64	J	s
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	20	J	s
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	1.6	J	s
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	1.5	J	s
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	4	J	s
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	5.1	J	s
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	UJ	c
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	2.5	J	s
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	2.9	J	s
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	5.1	J	s
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	J	s
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.3	J	s
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	370		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	5.5		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0330-5		
		Sample ID		RE121D1-GW-122115		
		Sample Date		12/21/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.38	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	8.3		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	2.1		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.38	J	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	0.96	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	UJ	c
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.34	J	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.47	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.96	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	2.2		
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	29		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	6.8		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0330-6		
		Sample ID		RE121D2-GW-122115		
		Sample Date		12/21/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.48	J	s
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	17	J	s
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.64	J	s
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.51	J	s
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	3.1	J	s
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2.1	J	s
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	UJ	c
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	3.1	J	s
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	1.7	J	s
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2.1	J	s
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.85	J	s
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	480		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	4.9		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0330-7 DUPLICATE-GW-122115 12/21/2015 Field Duplicate		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	24		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.65	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.81	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	5	J	fd
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	UJ	c
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	1.4		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.92	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.94	J	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	c
8260C	TRICHLOROETHENE	79-01-6	UG_L	590		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	2.2		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0428-1 RE120D2-GW-122915 12/29/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	25		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.64	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	1.1		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	5.7		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	3.4		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.69	J	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.77	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	3.4		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	3.7	J	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	680		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	0.26	J	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	8.8		

		Sample Delivery Group Lab ID Sample ID Sample Date Sample Type		BETHPAGE-3 TI0428-2RA RE120D3-GW-122915 12/29/2015 Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	3.1		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	29		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.28		

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0428-3RA		
		Sample ID		RE107D3-GW-122915		
		Sample Date		12/29/2015		
		Sample Type		Groundwater		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	4.9		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.36	J	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U	

		Sample Delivery Group		BETHPAGE-3		
		Lab ID		TI0428-4		
		Sample ID		TRIP BLANK-122915		
		Sample Date		12/29/2015		
		Sample Type		Trip Blank		
Method	**Analyte**	**CAS No**	**Units**	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	c
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	NA		

Notes:
UG_L = Micrograms per liter
NA = Not analyzed
Qual = Final qualifiers (See Attachment B)
RC = Reason codes (See Attachment C)

Appendix C

Analytical Data Validation – ARCADIS

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

Northrop Grumman Corporation-Operable Unit 2

Data Review

BETHPAGE, NEW YORK

Volatile and Semivolatile Analyses

SDGs #JC9792 and JC9923

Analyses Performed By:
Accutest Laboratories
Dayton, New Jersey

Report #24833R
December 28, 2015
Review Level: Tier II
Project #NY001496.1514.NAVI4

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC9792 and JC9923 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDGs	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC9792	TB120215PP1	JC9792-1	Water	12/02/2015		X				
	FB120215PP1	JC9792-2	Water	12/02/2015		X	X			
	BPOW 6-5	JC9792-3	Water	12/02/2015		X	X			
	BPOW 6-6	JC9792-4	Water	12/02/2015		X	X			
JC9923	BPOW5-3	JC9923-1	Water	12/03/2015		X	X			
	FB120315PP1	JC9923-2	Water	12/03/2015		X	X			
	TB120315PP1	JC9923-3	Water	12/03/2015		X				

Note:

1. Semivolatile (1,4-Dioxane) analysis was performed at Accutest Laboratories, Marlborough, MA (Accutest-NE) facility.

ANALYTICAL DATA PACKAGE DOCUMENTATION

GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Methods 524.2 and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

  U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

  B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

  E The compound was quantitated above the calibration range.

  D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

  J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

  UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

  JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

  UB Compound considered non-detect at the listed value due to associated blank contamination.

  N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

  R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were detected in the associated QA blanks; however, the associated sample results were greater than the BAL and/or were non-detect. No qualification of the sample results was required in SDGs JC9792 or JC9923.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9792 and JC9923.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with these SDGs.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate sample was not performed on a sample location associated with SDGs JC9792 or JC9923.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were identified in SDG JC9792 in sample location FB120215PP1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)					X
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery RPD Relative Percent Difference

SEMIVOLATILE ORGANIC COMPOUND (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cooled to <6°C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9792 or JC9923.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries and RPD within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with these SDGs.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent recovery RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE: 

DATE: December 28, 2015

PEER REVIEW BY: Todd Church

DATE: December 29, 2015

CHAIN OF CUSTODY/
CORRECTED SAMPLE ANALYSIS DATA SHEETS

ACCUTEST LABORATORIES

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9792

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski 516-267-6247 Phone #:

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1514.NAV13
Client Purchase Order #:
Project Manager: Carlo San Giovanni
Work Authorization #: NY001496_2015

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

~~VOA502/NJOOOWW-40~~ PP
B8270SIM14DIOX
VOCs 524.2 Full list

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	TB120215PP1		12/2/15	1100	—	TB	2	2								V1027
2	FB120215PP1		12/2/15	1100	PP	FB	3	3								
3	BROW 6-5		12/2/15	1405	PP	GW	3	3								
4	BROW 6-6		12/2/15	1410	PP/MW	GW	3	3								

INITIAL ASSESMENT 2/4/15
LABEL VERIFICATION JK

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other SUMMA+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals
VOCs 524.2 Full list
√ 524 SL4 +40, UMS + F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Pat Prezorski	12/2/15 1945	1	2	12/3/15 1951	2
3			3	4		4
5			5	Custody Seal #	Intact / Not Intact	Preserved where applicable

On Ice: ☑ Cooler Temp: 1.9°C

JC9792: Chain of Custody
Page 1 of 3

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9792

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Pecunti Phone #: 516-697-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #:
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

B8270SIM14DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	MeOH	HNO3	NaOH	NONE	DI Water	MeOH	ENCORE	LAB USE ONLY
-2	FB12021500		12/2/15	1100	AP	FB	2					2				
-3	BPW G-5		12/2/15	1405	AP	GW	2					2				
-4	BPW G-6		12/2/15	1410	AP	GW	2					2				

17C

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Labtink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery. 09:30

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/2/15 1730	1 FedEx	2	12/3/15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal #	Intact / Not Intact	Preserved where applicable / On Ice / Cooler Temp. 1.2

JC9792: Chain of Custody
Page 2 of 3

Report of Analysis

Client Sample ID:	TB120215PP1		
Lab Sample ID:	JC9792-1	**Date Sampled:**	12/02/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100904.D	1	12/04/15	MD	n/a	n/a	V1B4777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.5	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB120215PP1		
Lab Sample ID:	JC9792-1	**Date Sampled:**	12/02/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120215PP1
Lab Sample ID: JC9792-2
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100905.D	1	12/04/15	MD	n/a	n/a	V1B4777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2.1	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB120215PP1		
Lab Sample ID:	JC9792-2	**Date Sampled:**	12/02/15
Matrix:	AQ - Field Blank Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkene	8.24	.81	ug/l	J N
	Total TIC, Volatile		.81	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-5
Lab Sample ID: JC9792-3
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100906.D	1	12/04/15	MD	n/a	n/a	V1B4777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	0.89	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-5		
Lab Sample ID:	JC9792-3	**Date Sampled:**	12/02/15
Matrix:	AQ - Ground Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-6
Lab Sample ID: JC9792-4
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100907.D	1	12/04/15	MD	n/a	n/a	V1B4777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	0.40	0.50	0.028	ug/l	J
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-6		
Lab Sample ID:	JC9792-4	**Date Sampled:**	12/02/15
Matrix:	AQ - Ground Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	103%		78-114%
460-00-4	4-Bromofluorobenzene	104%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120215PP1
Lab Sample ID: JC9792-2
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99455.D	1	12/16/15	AMA	12/05/15	M:OP45645	M:MSI3717
Run #2							

	Initial Volume	Final Volume
Run #1	820 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.24	0.093	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	66%		26-121%
321-60-8	2-Fluorobiphenyl	60%		28-107%
1718-51-0	Terphenyl-d14	83%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-5
Lab Sample ID: JC9792-3
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99456.D	1	12/16/15	AMA	12/05/15	M:OP45645	M:MSI3717
Run #2							

	Initial Volume	Final Volume
Run #1	940 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.081	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	72%		26-121%
321-60-8	2-Fluorobiphenyl	65%		28-107%
1718-51-0	Terphenyl-d14	83%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-6
Lab Sample ID: JC9792-4
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99457.D	1	12/16/15	AMA	12/05/15	M:OP45645	M:MSI3717
Run #2							

	Initial Volume	Final Volume
Run #1	920 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	71%		26-121%
321-60-8	2-Fluorobiphenyl	65%		28-107%
1718-51-0	Terphenyl-d14	81%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW
FB
MB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

Impulse

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9923

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prozorki Phone #: 516 297-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1514, NAVI3
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VOCs 524.2 Full List
B8270SIM14DIOX
VOCs 524.2 Full List

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	BPOW 5-3		12/3/15	1429	AR/PP	GW	3	3								V1047
2	FB120315PP1		12/3/15	1140	AR/PP	FB	3	3								
3	TB120315PP1		12/3/15	1140	—	TB	2	2								

INITIAL ASESSMENT SB 12/4/15
LABEL VERIFICATION JA

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Approved By (Accutest PM): / Date:

Emergency & Rush T/A data available VIA Lablink

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals
VOCs 524.2 Full list
√524SL4 +40, VMS +F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/3/15 1945			12/4/15 1946	
2						
3						
4						
5						

Custody Seal # Red Arcadis — Intact ☑ / Not intact ☐ — Preserved where applicable ☐ — On Ice ☑ — Cooler Temp. 2.5°C IP

5.1 5

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5	Bottle Order Control #
Accutest Quote #	Accutest Job # JC9923

Client / Reporting Information

Company Name	Arcadis
Street Address	2 Huntington Quad, Suite 1S10
City / State / Zip	Melville NY 11747
Project Contact / E-mail	Soma Das, soma.das@arcadis-us.com
Phone #	631-249-7600
Fax #	631-249-7610
Sampler(s) Name(s)	Pat Przybylski
Phone #	516 297-6247

Project Information

Project Name	AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street	
City / State	Bethpage NY
Project #	
Client Purchase Order #	Work Authorization #: NY001496_2015
Project Manager	Carlo San Giovanni

Billing Information (If different from Report to)

Company Name	Arcadis, U.S., Inc. Attn: Accts Payable
Street Address	630 Plaza Drive, Suite 600
City / State / Zip	Highlands Ranch, CO 80129
Attention	Soma Das

Requested Analysis (see TEST CODE sheet): ~~V8260ANG8SCW440~~, B8270SIM14DIOX

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Date	Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	~~V8260ANG8SCW440~~	B8270SIM14DIOX	LAB USE ONLY
-1	BPOW 5-3		12/3/15	1429	AP	GW	2					2					✓	
-2	FB120315PP2		12/3/15	1140	AP	FB	2					2					✓	

Matrix Codes: DW - Drinking Water, GW - Ground Water, WW - Water, SW - Surface Water, SO - Soil, SL- Sludge, SED-Sediment, OI - Oil, LIQ - Other Liquid, AIR - Air, SOL - Other Solid, WP - Wipe, FB-Field Blank, EB-Equipment Blank, RB- Rinse Blank, TB-Trip Blank

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY

Approved By (Accutest PM): / Date:

Emergency & Rush T/A data available VIA Lablink

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

17D

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler: 1 [signature]	Date Time: 12/3/15 1800	Received By: 1	Relinquished By: 2 [signature]	Date Time: 12/4/15 935	Received By: 2 [signature]
Relinquished by Sampler: 3	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
Relinquished by: 5	Date Time:	Received By: 5	Custody Seal #	☐ Intact ☐ Not intact	Preserved where applicable ☐ On Ice ☑ Cooler Temp. 1.6°

5.1

5

JC9923: Chain of Custody
Page 3 of 3

Report of Analysis

Client Sample ID: BPOW5-3
Lab Sample ID: JC9923-1
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100962.D	1	12/08/15	MD	n/a	n/a	V1B4779
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-3		
Lab Sample ID:	JC9923-1	**Date Sampled:**	12/03/15
Matrix:	AQ - Ground Water	**Date Received:**	12/04/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	97%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120315PP1
Lab Sample ID: JC9923-2
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100960.D	1	12/08/15	MD	n/a	n/a	V1B4779
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.8	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB120315PP1		
Lab Sample ID:	JC9923-2	**Date Sampled:**	12/03/15
Matrix:	AQ - Field Blank Water	**Date Received:**	12/04/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	98%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB120315PP1
Lab Sample ID: JC9923-3
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100961.D	1	12/08/15	MD	n/a	n/a	V1B4779
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.4	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB120315PP1		
Lab Sample ID:	JC9923-3	**Date Sampled:**	12/03/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/04/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	100%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-3
Lab Sample ID: JC9923-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99391.D	1	12/14/15	AMA	12/07/15	M:OP45658	M:MSI3715
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	0.39	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	77%		26-121%
321-60-8	2-Fluorobiphenyl	68%		28-107%
1718-51-0	Terphenyl-d14	84%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120315PP1
Lab Sample ID: JC9923-2
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99392.D	1	12/14/15	AMA	12/07/15	M:OP45658	M:MSI3715
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	71%		26-121%
321-60-8	2-Fluorobiphenyl	64%		28-107%
1718-51-0	Terphenyl-d14	83%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

Northrop Grumman Corporation-Operable Unit 2

Data Review

BETHPAGE, NEW YORK

Volatile and Semivolatile Analyses

SDGs #JC8577, JC8603 and JC8685

Analyses Performed By:
Accutest Laboratories
Dayton, New Jersey

Report #24830R
December 22, 2015
Review Level: Tier II
Project #NY001496.1514.NAVI4

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC8577, JC8603, and JC8685 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDGs	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC8577	BPOW5-6	JC8577-1	Water	11/13/2015		X	X			
	BPOW5-5	JC8577-2	Water	11/13/2015		X	X			
	FB111315PP1	JC8577-3	Water	11/13/2015		X	X			
	TB111315PP1	JC8577-4	Water	11/13/2015		X				
JC8603	BPOW5-2	JC8603-1	Water	11/12/2015		X	X			
	BPOW5-1	JC8603-2	Water	11/12/2015		X	X			
	FB111215PP1	JC8603-3	Water	11/12/2015		X	X			
	TB111215PP1	JC8603-4	Water	11/12/2015		X				
JC8685	BPOW 5-4	JC8685-1	Water	11/16/2015		X	X			
	FB111615PP1	JC8685-2	Water	11/16/2015		X	X			
	TB111615PP1	JC8685-3	Water	11/16/2015		X				

Notes:

1. Semivolatile (1,4-Dioxane) analysis was performed at Accutest Laboratories, Marlborough, MA (Accutest-NE) facility.

2. SDG JC8577: Matrix spike analysis was performed on sample location BPOW5-6 for VOC.

ANALYTICAL DATA PACKAGE DOCUMENTATION

GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Methods 524.2 and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

  U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

  B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

  E The compound was quantitated above the calibration range.

  D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

  J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

  UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

  JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

  UB Compound considered non-detect at the listed value due to associated blank contamination.

  N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

  R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
SDG JC8577:			
BPOW5-5	Acetone	Detected sample results <RL and <BAL	"UB" at the RL
SDG JC8603:			
BPOW5-1	Acetone	Detected sample results <RL and <BAL	"UB" at the RL
SDG JC8685:			
BPOW 5-4	Acetone Methylene Chloride	Detected sample results <RL and <BAL	"UB" at the RL

RL Reporting limit

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC

analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS exhibited acceptable recoveries in SDG JC8577.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC8603 and JC8685.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits in SDG JC8685.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
SDG JC8577:		
BPOW5-6 BPOW5-5 FB111315PP1 TB111315PP1	2-Butanone	>UL
SDG JC8603:		
BPOW5-2 BPOW5-1 TB111215PP1	2-Butanone	>UL

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J

Control Limit	Sample Result	Qualification
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with these SDGs.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

The laboratory duplicate sample results exhibited RPD within the control limit in SDG JC8577.

A laboratory duplicate sample was not performed on a sample location associated with SDGs JC8603 and JC8685.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were identified in SDG JC8577 in sample locations: BPOW5-5, FB111315PP1 and TB111315PP1; SDG JC8603 in sample locations: BPOW5-1, FB111215PP1 and TB111215PP1; and, SDG JC8685 sample locations: BPOW 5-4 and FB111615PP1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X	X		
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)		X		X	
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery RPD Relative Percent Difference

SEMIVOLATILE ORGANIC COMPOUND (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cooled to <6°C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC8577, JC8603 or JC8685.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries and RPD within the control limits for SDGs JC8577, JC8603 and JC8685.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with these SDGs.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent recovery RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE: 

DATE: December 22, 2015

PEER REVIEW BY: Todd Church

DATE: December 29, 2015

CHAIN OF CUSTODY/
CORRECTED SAMPLE ANALYSIS DATA SHEETS

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #4 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC8577

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski 516 287-6247 Phone #

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project # 1614 NY001496.3141.NAVI3
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: * Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VOCs 524.2 Full List	B827OSIM 14 plus X
1	BPOW 5-6		11/13/15	1414	GD	GW	3	3								✓	
2	BPOW 5-5		11/13/15	1409	GD	GW	3	3								✓	
3	FB111315 PP1		11/13/15	1100	GD	FB	2	2								✓	
4	TB111315 PP1		11/13/15	1100	—	TB	2	2								✓	

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

LAB USE ONLY: V836

INITIAL ASSESSMENT: DA Dom
LABEL VERIFICATION:

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 Full list
V524SL4+40, VMS+F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/13/15 15:03	1 Robert Chambers	2 Robert Chambers 11-12-15 1503	11-13-15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # 553 ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☒ Cooler Temp. 4.7°

JC8577: Chain of Custody
Page 1 of 4

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # 9424 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC8577

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville | State: NY | Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com | E-mail:
Phone #: 631-249-7600 | Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski | Phone #: 516 287-6247

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage | State: NY
Project #: 1614 NY001496.3141.NAVI3
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, | State: CO | Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VOCs 524.2 Full List (8270 SIM 1,4 dioxane)	LAB USE ONLY
-1	BPOW 5-6		11/13/15	1414	PP	GW	2					2				✓	
-2	BPOW 5-5		11/13/15	1409	PP	GW	2					2				✓	
-3	FB111315PP1		11/13/15	1100	PP	FB	2					2				✓	
																	16A

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED - Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB - Field Blank
EB - Equipment Blank
RB - Rinse Blank
TB - Trip Blank

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Approved By (Accutest PM): / Date:

Emergency & Rush T/A data available VIA Labfax

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 Full list
V524SL4+40,VMS+FI13

Sample Custody must be documented below each time samples change possession, including courier delivery. 10:00

Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	11/13/15 1900	1	2	11/14/15	2
Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
3		3	4		4
Relinquished by:	Date Time:	Received By:	Custody Seal #	☐ Intact ☐ Not intact	Preserved where applicable ☐	On Ice ☑	Cooler Temp. 2.0 C
5		5			ERGUNI		

JC8577: Chain of Custody
Page 2 of 4

Report of Analysis

Client Sample ID: BPOW5-6
Lab Sample ID: JC8577-1
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/13/15
Date Received: 11/13/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100652.D	1	11/17/15	MD	n/a	n/a	V1B4766
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	0.15	0.50	0.028	ug/l	J
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-6		
Lab Sample ID:	JC8577-1	**Date Sampled:**	11/13/15
Matrix:	AQ - Ground Water	**Date Received:**	11/13/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	97%		78-114%
460-00-4	4-Bromofluorobenzene	99%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-5		
Lab Sample ID:	JC8577-2	**Date Sampled:**	11/13/15
Matrix:	AQ - Ground Water	**Date Received:**	11/13/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100653.D	1	11/17/15	MD	n/a	n/a	V1B4766
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone 5.0	~~1.3~~	5.0	0.91	ug/l	~~J~~ UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-5		
Lab Sample ID:	JC8577-2	**Date Sampled:**	11/13/15
Matrix:	AQ - Ground Water	**Date Received:**	11/13/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	101%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
78-84-2	Propanal, 2-methyl-	8.86	.54	ug/l	JN
	Total TIC, Volatile		.54	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB111315PP1
Lab Sample ID: JC8577-3
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/13/15
Date Received: 11/13/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100657.D	1	11/17/15	MD	n/a	n/a	V1B4766
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2.9	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB111315PP1		
Lab Sample ID:	JC8577-3	**Date Sampled:**	11/13/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/13/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	101%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
287-92-3	Cyclopentane	8.24	24	ug/l	JN
	Total TIC, Volatile		24	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB111315PP1
Lab Sample ID: JC8577-4
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/13/15
Date Received: 11/13/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100658.D	1	11/17/15	MD	n/a	n/a	V1B4766
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.7	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB111315PP1		
Lab Sample ID:	JC8577-4	**Date Sampled:**	11/13/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/13/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	101%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	unknown	7.61	1.1	ug/l	J N
	Total TIC, Volatile		1.1	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-6
Lab Sample ID: JC8577-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/13/15
Date Received: 11/13/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99234.D	1	11/28/15	AMA	11/16/15	M:OP45433	M:MSI3705
Run #2							

	Initial Volume	Final Volume
Run #1	970 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.078	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	81%		26-121%
321-60-8	2-Fluorobiphenyl	71%		28-107%
1718-51-0	Terphenyl-d14	87%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-5
Lab Sample ID: JC8577-2
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/13/15
Date Received: 11/13/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99235.D	1	11/28/15	AMA	11/16/15	M:OP45433	M:MSI3705
Run #2							

	Initial Volume	Final Volume
Run #1	970 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	0.42	0.21	0.078	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	84%		26-121%
321-60-8	2-Fluorobiphenyl	73%		28-107%
1718-51-0	Terphenyl-d14	84%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB111315PP1
Lab Sample ID: JC8577-3
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/13/15
Date Received: 11/13/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99236.D	1	11/28/15	AMA	11/16/15	M:OP45433	M:MSI3705
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	79%		26-121%
321-60-8	2-Fluorobiphenyl	72%		28-107%
1718-51-0	Terphenyl-d14	89%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #4 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC8603

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski Phone #: 516 287-6247

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: 1614 NY001496.3141.NAVI3
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MECH	ENCORE	VOCs 524.2 Full List	B827OSIM 14 DIOX
1	BPOW 5-2		11/12/15	1425	PP	GW	3	3								✓	
2	BPOW 5-1		11/12/15	1510	PP	GW	3	3								✓	
3	FB 111215 PP1		11/12/15	1130	PP	FB	2	2								✓	
4	TB 111215 PP1		11/12/15	1100	—	TB	2	2								✓	

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

LAB USE ONLY

1843

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date: 2B JK
INITIAL ASESSMENT
LABEL VERIFICATION JK

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 Full list

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler: 1	Date Time: 11/12/15 1845	Received By: 1	Relinquished By: 2	Date Time:	Received By: 2
Relinquished by Sampler: 3	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
Relinquished by: 5	Date Time:	Received By: 5	Custody Seal # Arcadis	Intact / Not intact	Preserved where applicable	On Ice	Cooler Temp. 1.7 °C

5.1
5

JC8603: Chain of Custody
Page 1 of 5

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # 4A | Bottle Order Control #
Accutest Quote # | Accutest Job # ~~MA67~~ JC8603

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville | State: NY | Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com | E-mail
Phone #: 631-249-7600 | Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski 516 287-6247 | Phone #

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells
Northrop Grumman OU2 Hydro
Street
City: Bethpage | State: NY
Project #: 1614 NY001496.~~314~~1.NAVI3
Client Purchase Order #
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, | State: CO | Zip: 80129
Attention: * Soma Das

Requested Analysis (see TEST CODE sheet)

VOCs 524.2 Full List
8260 STM W 010 X

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
-1	BPOW 5-2		11/12/15	1425	AP	GW	2					2				✓
-2	BPOW 5-1		11/12/15	1510	AP	GW	2					2				✓

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM) / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 Full List 16C

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/12/15 1845	1	2	11/13/15 9:35	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal #	Intact / Not Intact	Preserved where applicable: On Ice ✓ Cooler Temp. 2.0C

JC8603: Chain of Custody
Page 3 of 5

Report of Analysis

Client Sample ID: BPOW5-2
Lab Sample ID: JC8603-1
Matrix: AQ - Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/12/15
Date Received: 11/14/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100668.D	1	11/18/15	MD	n/a	n/a	V1B4766
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-2		
Lab Sample ID:	JC8603-1	**Date Sampled:**	11/12/15
Matrix:	AQ - Water	**Date Received:**	11/14/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	101%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-1
Lab Sample ID: JC8603-2
Matrix: AQ - Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/12/15
Date Received: 11/14/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100669.D	1	11/18/15	MD	n/a	n/a	V1B4766
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone 5.0	~~0.94~~	5.0	0.91	ug/l	~~J~~ UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-1		
Lab Sample ID:	JC8603-2	**Date Sampled:**	11/12/15
Matrix:	AQ - Water	**Date Received:**	11/14/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
78-84-2	Propanal, 2-methyl-	8.85	.56	ug/l	JN
	Total TIC, Volatile		.56	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB111215PP1
Lab Sample ID: JC8603-3
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/12/15
Date Received: 11/14/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100707.D	1	11/20/15	MD	n/a	n/a	V1B4768
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	3.1	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	0.17	0.50	0.047	ug/l	J
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB111215PP1		
Lab Sample ID:	JC8603-3	**Date Sampled:**	11/12/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/14/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	100%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkene	8.26	24	ug/l	J N
	Total TIC, Volatile		24	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB111215PP1
Lab Sample ID: JC8603-4
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/12/15
Date Received: 11/14/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100667.D	1	11/17/15	MD	n/a	n/a	V1B4766
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.8	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB111215PP1		
Lab Sample ID:	JC8603-4	**Date Sampled:**	11/12/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/14/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	100%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.61	1.2	ug/l	JN
	Total TIC, Volatile		1.2	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-2
Lab Sample ID: JC8603-1
Matrix: AQ - Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/12/15
Date Received: 11/14/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99223.D	1	11/27/15	AMA	11/17/15	M:OP45450	M:MSI3705
Run #2							

	Initial Volume	Final Volume
Run #1	880 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.23	0.086	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	74%		26-121%
321-60-8	2-Fluorobiphenyl	65%		28-107%
1718-51-0	Terphenyl-d14	88%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-1
Lab Sample ID: JC8603-2
Matrix: AQ - Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/12/15
Date Received: 11/14/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99224.D	1	11/27/15	AMA	11/17/15	M:OP45450	M:MSI3705
Run #2							

	Initial Volume	Final Volume
Run #1	920 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	68%		26-121%
321-60-8	2-Fluorobiphenyl	66%		28-107%
1718-51-0	Terphenyl-d14	84%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB111215PP1
Lab Sample ID: JC8603-3
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/12/15
Date Received: 11/14/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	R46141.D	1	11/19/15	AMA	11/17/15	M:OP45457	M:MSR1697
Run #2							

	Initial Volume	Final Volume
Run #1	970 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.078	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	91%		26-121%
321-60-8	2-Fluorobiphenyl	71%		28-107%
1718-51-0	Terphenyl-d14	93%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # 4

Bottle Order Control #

Accutest Quote #

Accutest Job # JC8685

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski Phone #: 516 297-6247

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project # NY001496.3141.NAVI3 1614
Client Purchase Order #
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: * Soma Das

Requested Analysis (see TEST CODE sheet)

VOCs 524.2 Full List
B8270SIM 14 DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VOCs 524.2 Full List	B8270SIM 14 DIOX	LAB USE ONLY
1	BROW 5-4		11/16/15	1428	PP	GW	3	3								✓		V855
2	FB111615PP2		11/16/15	1050	PP	FB	2	2								✓		
3	TB111615PP2		11/16/15	1050	—	TB	2	2								✓		

INITIAL ASSESSMENT ZYS
LABEL VERIFICATION CP

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other CUMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 Full list
V 524SL4+40, VMSIFI13

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Pat Prezorski	11/16/15 1900	1 Robert Chambers	Robert Chambers	11-17-15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # 352 Accutest	Intact / Not intact	Preserved where applicable

On Ice ☒ Cooler Temp 1.6 9.0°C

JC8685: Chain of Custody
Page 1 of 4

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # | Bottle Order Control #
Accutest Quote # | Accutest Job # JC8685

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville | State: NY | Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com | E-mail
Phone #: 631-249-7600 | Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski 516 287-6247 | Phone #

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells
Northrop Grumman OU2 Hydro
Street
City: Bethpage | State: NY
Project #: NY001496.3141.NAVI3 (1614)
Client Purchase Order #
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, | State: CO | Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VOCs 524.2 Full List
B&270SIM 1,4 DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
-1	BRAW 5-4		11/16/15	1428	AP	GW	2					2				
-2	FB111615AP2		11/16/15	1050	AP	FB	2					2				

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMU+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 Full list
V524SL4+4D, VMS+4F13

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/16/15 1900	1	2		2
3	Relinquished by Sampler: FedEx	11/17/15 9:45	3	4		4
5	Relinquished by:	Date Time:	5	Custody Seal #	Intact / Not Intact	Preserved where applicable

On Ice: ☑ Cooler Temp: 0.2°C

Report of Analysis

Client Sample ID:	BPOW 5-4		
Lab Sample ID:	JC8685-1	**Date Sampled:**	11/16/15
Matrix:	AQ - Ground Water	**Date Received:**	11/17/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100684.D	1	11/19/15	MD	n/a	n/a	V1B4767
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	~~1.7~~ 5.0	5.0	0.91	ug/l	~~J~~ UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	~~0.096~~ 0.50	0.50	0.047	ug/l	~~J~~ UB
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 5-4		
Lab Sample ID:	JC8685-1	**Date Sampled:**	11/16/15
Matrix:	AQ - Ground Water	**Date Received:**	11/17/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	101%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.65	1.6	ug/l	JN
	Total TIC, Volatile		1.6	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB111615PP1
Lab Sample ID: JC8685-2
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/16/15
Date Received: 11/17/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100685.D	1	11/19/15	MD	n/a	n/a	V1B4767
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	4.0	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	0.15	0.50	0.047	ug/l	J
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB111615PP1		
Lab Sample ID:	JC8685-2	**Date Sampled:**	11/16/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/17/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	101%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkene	8.28	24	ug/l	J N
78-84-2	Propanal, 2-methyl-	8.89	.71	ug/l	JN
	Total TIC, Volatile		24.71	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB111615PP1
Lab Sample ID: JC8685-3
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/16/15
Date Received: 11/17/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100686.D	1	11/19/15	MD	n/a	n/a	V1B4767
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.7	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB111615PP1		
Lab Sample ID:	JC8685-3	**Date Sampled:**	11/16/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/17/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 5-4
Lab Sample ID: JC8685-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/16/15
Date Received: 11/17/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99179.D	1	11/25/15	AMA	11/18/15	M:OP45466	M:MSI3703
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	0.28	0.20	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	87%		26-121%
321-60-8	2-Fluorobiphenyl	83%		28-107%
1718-51-0	Terphenyl-d14	88%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB111615PP1
Lab Sample ID: JC8685-2
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/16/15
Date Received: 11/17/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99180.D	1	11/25/15	AMA	11/18/15	M:OP45466	M:MSI3703
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	77%		26-121%
321-60-8	2-Fluorobiphenyl	75%		28-107%
1718-51-0	Terphenyl-d14	86%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

Northrop Grumman Corporation-Operable Unit 2

Data Review

BETHPAGE, NEW YORK

Volatile and Semivolatile Analyses

SDGs #JC8939, JC9090 and JC9091

Analyses Performed By:
Accutest Laboratories
Dayton, New Jersey

Report #24831R
December 22, 2015
Review Level: Tier II
Project #NY001496.1514.NAVI4

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC8939, JC9090 and JC9091 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDGs	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC8939	RE 117D1	JC8939-1	Water	11/18/2015		X	X			
	RE 117D2	JC8939-2	Water	11/18/2015		X	X			
	FB111815PP1	JC8939-3	Water	11/18/2015		X	X			
	TB111815PP1	JC8939-4	Water	11/18/2015		X				
JC9090	BPOW5-7	JC9090-1	Water	11/20/2015		X	X			
	FB112015PP1	JC9090-2	Water	11/20/2015		X	X			
	TB112015PP2	JC9090-3	Water	11/20/2015		X				
JC9091	RE119D1	JC9091-1	Water	11/20/2015		X	X			
	TB112015PP1	JC9091-2	Water	11/20/2015		X				

Notes:

1. Semivolatile (1,4-Dioxane) analysis was performed at Accutest Laboratories, Marlborough, MA (Accutest-NE) facility.

2. SDG JC8939: Matrix spike/matrix spike duplicate analysis was performed on sample location RE 117D2 for VOC and SVOC.

ANALYTICAL DATA PACKAGE DOCUMENTATION

GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Methods 8260C, 524.2 and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

  U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

  B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

  E The compound was quantitated above the calibration range.

  D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

  J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

  UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

  JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

  UB Compound considered non-detect at the listed value due to associated blank contamination.

  N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

  R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2 SW-846 8260C	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination in SDGs JC8939 and JC9091.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
SDG JC9090:			
BPOW5-7	Acetone	Detected sample results >RL and <BAL	"UB" at the RL
	TIC: Unknown (RT7.60)	Detected sample results less than 5 times blank result	R

RL Reporting limit

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9090 or JC9091.

Sample locations associated with MS/MSD recoveries exhibiting an RPD greater than of the control limit presented in the following table.

Sample Locations	Compound
SDG JC8939:	
RE 117D2	All compounds , except Freon 113

The criteria used to evaluate the RPD between the MS/MSD recoveries are presented in the following table. In the case of an RPD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> UL	Non-detect	UJ
	Detect	J

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits in SDGs JC8939, JC9090 and JC9091.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with these SDGs.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate sample was not performed on a sample location associated with SDGs JC8939, JC9090 or JC9091.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were identified in SDG JC9090 in sample locations: BPOW5-7 and FB112015PP1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2 and 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)		X		X	
Matrix Spike Duplicate(MSD)		X		X	
MS/MSD Precision (RPD)		X	X		
Field/Lab Duplicate (RPD)					X
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery RPD Relative Percent Difference

SEMIVOLATILE ORGANIC COMPOUND (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cooled to <6°C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries in SDG JC8939.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9090 and JC9091.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries and RPD within the control limits for SDGs JC8939, JC9090 and JC9091.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with these SDGs.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate(MSD) %R		X		X	
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent recovery RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE: 

DATE: December 22, 2015

PEER REVIEW BY: Todd Church

DATE: December 29, 2015

CHAIN OF CUSTODY/
CORRECTED SAMPLE ANALYSIS DATA SHEETS

ACCUTEST LABORATORIES

GW
WFB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC8939

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski Phone #: 516-247-6242

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1614.MA12
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX
-1	RE 11701		11/11/15	1354	PP	GW	3	3								✓	
-2	RE 11702		11/11/15	1320	KD	GW	9	9								✓	
-3	FB111115881		11/11/15	0940	PP	FB	2	2								✓	
-4	TB 111115881		11/11/15	0940	—	TB	2	2								✓	

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL- Sludge; SED-Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB-Field Blank; EB-Equipment Blank; RB- Rinse Blank; TB-Trip Blank

LAB USE ONLY: V900

INITIAL ASSESSMENT 3A Dom
LABEL VERIFICATION JB

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other CUMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Please use RE 11702 as a QA/QC MS/MSD sample

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler: 1	Date Time: 11/11/15 1900	Received By: 1		Relinquished By: 2	Date/Time: 11/12/15 1614	Received By: 2	
Relinquished by Sampler: 3	Date Time:	Received By: 3		Relinquished By: 4	Date Time:	Received By: 4	
Relinquished by: 5	Date Time:	Received By: 5		Custody Seal #	☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☑ Cooler Temp: 3.2°C

JC8939: Chain of Custody
Page 1 of 4

CHAIN OF CUSTODY

ACCUTEST LABORATORIES

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 4 Pg 2

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC8939

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Rose JK SG Phone #: 287247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: M001496, 1614NAV13
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX
	RE 1170 1		11/18/15	1354	SG	GW	2					2					✓
	RE 1170 2		11/18/15	1320	KD	GW	6					6					✓
	FB 111815SP02		11/18/15	0940	SG	FB	2					2					✓

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL - Sludge; SED-Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB-Field Blank; EB-Equipment Blank; RB- Rinse Blank; TB-Trip Blank

LAB USE ONLY

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [X] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL-reporting for metals

Please use RE1170 2 as a QA/QC MS/MSD Sample

Sample Custody must be documented below each time samples change possession, including courier delivery. 09:30

Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	11/18/15 1630	1 FEX	2	11/19/15	2
Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
3		3	4		4
Relinquished by:	Date Time:	Received By:	Custody Seal #	Intact / Not Intact	Preserved where applicable
5		5			On Ice / Cooler Temp. 1.5, 2.0, 2.5

5.1 5

JC8939: Chain of Custody
Page 3 of 4

Report of Analysis

Client Sample ID: RE 117D1
Lab Sample ID: JC8939-1
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2D150433.D	1	11/24/15	BK	n/a	n/a	V2D6321
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	0.75	1.0	0.16	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RE 117D1		
Lab Sample ID:	JC8939-1	**Date Sampled:**	11/18/15
Matrix:	AQ - Ground Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	9.4	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		76-120%
17060-07-0	1,2-Dichloroethane-D4	100%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	102%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 117D2
Lab Sample ID: JC8939-2
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2D150333.D	1	11/21/15	BK	n/a	n/a	V2D6317
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	J
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	J
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	J
108-88-3	Toluene	0.98	1.0	0.16	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	J

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RE 117D2		
Lab Sample ID:	JC8939-2	**Date Sampled:**	11/18/15
Matrix:	AQ - Ground Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	J
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	J
	m,p-Xylene	ND	1.0	0.38	ug/l	J
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	98%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB111815PP1		
Lab Sample ID:	JC8939-3	**Date Sampled:**	11/18/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2D150331.D	1	11/21/15	BK	n/a	n/a	V2D6317
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB111815PP1		
Lab Sample ID:	JC8939-3	**Date Sampled:**	11/18/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB111815PP1
Lab Sample ID: JC8939-4
Matrix: AQ - Trip Blank Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2D150332.D	1	11/21/15	BK	n/a	n/a	V2D6317
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB111815PP1		
Lab Sample ID:	JC8939-4	**Date Sampled:**	11/18/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 117D1
Lab Sample ID: JC8939-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99203.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	77%		26-121%
321-60-8	2-Fluorobiphenyl	64%		28-107%
1718-51-0	Terphenyl-d14	82%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 117D2
Lab Sample ID: JC8939-2
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99186.D	1	11/26/15	AMA	11/22/15	M:OP45518	M:MSI3703
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.20	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	75%		26-121%
321-60-8	2-Fluorobiphenyl	66%		28-107%
1718-51-0	Terphenyl-d14	89%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB111815PP1
Lab Sample ID: JC8939-3
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99204.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	960 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.079	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	79%		26-121%
321-60-8	2-Fluorobiphenyl	68%		28-107%
1718-51-0	Terphenyl-d14	81%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

NJ

GW
FB
WTB

CHAIN OF CUSTODY

ACCUTEST LABORATORIES

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #4 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9090

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski Phone #: 516 297-6247

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells Northrop Grumman OU2 Hydro
Street
City: Bethpage State: NY
Project #: NY001496.~~314~~1614.NAVI3
Client Purchase Order #
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VOCs 524.2 Full List
B8270SIM 14 point

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VOCs 524.2 Full List	B8270SIM 14 point	LAB USE ONLY
1	BPOW 5-7		11/20/15	1524	KD	GW	3	3								✓		V1918
2	FB112015PP2		11/20/15	1540	KD	FB	2	2								✓		
3	TB112015PP2		11/20/15	0940	—	TB	2	2								✓		

INITIAL ASESSMENT 3B 0B
LABEL VERIFICATION 05

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 full list
V524SL4 +40 UMS+F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/20/15 16:00	1 Robert Drachsler	2 Robert Drachsler	11-20-15	2
3	Relinquished by Sampler:	Date Time:	3	4	Date Time:	4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # 361 ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☒ Cooler Temp. I. G 2.0°C

MA

CHAIN OF CUSTODY

PAGE 1 OF 1

ACCUTEST LABORATORIES

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking # #4 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9090

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville | State: NY | Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com | E-mail
Phone #: 631-391-5247 | Fax #: 631-249-7610
Sampler(s) Name(s): Kat Proost 516 887 6347 | Phone #

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells
Northrop Grumman OU2 Hydro
Street
City | State
Project #: NY001496.1614.NAVI3
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch | State: CO | Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

V5242 ~~NG140W+40~~ Cvll list
B8270SIM14DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
-1	BROW 5-7		11/20/15	1528	KP	GW	2					2				1713
-2	FB112015FP7		11/20/15	1530	KP	FB	2					2				

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 full list
V5245L4 + Y0, VMS + F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Kat Proost	11/24/15 1730	1 TOM	2 TOM	11/25/15 10:30	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # ☐ Intact ☐ Not Intact	Preserved where applicable ☐ 3 2 10 VM	On Ice ☐ Cooler Temp. 2.2°C

Report of Analysis

Client Sample ID: BPOW5-7
Lab Sample ID: JC9090-1
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100758.D	1	11/24/15	MD	n/a	n/a	V1B4770
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone 5.0	~~1.1~~	5.0	0.91	ug/l	~~J~~ UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	0.49	0.50	0.044	ug/l	J

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-7		
Lab Sample ID:	JC9090-1	**Date Sampled:**	11/20/15
Matrix:	AQ - Ground Water	**Date Received:**	11/20/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	unknown	~~7.60~~	~~.65~~	~~ug/l~~	~~J~~ R
	Total TIC, Volatile		~~.65~~	~~ug/l~~	~~J~~

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB112015PP1
Lab Sample ID: JC9090-2
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100759.D	1	11/24/15	MD	n/a	n/a	V1B4770
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.6	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	0.20	0.50	0.047	ug/l	J
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB112015PP1		
Lab Sample ID:	JC9090-2	**Date Sampled:**	11/20/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/20/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	unknown	7.60	.59	ug/l	J N
	Total TIC, Volatile		.59	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB112015PP2
Lab Sample ID: JC9090-3
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100760.D	1	11/24/15	MD	n/a	n/a	V1B4770
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.5	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB112015PP2		
Lab Sample ID:	JC9090-3	**Date Sampled:**	11/20/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/20/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	100%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-7
Lab Sample ID: JC9090-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99205.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	79%		26-121%
321-60-8	2-Fluorobiphenyl	69%		28-107%
1718-51-0	Terphenyl-d14	84%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB112015PP1
Lab Sample ID: JC9090-2
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99206.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	920 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	82%		26-121%
321-60-8	2-Fluorobiphenyl	74%		28-107%
1718-51-0	Terphenyl-d14	87%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW WTB NJ

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9091

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prizonzik Phone #: 516 297 6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1614.AV13
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX
1	RE119D1		11/20/15	1345	KD	GW	3	3								✓	
2	TB112015PP1		11/20/15	0900	—	TB	2	2								✓	

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

LAB USE ONLY: V918

INITIAL ASSESSMENT 315 08
LABEL VERIFICATION 09

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY

Emergency & Rush T/A data available VIA Labtrack

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Pat Prizonzik	11/20/15 1600	1 Robert Chambers	2 Robert Chambers	11-20-15 19:36	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # 361 ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☒ Cooler Temp. T-6 2.0°C

JC9091: Chain of Custody
Page 1 of 4

ACCUTEST LABORATORIES

MA

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9091

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prework 56 287647 Phone #:

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496 1614, NAV77
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	MeOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX	LAB USE ONLY
1	RE11901		11/20/15	1345	ED	GW	2					2					✓	

17B

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery. 10:30

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Pat Prework	11/20/15 1730	1	2 FedEx	11/21/15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☐ Cooler Temp: Labels 2-0 C

5.1 5

JC9091: Chain of Custody
Page 3 of 4

Report of Analysis

Client Sample ID: RE119D1
Lab Sample ID: JC9091-1
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B137063.D	1	12/01/15	EH	n/a	n/a	V2B6106
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	0.72	1.0	0.16	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RE119D1		
Lab Sample ID:	JC9091-1	**Date Sampled:**	11/20/15
Matrix:	AQ - Ground Water	**Date Received:**	11/20/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-120%
17060-07-0	1,2-Dichloroethane-D4	115%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB112015PP1
Lab Sample ID: JC9091-2
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B137000.D	1	11/28/15	EH	n/a	n/a	V2B6102
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB112015PP1		
Lab Sample ID:	JC9091-2	**Date Sampled:**	11/20/15
Matrix:	AQ - Ground Water	**Date Received:**	11/20/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		76-120%
17060-07-0	1,2-Dichloroethane-D4	103%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	102%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE119D1
Lab Sample ID: JC9091-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99207.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	74%		26-121%
321-60-8	2-Fluorobiphenyl	67%		28-107%
1718-51-0	Terphenyl-d14	83%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

Northrop Grumman Corporation-Operable Unit 2

Data Review

BETHPAGE, NEW YORK

Volatile and Semivolatile Analyses

SDGs #JC9220, JC9566 and JC9689

Analyses Performed By:
Accutest Laboratories
Dayton, New Jersey

Report #24832R
December 28, 2015
Review Level: Tier II
Project #NY001496.1514.NAVI4

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC9220, JC9566 and JC9689 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDGs	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC9220	FB112315PP1	JC9220-1	Water	11/23/2015		X	X			
	TB112315PP1	JC9220-2	Water	11/23/2015		X				
	RE118D1	JC9220-3	Water	11/23/2015		X	X			
JC9566	FB113015PP1	JC9566-1	Water	11/30/2015		X	X			
	BPOW 6-1	JC9566-2	Water	11/30/2015		X	X			
	BPOW 6-2	JC9566-3	Water	11/30/2015		X	X			
	TB113015PP1	JC9566-4	Water	11/30/2015		X				
JC9689	FB120115PP1	JC9689-1	Water	12/01/2015		X	X			
	BPOW 6-3	JC9689-2	Water	12/01/2015		X	X			
	BPOW 6-4	JC9689-3	Water	12/01/2015		X	X			
	REP120115PP1	JC9689-4	Water	12/01/2015	BPOW 6-4	X	X			
	TB120115PP1	JC9689-5	Water	12/01/2015		X				

Note:

1. Semivolatile (1,4-Dioxane) analysis was performed at Accutest Laboratories, Marlborough, MA (Accutest-NE) facility.

ANALYTICAL DATA PACKAGE DOCUMENTATION

GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Methods 8260C, 524.2 and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

  U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

  B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

  E The compound was quantitated above the calibration range.

  D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

  J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

  UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

  JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

  UB Compound considered non-detect at the listed value due to associated blank contamination.

  N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

  R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2 SW-846 8260C	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination in SDG JC9220.

Compounds were detected in the associated QA blanks; however, the associated sample results were greater than the BAL and/or were non-detect. No qualification of the sample results was required in SDG JC9566.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
SDG JC9689:			
BPOW 6-3	Acetone	Detected sample results >RL and <BAL	"UB" at the RL

RL Reporting limit

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC

analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9220, JC9566 or JC9689.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with SDGs JC9220 or JC9566.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC9689:				
BPOW 6-4/ REP120115PP1	All compounds	U	U	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample

concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate sample was not performed on a sample location associated with SDGs JC9220, JC9566 or JC9689.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not identified in SDG JC9220. TICs were identified in SDG JC9566 in sample locations FB113015PP1; and, in SDG JC9689 in sample location FB12015PP1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2 and 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)					X
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery RPD Relative Percent Difference

SEMIVOLATILE ORGANIC COMPOUND (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cooled to <6°C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9220, JC9566 or JC9689.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries and RPD within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with SDG JC9220 and JC9566

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC9689:				
BPOW 6-4/ REP120115PP1	1,4-Dioxane	0.22 U	0.21 U	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent recovery RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE: 

DATE: December 28, 2015

PEER REVIEW BY: Todd Church

DATE: December 29, 2015

CHAIN OF CUSTODY/
CORRECTED SAMPLE ANALYSIS DATA SHEETS

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9220

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Parwatki Phone #: 516-647-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY00 1496.0514.MN17
Client Purchase Order #:
Project Manager: Carlo San Giovanni
Work Authorization #: NY001496_2015

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MECH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX	LAB USE ONLY
1	FB 112315081		11/23/15	1150	AR	FB	3	3								✓		V948
2	TB 112315081		11/23/15	1150	–	TB	2	2								✓		
3	RE 11801		11/23/15	1509	AR	GW	3	3								✓		

Number of preserved Bottles

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

INITIAL ASSESSMENT
LABEL VERIFICATION

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Labilink

Approved By (Accutest PM): / Date: 11/24 1115

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/23/15 1830	1	2	11/24 1540	2
2			3	4		4
3			5	Custody Seal #	Intact / Not intact	Preserved where applicable

On Ice: ☐ Cooler Temp: 0.3, 5.0

JC9220: Chain of Custody
Page 1 of 4

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9220

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville | State: NY | Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com | E-mail
Phone #: 631-249-7600 | Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prose SKI | Phone #: 516 297-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage | State: NY
Project #:
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch | State: CO | Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VC82602NG36GW+40
B8270SIM14DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	FB112315SP1		11/23/15	1150	AR	FB	2					2				
3	RE 11SD1		11/23/15	1509	AR/AA	GW	2					2				

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULL T1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals 17B

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/23/15 1820	1	2	11/24/15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # ☐ Intact ☐ Not Intact	Preserved where applicable: ☐ ICE ☐ VNI	On Ice: ☒ Cooler Temp: 2-1 C

JC9220: Chain of Custody
Page 2 of 4

Report of Analysis

Client Sample ID: FB112315PP1
Lab Sample ID: JC9220-1
Matrix: AQ - Field Blank Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A156464.D	1	11/30/15	VC	n/a	n/a	V1A6717
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB112315PP1		
Lab Sample ID:	JC9220-1	**Date Sampled:**	11/23/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/24/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB112315PP1
Lab Sample ID: JC9220-2
Matrix: AQ - Trip Blank Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A156465.D	1	11/30/15	VC	n/a	n/a	V1A6717
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB112315PP1		
Lab Sample ID:	JC9220-2	**Date Sampled:**	11/23/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/24/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	99%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 118D1
Lab Sample ID: JC9220-3
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A156488.D	1	12/01/15	VC	n/a	n/a	V1A6718
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	0.57	1.0	0.16	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RE 118D1		
Lab Sample ID:	JC9220-3	**Date Sampled:**	11/23/15
Matrix:	AQ - Ground Water	**Date Received:**	11/24/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB112315PP1
Lab Sample ID: JC9220-1
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99247.D	1	12/01/15	AMA	11/24/15	M:OP45543	M:MSI3707
Run #2							

	Initial Volume	Final Volume
Run #1	960 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.079	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	88%		26-121%
321-60-8	2-Fluorobiphenyl	75%		28-107%
1718-51-0	Terphenyl-d14	86%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 118D1
Lab Sample ID: JC9220-3
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99248.D	1	12/01/15	AMA	11/24/15	M:OP45543	M:MSI3707
Run #2							

	Initial Volume	Final Volume
Run #1	920 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	67%		26-121%
321-60-8	2-Fluorobiphenyl	60%		28-107%
1718-51-0	Terphenyl-d14	87%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW
FB
WB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9566

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prazonki Phone #: 516 257-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1514.NAV12
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VC62602NG96GW+40
B8270SIM14DIOX
VOCs 524.2 Full list

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	FB113015RP1		11/30/15	1310	RP	FB	3	3								V988
2	BROU 6-1		11/30/15	1635	AR/RP	GW	3	3								
3	BROU 6-2		11/30/15	1635	RP	GW	3	3								
4	TB113015RP1		11/30/15	1300	—	TB	2	2								

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY

Emergency & Rush T/A data available VIA Labilink

Approved By (Accutest PM): / Date:
INITIAL ASSESSMENT NL3A
LABEL VERIFICATION CB

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other UOMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals
VOCs 524.2 Full list
V524SL4+40, VMS+F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/30/15 1630	1 Robert Chambers	2 Robert Chambers	12-1-15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # 364 ☐ Intact ☐ Not intact	Preserved where applicable ☐	On Ice ☒ Cooler Temp. 1.6 2.0c

JC9566: Chain of Custody
Page 1 of 3

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9566

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville | State: NY | Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com | E-mail
Phone #: 631-249-7600 | Fax #: 631-249-7610
Sampler(s) Name(s): Pat Arzonetti 516-297-6247 | Phone #
Project Manager: Carlo San Giovanni

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage | State: NY
Client Purchase Order #:
Work Authorization #: NY001496_2015

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, | State: CO | Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VG8260ZNG-MTBE+10	B8270SIM14DIOX	LAB USE ONLY
-1	FB 113015BP2		11/30/15	1310	AP	FB	2					2					✓	
-2	BP2S 6-1		11/30/15	1635	AP/PA	GW	2					2					✓	
-3	BP2S 6-2		11/30/15	1635	AP	GW	2					2					✓	
																		17D

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Labfax

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other CUMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/30/15 1915	1	2	12/1/15 1035	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal #	Intact / Not Intact	Preserved where applicable	On Ice	Cooler Temp: 1.0°c 0.1°c

JC9566: Chain of Custody
Page 3 of 3

Report of Analysis

Client Sample ID: FB113015PP1
Lab Sample ID: JC9566-1
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100892.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2.2	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB113015PP1		
Lab Sample ID:	JC9566-1	**Date Sampled:**	11/30/15
Matrix:	AQ - Field Blank Water	**Date Received:**	12/01/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	104%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	unknown	7.61	.65	ug/l	J N
	Total TIC, Volatile		.65	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-1
Lab Sample ID: JC9566-2
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100893.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-1		
Lab Sample ID:	JC9566-2	**Date Sampled:**	11/30/15
Matrix:	AQ - Ground Water	**Date Received:**	12/01/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-2
Lab Sample ID: JC9566-3
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100894.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-2		
Lab Sample ID:	JC9566-3	**Date Sampled:**	11/30/15
Matrix:	AQ - Ground Water	**Date Received:**	12/01/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	103%		78-114%
460-00-4	4-Bromofluorobenzene	104%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB113015PP1
Lab Sample ID: JC9566-4
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100895.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.5	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB113015PP1		
Lab Sample ID:	JC9566-4	**Date Sampled:**	11/30/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/01/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	104%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB113015PP1
Lab Sample ID: JC9566-1
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99338.D	1	12/10/15	AMA	12/02/15	M:OP45603	M:MSI3713
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	67%		26-121%
321-60-8	2-Fluorobiphenyl	61%		28-107%
1718-51-0	Terphenyl-d14	75%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-1
Lab Sample ID: JC9566-2
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99339.D	1	12/10/15	AMA	12/02/15	M:OP45603	M:MSI3713
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	72%		26-121%
321-60-8	2-Fluorobiphenyl	64%		28-107%
1718-51-0	Terphenyl-d14	75%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-2
Lab Sample ID: JC9566-3
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99340.D	1	12/10/15	AMA	12/02/15	M:OP45603	M:MSI3713
Run #2							

	Initial Volume	Final Volume
Run #1	890 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.085	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	80%		26-121%
321-60-8	2-Fluorobiphenyl	71%		28-107%
1718-51-0	Terphenyl-d14	76%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9689

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): [illegible] Phone #: 516 287-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #:
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

~~VC5206NGSGWW40~~ | B8270SIM14DIOX | VOCs 524.2 Full list

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	FB 120115PP2		12/1/15	1050	BP	FB	3	3								V1007
2	BPOW 6-3		12/1/15	1350	MP	GW	3	3								
3	BPOW 6-4		12/1/15	1349	BP	GW	3	3								
4	RB 120115PP2		12/1/15	—	BP	GW	3	3								
5	TB 120115PP2		12/1/15	1050	—	TB	2	2								

INITIAL ASESSMENT
LABEL VERIFICATION

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

VOCs 524.2 Full list
✓ 524.2+4D VMS+F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/1/15 1930	1	2	12/2/15 1755	2
3			3	4		4
5			5			

Custody Seal # CLIENT SEAL ☒ Intact ☐ Not intact | Preserved where applicable ☐ | On Ice B | Cooler Temp. 1.5 °C

5.1 5

JC9689: Chain of Custody
Page 1 of 4

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9689

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): K. Parzuski 516 767 6647 Phone #:

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #:
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Preserved: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VG9282NS(40CW)-40	B8270SIM14DIOX	LAB USE ONLY
1	FB 120115PP1		12/1/15	1450	PP	FB	2					2					✓	
2	BPOW 6-3		12/1/15	1350	PP	GW	2					2					✓	
3	BPOW 6-4		12/1/15	1349	PP	GW	2					2					✓	
4	Rep 120115PP1		12/1/15	—	PP	GW	2					2					✓	

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/1/15 1810	1	2		2
3	Relinquished by Sampler: FEDX	Date Time: 12-2-15 1045	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☑ Cooler Temp. 0.8=0.5°C

IRGWI

JC9689: Chain of Custody
Page 2 of 4

Report of Analysis

Client Sample ID: FB120115PP1
Lab Sample ID: JC9689-1
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100883.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2.7	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB120115PP1		
Lab Sample ID:	JC9689-1	**Date Sampled:**	12/01/15
Matrix:	AQ - Field Blank Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	104%		78-114%
460-00-4	4-Bromofluorobenzene	105%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkene	8.25	2	ug/l	J N
	Total TIC, Volatile		2	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-3		
Lab Sample ID:	JC9689-2	**Date Sampled:**	12/01/15
Matrix:	AQ - Ground Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100886.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound		Result	RL	MDL	Units	Q
67-64-1	Acetone	5.0	0.92	5.0	0.91	ug/l	J UB
78-93-3	2-Butanone		ND	5.0	0.57	ug/l	
71-43-2	Benzene		ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane		ND	0.50	0.082	ug/l	
75-25-2	Bromoform		ND	0.50	0.046	ug/l	
74-83-9	Bromomethane		ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide		ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene		ND	0.50	0.027	ug/l	
75-00-3	Chloroethane		ND	0.50	0.037	ug/l	
67-66-3	Chloroform		ND	0.50	0.031	ug/l	
74-87-3	Chloromethane		ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride		ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane		ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene		ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane		ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane		ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane		ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene		ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene		ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene		ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene		ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene		ND	0.50	0.033	ug/l	
76-13-1	Freon 113		ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone		ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride		ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone		ND	2.0	0.27	ug/l	
100-42-5	Styrene		ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane		ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane		ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane		ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene		ND	0.50	0.091	ug/l	
108-88-3	Toluene		ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-3		
Lab Sample ID:	JC9689-2	**Date Sampled:**	12/01/15
Matrix:	AQ - Ground Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-4
Lab Sample ID: JC9689-3
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100887.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-4		
Lab Sample ID:	JC9689-3	**Date Sampled:**	12/01/15
Matrix:	AQ - Ground Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: REP120115PP1
Lab Sample ID: JC9689-4
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100885.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	REP120115PP1		
Lab Sample ID:	JC9689-4	**Date Sampled:**	12/01/15
Matrix:	AQ - Ground Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	103%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB120115PP1
Lab Sample ID: JC9689-5
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100884.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.3	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB120115PP1		
Lab Sample ID:	JC9689-5	**Date Sampled:**	12/01/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120115PP1
Lab Sample ID: JC9689-1
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99290.D	1	12/04/15	AMA	12/03/15	M:OP45613	M:MSI3710
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	74%		26-121%
321-60-8	2-Fluorobiphenyl	74%		28-107%
1718-51-0	Terphenyl-d14	86%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-3
Lab Sample ID: JC9689-2
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99291.D	1	12/04/15	AMA	12/03/15	M:OP45613	M:MSI3710
Run #2							

	Initial Volume	Final Volume
Run #1	880 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.23	0.086	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	83%		26-121%
321-60-8	2-Fluorobiphenyl	78%		28-107%
1718-51-0	Terphenyl-d14	89%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-4
Lab Sample ID: JC9689-3
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99292.D	1	12/04/15	AMA	12/03/15	M:OP45613	M:MSI3710
Run #2							

	Initial Volume	Final Volume
Run #1	910 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	80%		26-121%
321-60-8	2-Fluorobiphenyl	76%		28-107%
1718-51-0	Terphenyl-d14	89%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: REP120115PP1
Lab Sample ID: JC9689-4
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99293.D	1	12/04/15	AMA	12/03/15	M:OP45613	M:MSI3710
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	82%		26-121%
321-60-8	2-Fluorobiphenyl	76%		28-107%
1718-51-0	Terphenyl-d14	87%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

Northrop Grumman Corporation-Operable Unit 2

Data Review

BETHPAGE, NEW YORK

Volatile and Semivolatile Analyses

SDGs #JC9792 and JC9923

Analyses Performed By:
Accutest Laboratories
Dayton, New Jersey

Report #24833R
December 28, 2015
Review Level: Tier II
Project #NY001496.1514.NAVI4

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC9792 and JC9923 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDGs	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC9792	TB120215PP1	JC9792-1	Water	12/02/2015		X				
	FB120215PP1	JC9792-2	Water	12/02/2015		X	X			
	BPOW 6-5	JC9792-3	Water	12/02/2015		X	X			
	BPOW 6-6	JC9792-4	Water	12/02/2015		X	X			
JC9923	BPOW5-3	JC9923-1	Water	12/03/2015		X	X			
	FB120315PP1	JC9923-2	Water	12/03/2015		X	X			
	TB120315PP1	JC9923-3	Water	12/03/2015		X				

Note:

1. Semivolatile (1,4-Dioxane) analysis was performed at Accutest Laboratories, Marlborough, MA (Accutest-NE) facility.

ANALYTICAL DATA PACKAGE DOCUMENTATION

GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Methods 524.2 and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

  U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

  B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

  E The compound was quantitated above the calibration range.

  D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

  J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

  UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

  JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

  UB Compound considered non-detect at the listed value due to associated blank contamination.

  N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

  R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were detected in the associated QA blanks; however, the associated sample results were greater than the BAL and/or were non-detect. No qualification of the sample results was required in SDGs JC9792 or JC9923.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9792 and JC9923.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with these SDGs.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate sample was not performed on a sample location associated with SDGs JC9792 or JC9923.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were identified in SDG JC9792 in sample location FB120215PP1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)					X
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery RPD Relative Percent Difference

SEMIVOLATILE ORGANIC COMPOUND (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cooled to <6°C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9792 or JC9923.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries and RPD within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with these SDGs.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent recovery RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE: 

DATE: December 28, 2015

PEER REVIEW BY: Todd Church

DATE: December 29, 2015

CHAIN OF CUSTODY/
CORRECTED SAMPLE ANALYSIS DATA SHEETS

ACCUTEST LABORATORIES

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9792

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski 516-267-6247 Phone #:

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1514.NAV13
Client Purchase Order #:
Project Manager: Carlo San Giovanni
Work Authorization #: NY001496_2015

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

~~VOA502/NJOOOWW-40~~ PP
B8270SIM14DIOX
VOCs 524.2 Full list

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	TB120215PP1		12/2/15	1100	—	TB	2	2								V1027
2	FB120215PP1		12/2/15	1100	PP	FB	3	3								
3	BROW 6-5		12/2/15	1405	PP	GW	3	3								
4	BROW 6-6		12/2/15	1410	PP/MW	GW	3	3								

INITIAL ASSESMENT 2/4/15
LABEL VERIFICATION JK

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other SUMMA+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals
VOCs 524.2 Full list
√ 524 SL4 +40, UMS + F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Pat Prezorski	12/2/15 1945	1	2	12/3/15 1951	2
3			3	4		4
5			5	Custody Seal #	Intact / Not Intact	Preserved where applicable

On Ice: ☑ Cooler Temp: 1.9°C

JC9792: Chain of Custody
Page 1 of 3

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9792

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Pecunti Phone #: 516-697-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #:
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

B8270SIM14DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	MeOH	HNO3	NaOH	NONE	DI Water	MeOH	ENCORE	LAB USE ONLY
-2	FB12021500		12/2/15	1100	AP	FB	2					2				
-3	BPW G-5		12/2/15	1405	AP	GW	2					2				
-4	BPW G-6		12/2/15	1410	AP	GW	2					2				

17C

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Labtink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery. 09:30

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/2/15 1730	1 FedEx	2	12/3/15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal #	Intact / Not Intact	Preserved where applicable / On Ice / Cooler Temp. 1.2

JC9792: Chain of Custody
Page 2 of 3

Report of Analysis

Client Sample ID: TB120215PP1
Lab Sample ID: JC9792-1
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100904.D	1	12/04/15	MD	n/a	n/a	V1B4777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.5	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB120215PP1		
Lab Sample ID:	JC9792-1	**Date Sampled:**	12/02/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120215PP1
Lab Sample ID: JC9792-2
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100905.D	1	12/04/15	MD	n/a	n/a	V1B4777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2.1	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB120215PP1		
Lab Sample ID:	JC9792-2	**Date Sampled:**	12/02/15
Matrix:	AQ - Field Blank Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkene	8.24	.81	ug/l	J N
	Total TIC, Volatile		.81	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-5
Lab Sample ID: JC9792-3
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100906.D	1	12/04/15	MD	n/a	n/a	V1B4777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	0.89	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-5		
Lab Sample ID:	JC9792-3	**Date Sampled:**	12/02/15
Matrix:	AQ - Ground Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-6
Lab Sample ID: JC9792-4
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100907.D	1	12/04/15	MD	n/a	n/a	V1B4777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	0.40	0.50	0.028	ug/l	J
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-6		
Lab Sample ID:	JC9792-4	**Date Sampled:**	12/02/15
Matrix:	AQ - Ground Water	**Date Received:**	12/03/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	103%		78-114%
460-00-4	4-Bromofluorobenzene	104%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120215PP1
Lab Sample ID: JC9792-2
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99455.D	1	12/16/15	AMA	12/05/15	M:OP45645	M:MSI3717
Run #2							

	Initial Volume	Final Volume
Run #1	820 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.24	0.093	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	66%		26-121%
321-60-8	2-Fluorobiphenyl	60%		28-107%
1718-51-0	Terphenyl-d14	83%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-5
Lab Sample ID: JC9792-3
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99456.D	1	12/16/15	AMA	12/05/15	M:OP45645	M:MSI3717
Run #2							

	Initial Volume	Final Volume
Run #1	940 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.081	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	72%		26-121%
321-60-8	2-Fluorobiphenyl	65%		28-107%
1718-51-0	Terphenyl-d14	83%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-6
Lab Sample ID: JC9792-4
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/02/15
Date Received: 12/03/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99457.D	1	12/16/15	AMA	12/05/15	M:OP45645	M:MSI3717
Run #2							

	Initial Volume	Final Volume
Run #1	920 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	71%		26-121%
321-60-8	2-Fluorobiphenyl	65%		28-107%
1718-51-0	Terphenyl-d14	81%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW
FB
MB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

Impulse

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9923

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prozorki Phone #: 516 297-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1514, NAVI3
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VOCs 524.2 Full List
B8270SIM14DIOX
VOCs 524.2 Full List

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	BPOW 5-3		12/3/15	1429	AR/PP	GW	3	3								V1047
2	FB120315PP1		12/3/15	1140	AR/PP	FB	3	3								
3	TB120315PP1		12/3/15	1140	—	TB	2	2								

INITIAL ASESSMENT SB 12/4/15
LABEL VERIFICATION JA

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Approved By (Accutest PM): / Date:

Emergency & Rush T/A data available VIA Lablink

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals
VOCs 524.2 Full list
√524SL4 +40, VMS +F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/3/15 1945			12/4/15 1946	
2						
3						
4						
5						

Custody Seal # Red Arcadis — Intact ☑ / Not intact ☐ — Preserved where applicable ☐ — On Ice ☑ — Cooler Temp. 2.5°C IP

5.1 5

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC 9923

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezioski Phone #: 516 267-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #:
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VG8260SIM3BCW440 | B8270SIM14DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Preserved: HCl	MeOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
-1	BROW 5-3		12/3/15	1429	AP	GW	2					2				✓
-2	FB120315PP2		12/3/15	1140	AP	FB	2					2				

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Labfax

Approved By (Accutest PM): / Date:

Date Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals 17b

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/3/15 1800	1	2	12/4/15 935	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Data Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal #	[ ] Intact [ ] Not Intact	Preserved where applicable [ ] On Ice [x] Cooler Temp: 1 6

JC9923: Chain of Custody
Page 3 of 3

Report of Analysis

Client Sample ID: BPOW5-3
Lab Sample ID: JC9923-1
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100962.D	1	12/08/15	MD	n/a	n/a	V1B4779
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-3		
Lab Sample ID:	JC9923-1	**Date Sampled:**	12/03/15
Matrix:	AQ - Ground Water	**Date Received:**	12/04/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	97%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120315PP1
Lab Sample ID: JC9923-2
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100960.D	1	12/08/15	MD	n/a	n/a	V1B4779
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.8	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB120315PP1		
Lab Sample ID:	JC9923-2	**Date Sampled:**	12/03/15
Matrix:	AQ - Field Blank Water	**Date Received:**	12/04/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	98%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB120315PP1
Lab Sample ID: JC9923-3
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100961.D	1	12/08/15	MD	n/a	n/a	V1B4779
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.4	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB120315PP1		
Lab Sample ID:	JC9923-3	**Date Sampled:**	12/03/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/04/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	100%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-3
Lab Sample ID: JC9923-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99391.D	1	12/14/15	AMA	12/07/15	M:OP45658	M:MSI3715
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	0.39	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	77%		26-121%
321-60-8	2-Fluorobiphenyl	68%		28-107%
1718-51-0	Terphenyl-d14	84%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120315PP1
Lab Sample ID: JC9923-2
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/03/15
Date Received: 12/04/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99392.D	1	12/14/15	AMA	12/07/15	M:OP45658	M:MSI3715
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	71%		26-121%
321-60-8	2-Fluorobiphenyl	64%		28-107%
1718-51-0	Terphenyl-d14	83%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

Northrop Grumman Corporation-Operable Unit 2

Data Review

BETHPAGE, NEW YORK

Volatile and Semivolatile Analyses

SDGs #JC8939, JC9090 and JC9091

Analyses Performed By:
Accutest Laboratories
Dayton, New Jersey

Report #24831R
December 22, 2015
Review Level: Tier II
Project #NY001496.1514.NAVI4

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC8939, JC9090 and JC9091 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDGs	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC8939	RE 117D1	JC8939-1	Water	11/18/2015		X	X			
	RE 117D2	JC8939-2	Water	11/18/2015		X	X			
	FB111815PP1	JC8939-3	Water	11/18/2015		X	X			
	TB111815PP1	JC8939-4	Water	11/18/2015		X				
JC9090	BPOW5-7	JC9090-1	Water	11/20/2015		X	X			
	FB112015PP1	JC9090-2	Water	11/20/2015		X	X			
	TB112015PP2	JC9090-3	Water	11/20/2015		X				
JC9091	RE119D1	JC9091-1	Water	11/20/2015		X	X			
	TB112015PP1	JC9091-2	Water	11/20/2015		X				

Notes:

1. Semivolatile (1,4-Dioxane) analysis was performed at Accutest Laboratories, Marlborough, MA (Accutest-NE) facility.

2. SDG JC8939: Matrix spike/matrix spike duplicate analysis was performed on sample location RE 117D2 for VOC and SVOC.

ANALYTICAL DATA PACKAGE DOCUMENTATION

GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Methods 8260C, 524.2 and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

  U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

  B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

  E The compound was quantitated above the calibration range.

  D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

  J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

  UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

  JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

  UB Compound considered non-detect at the listed value due to associated blank contamination.

  N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

  R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2 SW-846 8260C	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination in SDGs JC8939 and JC9091.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
SDG JC9090:			
BPOW5-7	Acetone	Detected sample results >RL and <BAL	"UB" at the RL
	TIC: Unknown (RT7.60)	Detected sample results less than 5 times blank result	R

RL Reporting limit

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9090 or JC9091.

Sample locations associated with MS/MSD recoveries exhibiting an RPD greater than of the control limit presented in the following table.

Sample Locations	Compound
SDG JC8939:	
RE 117D2	All compounds , except Freon 113

The criteria used to evaluate the RPD between the MS/MSD recoveries are presented in the following table. In the case of an RPD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> UL	Non-detect	UJ
	Detect	J

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits in SDGs JC8939, JC9090 and JC9091.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with these SDGs.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate sample was not performed on a sample location associated with SDGs JC8939, JC9090 or JC9091.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were identified in SDG JC9090 in sample locations: BPOW5-7 and FB112015PP1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2 and 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)		X		X	
Matrix Spike Duplicate(MSD)		X		X	
MS/MSD Precision (RPD)		X	X		
Field/Lab Duplicate (RPD)					X
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery RPD Relative Percent Difference

SEMIVOLATILE ORGANIC COMPOUND (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cooled to <6°C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries in SDG JC8939.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9090 and JC9091.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries and RPD within the control limits for SDGs JC8939, JC9090 and JC9091.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with these SDGs.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate(MSD) %R		X		X	
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent recovery RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE: 

DATE: December 22, 2015

PEER REVIEW BY: Todd Church

DATE: December 29, 2015

CHAIN OF CUSTODY/
CORRECTED SAMPLE ANALYSIS DATA SHEETS

ACCUTEST LABORATORIES

GW
WFB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC8939

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski Phone #: 516-247-6242

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1614.MA12
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX
-1	RE 11701		11/11/15	1354	PP	GW	3	3								✓	
-2	RE 11702		11/11/15	1320	KD	GW	9	9								✓	
-3	FB111115881		11/11/15	0940	PP	FB	2	2								✓	
-4	TB 111115881		11/11/15	0940	—	TB	2	2								✓	

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL- Sludge; SED-Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB-Field Blank; EB-Equipment Blank; RB- Rinse Blank; TB-Trip Blank

LAB USE ONLY: V900

INITIAL ASSESSMENT 3A Dom
LABEL VERIFICATION JB

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other CUMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Please use RE 11702 as a QA/QC MS/MSD sample

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler: 1	Date Time: 11/11/15 1900	Received By: 1		Relinquished By: 2	Date/Time: 11/12/15 1614	Received By: 2	
Relinquished by Sampler: 3	Date Time:	Received By: 3		Relinquished By: 4	Date Time:	Received By: 4	
Relinquished by: 5	Date Time:	Received By: 5		Custody Seal #	☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☑ Cooler Temp: 3.2°C

JC8939: Chain of Custody
Page 1 of 4

CHAIN OF CUSTODY

ACCUTEST LABORATORIES

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 4 Pg 2

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC8939

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Rose JK SG Phone #: 287247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: M001496, 1614NAV13
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX
	RE 1170 1		11/18/15	1354	SG	GW	2					2					✓
	RE 1170 2		11/18/15	1320	KD	GW	6					6					✓
	FB 111815SP02		11/18/15	0940	SG	FB	2					2					✓

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL - Sludge; SED-Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB-Field Blank; EB-Equipment Blank; RB- Rinse Blank; TB-Trip Blank

LAB USE ONLY

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [X] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL-reporting for metals

Please use RE1170 2 as a QA/QC MS/MSD Sample

Sample Custody must be documented below each time samples change possession, including courier delivery. 09:30

Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	11/18/15 1630	1 FEX	2	11/19/15	2
Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
3		3	4		4
Relinquished by:	Date Time:	Received By:	Custody Seal #	Intact / Not Intact	Preserved where applicable
5		5			On Ice / Cooler Temp. 1.5, 2.0, 2.5

5.1 5

JC8939: Chain of Custody
Page 3 of 4

Report of Analysis

Client Sample ID: RE 117D1
Lab Sample ID: JC8939-1
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2D150433.D	1	11/24/15	BK	n/a	n/a	V2D6321
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	0.75	1.0	0.16	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RE 117D1		
Lab Sample ID:	JC8939-1	**Date Sampled:**	11/18/15
Matrix:	AQ - Ground Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	9.4	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		76-120%
17060-07-0	1,2-Dichloroethane-D4	100%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	102%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 117D2
Lab Sample ID: JC8939-2
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2D150333.D	1	11/21/15	BK	n/a	n/a	V2D6317
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	J
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	J
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	J
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	J
108-88-3	Toluene	0.98	1.0	0.16	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	J

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RE 117D2		
Lab Sample ID:	JC8939-2	**Date Sampled:**	11/18/15
Matrix:	AQ - Ground Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	J
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	J
	m,p-Xylene	ND	1.0	0.38	ug/l	J
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	98%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB111815PP1		
Lab Sample ID:	JC8939-3	**Date Sampled:**	11/18/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2D150331.D	1	11/21/15	BK	n/a	n/a	V2D6317
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB111815PP1		
Lab Sample ID:	JC8939-3	**Date Sampled:**	11/18/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB111815PP1
Lab Sample ID: JC8939-4
Matrix: AQ - Trip Blank Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2D150332.D	1	11/21/15	BK	n/a	n/a	V2D6317
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB111815PP1		
Lab Sample ID:	JC8939-4	**Date Sampled:**	11/18/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/19/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 117D1
Lab Sample ID: JC8939-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99203.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	77%		26-121%
321-60-8	2-Fluorobiphenyl	64%		28-107%
1718-51-0	Terphenyl-d14	82%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 117D2
Lab Sample ID: JC8939-2
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99186.D	1	11/26/15	AMA	11/22/15	M:OP45518	M:MSI3703
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.20	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	75%		26-121%
321-60-8	2-Fluorobiphenyl	66%		28-107%
1718-51-0	Terphenyl-d14	89%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB111815PP1
Lab Sample ID: JC8939-3
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/18/15
Date Received: 11/19/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99204.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	960 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.079	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	79%		26-121%
321-60-8	2-Fluorobiphenyl	68%		28-107%
1718-51-0	Terphenyl-d14	81%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

NJ

GW
FB
WTB

CHAIN OF CUSTODY

ACCUTEST LABORATORIES

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #4 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9090

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prezorski Phone #: 516 297-6247

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells Northrop Grumman OU2 Hydro
Street
City: Bethpage State: NY
Project #: NY001496.~~314~~1614.NAVI3
Client Purchase Order #
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VOCs 524.2 Full List
B8270SIM 14 point

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VOCs 524.2 Full List	B8270SIM 14 point	LAB USE ONLY
1	BPOW 5-7		11/20/15	1524	KD	GW	3	3								✓		V1918
2	FB112015PP2		11/20/15	1540	KD	FB	2	2								✓		
3	TB112015PP2		11/20/15	0940	—	TB	2	2								✓		

INITIAL ASESSMENT 3B 0B
LABEL VERIFICATION 05

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 full list
V524SL4 +40 UMS+F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/20/15 16:00	1 Robert Drachsler	2 Robert Drachsler	11-20-15	2
3	Relinquished by Sampler:	Date Time:	3	4	Date Time:	4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # 361 ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☒ Cooler Temp. I. G 2.0°C

MA

CHAIN OF CUSTODY

PAGE 1 OF 1

ACCUTEST LABORATORIES

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking # #4 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9090

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville | State: NY | Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com | E-mail
Phone #: 631-391-5247 | Fax #: 631-249-7610
Sampler(s) Name(s): Kat Proost 516 887 6347 | Phone #

Project Information

Project Name: AGMNYM62235 // OU2 Outpost Wells
Northrop Grumman OU2 Hydro
Street
City | State
Project #: NY001496.1614.NAVI3
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch | State: CO | Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

V5242 ~~NG140W+40~~ Cvll list
B8270SIM14DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
-1	BROW 5-7		11/20/15	1528	KP	GW	2					2				1713
-2	FB112015FP7		11/20/15	1530	KP	FB	2					2				

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

VOCs 524.2 full list
V5245L4 + Y0, VMS + F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Kat Proost	11/24/15 1730	1 TOM	2 TOM	11/25/15 10:30	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # ☐ Intact ☐ Not Intact	Preserved where applicable ☐ 3 2 10 VM	On Ice ☐ Cooler Temp. 2.2°C

Report of Analysis

Client Sample ID: BPOW5-7
Lab Sample ID: JC9090-1
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100758.D	1	11/24/15	MD	n/a	n/a	V1B4770
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone 5.0	~~1.1~~	5.0	0.91	ug/l	~~J~~ UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	0.49	0.50	0.044	ug/l	J

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-7		
Lab Sample ID:	JC9090-1	**Date Sampled:**	11/20/15
Matrix:	AQ - Ground Water	**Date Received:**	11/20/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	unknown	~~7.60~~	~~.65~~	~~ug/l~~	~~J~~ R
	Total TIC, Volatile		~~.65~~	~~ug/l~~	~~J~~

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB112015PP1
Lab Sample ID: JC9090-2
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100759.D	1	11/24/15	MD	n/a	n/a	V1B4770
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.6	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	0.20	0.50	0.047	ug/l	J
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB112015PP1		
Lab Sample ID:	JC9090-2	**Date Sampled:**	11/20/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/20/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	unknown	7.60	.59	ug/l	J N
	Total TIC, Volatile		.59	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB112015PP2
Lab Sample ID: JC9090-3
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100760.D	1	11/24/15	MD	n/a	n/a	V1B4770
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.5	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB112015PP2		
Lab Sample ID:	JC9090-3	**Date Sampled:**	11/20/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/20/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	100%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-7
Lab Sample ID: JC9090-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99205.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	79%		26-121%
321-60-8	2-Fluorobiphenyl	69%		28-107%
1718-51-0	Terphenyl-d14	84%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB112015PP1
Lab Sample ID: JC9090-2
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99206.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	920 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	82%		26-121%
321-60-8	2-Fluorobiphenyl	74%		28-107%
1718-51-0	Terphenyl-d14	87%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW WTB NJ

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9091

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prizonzik Phone #: 516 297 6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1614.AV13
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX
1	RE119D1		11/20/15	1345	KD	GW	3	3								✓	
2	TB112015PP1		11/20/15	0900	—	TB	2	2								✓	

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

LAB USE ONLY: V918

INITIAL ASSESSMENT 315 08
LABEL VERIFICATION 09

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY

Emergency & Rush T/A data available VIA Labtrack

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Pat Prizonzik	11/20/15 1600	1 Robert Chambers	2 Robert Chambers	11-20-15 19:36	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # 361 ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☒ Cooler Temp. T-6 2.0°C

JC9091: Chain of Custody
Page 1 of 4

ACCUTEST LABORATORIES

MA

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9091

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prework 56 287647 Phone #:

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496 1614, NAV77
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	MeOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX	LAB USE ONLY
1	RE11901		11/20/15	1345	ED	GW	2					2					✓	

17B

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery. 10:30

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1	Pat Prework	11/20/15 1730	1	2 FedEx	11/21/15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☐ Cooler Temp: Labels 2-0 C

5.1 5

JC9091: Chain of Custody
Page 3 of 4

Report of Analysis

Client Sample ID: RE119D1
Lab Sample ID: JC9091-1
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B137063.D	1	12/01/15	EH	n/a	n/a	V2B6106
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	0.72	1.0	0.16	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RE119D1		
Lab Sample ID:	JC9091-1	**Date Sampled:**	11/20/15
Matrix:	AQ - Ground Water	**Date Received:**	11/20/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-120%
17060-07-0	1,2-Dichloroethane-D4	115%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB112015PP1
Lab Sample ID: JC9091-2
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B137000.D	1	11/28/15	EH	n/a	n/a	V2B6102
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB112015PP1		
Lab Sample ID:	JC9091-2	**Date Sampled:**	11/20/15
Matrix:	AQ - Ground Water	**Date Received:**	11/20/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		76-120%
17060-07-0	1,2-Dichloroethane-D4	103%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	102%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE119D1
Lab Sample ID: JC9091-1
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/20/15
Date Received: 11/20/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99207.D	1	11/27/15	AMA	11/22/15	M:OP45518	M:MSI3704
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	74%		26-121%
321-60-8	2-Fluorobiphenyl	67%		28-107%
1718-51-0	Terphenyl-d14	83%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

Northrop Grumman Corporation-Operable Unit 2

Data Review

BETHPAGE, NEW YORK

Volatile and Semivolatile Analyses

SDGs #JC9220, JC9566 and JC9689

Analyses Performed By:
Accutest Laboratories
Dayton, New Jersey

Report #24832R
December 28, 2015
Review Level: Tier II
Project #NY001496.1514.NAVI4

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC9220, JC9566 and JC9689 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDGs	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC9220	FB112315PP1	JC9220-1	Water	11/23/2015		X	X			
	TB112315PP1	JC9220-2	Water	11/23/2015		X				
	RE118D1	JC9220-3	Water	11/23/2015		X	X			
JC9566	FB113015PP1	JC9566-1	Water	11/30/2015		X	X			
	BPOW 6-1	JC9566-2	Water	11/30/2015		X	X			
	BPOW 6-2	JC9566-3	Water	11/30/2015		X	X			
	TB113015PP1	JC9566-4	Water	11/30/2015		X				
JC9689	FB120115PP1	JC9689-1	Water	12/01/2015		X	X			
	BPOW 6-3	JC9689-2	Water	12/01/2015		X	X			
	BPOW 6-4	JC9689-3	Water	12/01/2015		X	X			
	REP120115PP1	JC9689-4	Water	12/01/2015	BPOW 6-4	X	X			
	TB120115PP1	JC9689-5	Water	12/01/2015		X				

Note:

1. Semivolatile (1,4-Dioxane) analysis was performed at Accutest Laboratories, Marlborough, MA (Accutest-NE) facility.

ANALYTICAL DATA PACKAGE DOCUMENTATION

GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Methods 8260C, 524.2 and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

  U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

  B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

  E The compound was quantitated above the calibration range.

  D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

  J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

  UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

  JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

  UB Compound considered non-detect at the listed value due to associated blank contamination.

  N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

  R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2 SW-846 8260C	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination in SDG JC9220.

Compounds were detected in the associated QA blanks; however, the associated sample results were greater than the BAL and/or were non-detect. No qualification of the sample results was required in SDG JC9566.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
SDG JC9689:			
BPOW 6-3	Acetone	Detected sample results >RL and <BAL	"UB" at the RL

RL Reporting limit

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC

analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9220, JC9566 or JC9689.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with SDGs JC9220 or JC9566.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC9689:				
BPOW 6-4/ REP120115PP1	All compounds	U	U	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample

concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate sample was not performed on a sample location associated with SDGs JC9220, JC9566 or JC9689.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not identified in SDG JC9220. TICs were identified in SDG JC9566 in sample locations FB113015PP1; and, in SDG JC9689 in sample location FB12015PP1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2 and 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)					X
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery RPD Relative Percent Difference

SEMIVOLATILE ORGANIC COMPOUND (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cooled to <6°C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD analysis was not performed on a sample location associated with SDGs JC9220, JC9566 or JC9689.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries and RPD within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with SDG JC9220 and JC9566

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC9689:				
BPOW 6-4/ REP120115PP1	1,4-Dioxane	0.22 U	0.21 U	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent recovery RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE: 

DATE: December 28, 2015

PEER REVIEW BY: Todd Church

DATE: December 29, 2015

CHAIN OF CUSTODY/
CORRECTED SAMPLE ANALYSIS DATA SHEETS

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9220

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Parwatki Phone #: 516-647-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY00 1496.0514.MN17
Client Purchase Order #:
Project Manager: Carlo San Giovanni
Work Authorization #: NY001496_2015

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MECH	ENCORE	VC82602NG36GW+40	B8270SIM14DIOX	LAB USE ONLY
1	FB 112315081		11/23/15	1150	AR	FB	3	3								✓		V948
2	TB 112315081		11/23/15	1150	–	TB	2	2								✓		
3	RE 11801		11/23/15	1509	AR	GW	3	3								✓		

Number of preserved Bottles

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

INITIAL ASSESSMENT
LABEL VERIFICATION

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Labilink

Approved By (Accutest PM): / Date: 11/24 1115

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/23/15 1830	1	2	11/24 1540	2
2			3	4		4
3			5	Custody Seal #	Intact / Not intact	Preserved where applicable

On Ice: ☐ Cooler Temp: 0.3, 5.0

JC9220: Chain of Custody
Page 1 of 4

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9220

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville | State: NY | Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com | E-mail
Phone #: 631-249-7600 | Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prose SKI | Phone #: 516 297-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage | State: NY
Project #:
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch | State: CO | Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VC82602NG36GW+40
B8270SIM14DIOX

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	FB112315SP1		11/23/15	1150	AR	FB	2					2				
3	RE 11SD1		11/23/15	1509	AR/AA	GW	2					2				

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULL T1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals 17B

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/23/15 1820	1	2	11/24/15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # ☐ Intact ☐ Not Intact	Preserved where applicable: ☐ ICE ☐ VNI	On Ice: ☒ Cooler Temp: 2-1 C

JC9220: Chain of Custody
Page 2 of 4

Report of Analysis

Client Sample ID: FB112315PP1
Lab Sample ID: JC9220-1
Matrix: AQ - Field Blank Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A156464.D	1	11/30/15	VC	n/a	n/a	V1A6717
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB112315PP1		
Lab Sample ID:	JC9220-1	**Date Sampled:**	11/23/15
Matrix:	AQ - Field Blank Water	**Date Received:**	11/24/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB112315PP1
Lab Sample ID: JC9220-2
Matrix: AQ - Trip Blank Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A156465.D	1	11/30/15	VC	n/a	n/a	V1A6717
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	ND	1.0	0.16	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB112315PP1		
Lab Sample ID:	JC9220-2	**Date Sampled:**	11/23/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	11/24/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	99%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 118D1
Lab Sample ID: JC9220-3
Matrix: AQ - Ground Water
Method: SW846 8260C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A156488.D	1	12/01/15	VC	n/a	n/a	V1A6718
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.3	ug/l	
71-43-2	Benzene	ND	0.50	0.24	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.23	ug/l	
75-25-2	Bromoform	ND	1.0	0.23	ug/l	
74-83-9	Bromomethane	ND	2.0	0.42	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	5.6	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.25	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.22	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.34	ug/l	
67-66-3	Chloroform	ND	1.0	0.19	ug/l	
74-87-3	Chloromethane	ND	1.0	0.41	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.15	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.17	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.18	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.51	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.65	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.39	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.21	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.27	ug/l	
76-13-1	Freon 113	ND	5.0	0.52	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.7	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.73	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.21	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.40	ug/l	
108-88-3	Toluene	0.57	1.0	0.16	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.21	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RE 118D1		
Lab Sample ID:	JC9220-3	**Date Sampled:**	11/23/15
Matrix:	AQ - Ground Water	**Date Received:**	11/24/15
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.22	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.15	ug/l	
	m,p-Xylene	ND	1.0	0.38	ug/l	
95-47-6	o-Xylene	ND	1.0	0.17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB112315PP1
Lab Sample ID: JC9220-1
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99247.D	1	12/01/15	AMA	11/24/15	M:OP45543	M:MSI3707
Run #2							

	Initial Volume	Final Volume
Run #1	960 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.079	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	88%		26-121%
321-60-8	2-Fluorobiphenyl	75%		28-107%
1718-51-0	Terphenyl-d14	86%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE 118D1
Lab Sample ID: JC9220-3
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/23/15
Date Received: 11/24/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99248.D	1	12/01/15	AMA	11/24/15	M:OP45543	M:MSI3707
Run #2							

	Initial Volume	Final Volume
Run #1	920 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.083	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	67%		26-121%
321-60-8	2-Fluorobiphenyl	60%		28-107%
1718-51-0	Terphenyl-d14	87%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW
FB
WB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9566

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Prazonki Phone #: 516 257-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: NY001496.1514.NAV12
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

VC62602NG96GW+40
B8270SIM14DIOX
VOCs 524.2 Full list

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	FB113015RP1		11/30/15	1310	RP	FB	3	3								V988
2	BROU 6-1		11/30/15	1635	AR/RP	GW	3	3								
3	BROU 6-2		11/30/15	1635	RP	GW	3	3								
4	TB113015RP1		11/30/15	1300	—	TB	2	2								

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day RUSH
- [ ] 5 Day RUSH
- [ ] 3 Day EMERGENCY
- [ ] 2 Day EMERGENCY
- [ ] 1 Day EMERGENCY

Emergency & Rush T/A data available VIA Labilink

Approved By (Accutest PM): / Date:
INITIAL ASSESSMENT NL3A
LABEL VERIFICATION CB

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other UOMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals
VOCs 524.2 Full list
V524SL4+40, VMS+F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/30/15 1630	1 Robert Chambers	2 Robert Chambers	12-1-15	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # 364 ☐ Intact ☐ Not intact	Preserved where applicable ☐	On Ice ☒ Cooler Temp. 1.6 2.0c

JC9566: Chain of Custody
Page 1 of 3

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9566

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): Pat Arzonetti 516-297-6247 Phone #:

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells
Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #: N40114A6.1514.SAV77
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	B8270SIM14DIOX	LAB USE ONLY
-1	FB 113015BP2		11/30/15	1310	AP	FB	2					2				✓	
-2	BPMW 6-1		11/30/15	1635	AP/PA	GW	2					2				✓	
-3	BPMW 6-2		11/30/15	1635	AP	GW	2					2				✓	
																	17D

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Labfax

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other CUMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		11/30/15 1915	1	2	12/1/15 1035	2
3	Relinquished by Sampler:	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal #	Intact / Not Intact	Preserved where applicable	On Ice	Cooler Temp: 1.0°c 0.1°c

JC9566: Chain of Custody
Page 3 of 3

Report of Analysis

Client Sample ID: FB113015PP1
Lab Sample ID: JC9566-1
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100892.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2.2	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB113015PP1		
Lab Sample ID:	JC9566-1	**Date Sampled:**	11/30/15
Matrix:	AQ - Field Blank Water	**Date Received:**	12/01/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	104%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	unknown	7.61	.65	ug/l	J N
	Total TIC, Volatile		.65	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-1
Lab Sample ID: JC9566-2
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100893.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-1		
Lab Sample ID:	JC9566-2	**Date Sampled:**	11/30/15
Matrix:	AQ - Ground Water	**Date Received:**	12/01/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-2
Lab Sample ID: JC9566-3
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100894.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-2		
Lab Sample ID:	JC9566-3	**Date Sampled:**	11/30/15
Matrix:	AQ - Ground Water	**Date Received:**	12/01/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	103%		78-114%
460-00-4	4-Bromofluorobenzene	104%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB113015PP1
Lab Sample ID: JC9566-4
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100895.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.5	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB113015PP1		
Lab Sample ID:	JC9566-4	**Date Sampled:**	11/30/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/01/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	104%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB113015PP1
Lab Sample ID: JC9566-1
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99338.D	1	12/10/15	AMA	12/02/15	M:OP45603	M:MSI3713
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	67%		26-121%
321-60-8	2-Fluorobiphenyl	61%		28-107%
1718-51-0	Terphenyl-d14	75%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-1
Lab Sample ID: JC9566-2
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99339.D	1	12/10/15	AMA	12/02/15	M:OP45603	M:MSI3713
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	72%		26-121%
321-60-8	2-Fluorobiphenyl	64%		28-107%
1718-51-0	Terphenyl-d14	75%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-2
Lab Sample ID: JC9566-3
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 11/30/15
Date Received: 12/01/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99340.D	1	12/10/15	AMA	12/02/15	M:OP45603	M:MSI3713
Run #2							

	Initial Volume	Final Volume
Run #1	890 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.085	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	80%		26-121%
321-60-8	2-Fluorobiphenyl	71%		28-107%
1718-51-0	Terphenyl-d14	76%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

ACCUTEST LABORATORIES

GW
FB
WTB

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9689

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): [illegible] Phone #: 516 287-6247

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #:
Client Purchase Order #: Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (If different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

~~VC5206ZHG3GWM40~~ | B8270SIM14DIOX | VOCs 524.2 Full list

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Preserved Bottles: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	LAB USE ONLY
1	FB 120115PP2		12/1/15	1050	PP	FB	3	3								V1007
2	BPOW 6-3		12/1/15	1350	MP	GW	3	3								
3	BPOW 6-4		12/1/15	1349	PP	GW	3	3								
4	RB 120115PP2		12/1/15	—	PP	GW	3	3								
5	TB 120115PP2		12/1/15	1050	—	TB	2	2								

INITIAL ASESSMENT
LABEL VERIFICATION

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

VOCs 524.2 Full list
✓ 524.2+4D VMS+F113

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/1/15 1930	1	2	12/2/15 1755	2
3			3	4		4
5			5			

Custody Seal # CLIENT SEAL ☒ Intact ☐ Not intact | Preserved where applicable ☐ | On Ice B | Cooler Temp. 1.5 °C

5.1 5

JC9689: Chain of Custody
Page 1 of 4

ACCUTEST LABORATORIES

CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

PAGE 1 OF 1

FED-EX Tracking # #5 | Bottle Order Control #
Accutest Quote # | Accutest Job # JC9689

Client / Reporting Information

Company Name: Arcadis
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville State: NY Zip: 11747
Project Contact: Soma Das, soma.das@arcadis-us.com E-mail:
Phone #: 631-249-7600 Fax #: 631-249-7610
Sampler(s) Name(s): K. Parzuski 516 767 6647 Phone #:

Project Information

Project Name: AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro
Street:
City: Bethpage State: NY
Project #:
Client Purchase Order #:
Work Authorization #: NY001496_2015
Project Manager: Carlo San Giovanni

Billing Information (if different from Report to)

Company Name: Arcadis, U.S., Inc. Attn: Accts Payable
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, State: CO Zip: 80129
Attention: Soma Das

Requested Analysis (see TEST CODE sheet)

Accutest Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Preserved: HCl	NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VG9282NS(40CW)-40	B8270SIM14DIOX	LAB USE ONLY
1	FB 120115PP1		12/1/15	1450	PP	FB	2					2					✓	
2	BPOW 6-3		12/1/15	1350	PP	GW	2					2					✓	
3	BPOW 6-4		12/1/15	1349	PP	GW	2					2					✓	
4	Rep 120115PP1		12/1/15	—	PP	GW	2					2					✓	

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Turnaround Time (Business days)

- [ ] Std. 15 Business Days
- [x] Std. 10 Business Days (by Contract only)
- [ ] 10 Day *RUSH*
- [ ] 5 Day *RUSH*
- [ ] 3 Day *EMERGENCY*
- [ ] 2 Day *EMERGENCY*
- [ ] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [x] Other COMMC+

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

RL reporting for metals

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1		12/1/15 1810	1	2		2
3	Relinquished by Sampler: FEDX	Date Time: 12-2-15 1045	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4
5	Relinquished by:	Date Time:	Received By: 5	Custody Seal # ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☑ Cooler Temp. 0.8=0.5°C

IRGWI

JC9689: Chain of Custody
Page 2 of 4

Report of Analysis

Client Sample ID: FB120115PP1
Lab Sample ID: JC9689-1
Matrix: AQ - Field Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100883.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2.7	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB120115PP1		
Lab Sample ID:	JC9689-1	**Date Sampled:**	12/01/15
Matrix:	AQ - Field Blank Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	104%		78-114%
460-00-4	4-Bromofluorobenzene	105%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkene	8.25	2	ug/l	J N
	Total TIC, Volatile		2	ug/l	J N

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-3		
Lab Sample ID:	JC9689-2	**Date Sampled:**	12/01/15
Matrix:	AQ - Ground Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100886.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound		Result	RL	MDL	Units	Q
67-64-1	Acetone	5.0	0.92	5.0	0.91	ug/l	J UB
78-93-3	2-Butanone		ND	5.0	0.57	ug/l	
71-43-2	Benzene		ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane		ND	0.50	0.082	ug/l	
75-25-2	Bromoform		ND	0.50	0.046	ug/l	
74-83-9	Bromomethane		ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide		ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene		ND	0.50	0.027	ug/l	
75-00-3	Chloroethane		ND	0.50	0.037	ug/l	
67-66-3	Chloroform		ND	0.50	0.031	ug/l	
74-87-3	Chloromethane		ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride		ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane		ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene		ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane		ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane		ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane		ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene		ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene		ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene		ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene		ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene		ND	0.50	0.033	ug/l	
76-13-1	Freon 113		ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone		ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride		ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone		ND	2.0	0.27	ug/l	
100-42-5	Styrene		ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane		ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane		ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane		ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene		ND	0.50	0.091	ug/l	
108-88-3	Toluene		ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-3		
Lab Sample ID:	JC9689-2	**Date Sampled:**	12/01/15
Matrix:	AQ - Ground Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-4
Lab Sample ID: JC9689-3
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100887.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-4		
Lab Sample ID:	JC9689-3	**Date Sampled:**	12/01/15
Matrix:	AQ - Ground Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: REP120115PP1
Lab Sample ID: JC9689-4
Matrix: AQ - Ground Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100885.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	REP120115PP1		
Lab Sample ID:	JC9689-4	**Date Sampled:**	12/01/15
Matrix:	AQ - Ground Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	103%		78-114%
460-00-4	4-Bromofluorobenzene	103%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB120115PP1
Lab Sample ID: JC9689-5
Matrix: AQ - Trip Blank Water
Method: EPA 524.2 REV 4.1
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B100884.D	1	12/03/15	MD	n/a	n/a	V1B4776
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.3	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB120115PP1		
Lab Sample ID:	JC9689-5	**Date Sampled:**	12/01/15
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/02/15
Method:	EPA 524.2 REV 4.1	**Percent Solids:**	n/a
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	102%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120115PP1
Lab Sample ID: JC9689-1
Matrix: AQ - Field Blank Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99290.D	1	12/04/15	AMA	12/03/15	M:OP45613	M:MSI3710
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	74%		26-121%
321-60-8	2-Fluorobiphenyl	74%		28-107%
1718-51-0	Terphenyl-d14	86%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-3
Lab Sample ID: JC9689-2
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99291.D	1	12/04/15	AMA	12/03/15	M:OP45613	M:MSI3710
Run #2							

	Initial Volume	Final Volume
Run #1	880 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.23	0.086	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	83%		26-121%
321-60-8	2-Fluorobiphenyl	78%		28-107%
1718-51-0	Terphenyl-d14	89%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-4
Lab Sample ID: JC9689-3
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99292.D	1	12/04/15	AMA	12/03/15	M:OP45613	M:MSI3710
Run #2							

	Initial Volume	Final Volume
Run #1	910 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.22	0.084	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	80%		26-121%
321-60-8	2-Fluorobiphenyl	76%		28-107%
1718-51-0	Terphenyl-d14	89%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: REP120115PP1
Lab Sample ID: JC9689-4
Matrix: AQ - Ground Water
Method: SW846 8270D BY SIM SW846 3510C
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY

Date Sampled: 12/01/15
Date Received: 12/02/15
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	I99293.D	1	12/04/15	AMA	12/03/15	M:OP45613	M:MSI3710
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.21	0.080	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	82%		26-121%
321-60-8	2-Fluorobiphenyl	76%		28-107%
1718-51-0	Terphenyl-d14	87%		29-129%

(a) Analysis performed at Accutest Laboratories, Marlborough, MA.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Appendix D

ARCADIS Separate and Ongoing OU2 Monitoring of Navy Wells

Well	Well Owner	1st Q	2nd Q	3rd Q	4th Q	VOC Analysis Method
Outpost wells						
BPOW1-1	Navy		X		X	524.2
BPOW1-2	Navy		X		X	524.2
BPOW1-3	Navy		X		X	524.2
BPOW1-4	Navy		X		X	524.2
BPOW1-5	Navy		X		X	524.2
BPOW1-6	Navy		X		X	524.2
BPOW2-1	Navy		X		X	524.2
BPOW2-2	Navy		X		X	524.2
BPOW2-3	Navy		X		X	524.2
BPOW3-1	Navy		X		X	524.2
BPOW3-2	Navy		X		X	524.2
BPOW3-3	Navy		X		X	524.2
BPOW3-4	Navy		X		X	524.2
Semi-annual and annual						
TT102D	Navy		X		X	8260C
TT102D2	Navy		X		X	8260C
FW-03	Navy		X			8260C
GM-15D	Navy		X		X	8260C
GM-15D2	Navy		X		X	8260C
GM-17D	Navy		X		X	8260C
GM-17I	Navy		X		X	8260C
GM-18D	Navy		X		X	8260C
GM-21D	Navy		X			8260C
GM-39DA	Navy		X		X	8260C
GM-39DB	Navy		X		X	8260C
GM-73D	Navy		X		X	8260C
GM-73D2	Navy		X		X	8260C
GM-74D	Navy		X		X	8260C
GM-74I	Navy		X		X	8260C
GM-75D2	Navy		X		X	8260C
GM-78I	Navy		X			8260C
GM-78S	Navy		X			8260C
GM-79D	Navy		X		X	8260C
GM-79I	Navy		X		X	8260C
HN-24I	Navy		X			8260C
HN-40I	Navy		X			8260C
HN-40S	Navy		X			8260C
HN-42I	Navy		X			8260C
HN-42S	Navy		X			8260C

Q: Quarter

VOC: volatile organic compound